

Japan Collection .

FW 2025

Welcome to the 2025 New Collection



Index



Ski Collection	04
Technologies	
Trueblend Woodcore	06
Blizzard Constructions	08
Collection	
RACE	
Firebird	10
PISTE	
Thunderbird	18
Stormbird	22
Phoenix	26
ALL MOUNTAIN	
Anomaly	30
Black Pearl	32
FREERIDE	
Rustler	34
Sheeva	36
TOURING	
Zero G	38
JUNIOR	42
RENTAL	44
Accessories	
Bindings	48
Accessories	51



Ski Boot Collection	52
Technologies	
C.A.S. Custom Adaptive Shape	54
Best Fit Out Of The Box	56
T.Power	57
Recycle Your Boots	58
Collection	
RACE	
Firebird	62
PISTE	
Mach1	64
Mach Sport	72
Mach Boa	76
ALL MOUNTAIN	
Cochise	80
TOURING	
Zero G	82
JUNIOR	86
RENTAL	87
Accessories	
Accessories & Spare Parts	90
Bags	92
Size Table	94

Ski Collection

 BLIZZARD



Perfect Balanced Flex.

Trueblend Woodcore

1モデル1サイズ1ペア、全てのスキーにこだわりを



Trueblend

Blizzardスキーの基礎となるウッドコアの技術です。全てのブリザードスキーベースとなるウッドコア・テクノロジー。1モデル1サイズごとにバランス設計し、絶対的な安心感がスキーヤーに生まれます。Trueblendウッドコア・テクノロジーのおかげで、私たちはスキーの長さを通してフレックスを正確にコントロールすることができ、どのサイズでも望ましい挙動をコントロールすることができます。ALL MOUNTAINブリザードスキーは、異なる密度を持つ特定の木材を選択し、それらをブレンドして配置することで、フレックスを最適化し、スムーズでバランスの取れたフィーリングを提供するよう設計されたウッドコアを形成しています。この技術により、ブリザードスキーは圧倒的な性能を持ちながら、滑りにくさを感じさせないスキーを作ることができました。各製品は、適切なパフォーマンス、コントロール、自信を最適化するために、それぞれ異なるトゥールブレンドを採用しています。こだわったスキーを作るブリザード職人の想いをあなたに届く日を楽しみにしています。

Standard Woodcore

一般的な芯材



- ・アッシュ材
衝撃性、耐久性を誇る堅さ
- ・ビーチ材
耐久性と強度が高い
- ・ポプラ材
軽量で柔らかくしなやか
- ・パウロニア材
ブリザードの中で最も軽量

Raceレーシング




- ポプラ材
- アッシュ材

Piste High Performanceピステパフォーマンス




- ビーチ材
- ポプラ材

All Mountain Piste Sport Performanceオールマウンテンピステスポーツパフォーマンス



- ビーチ材
- ポプラ材


Freeフリーライド



- ビーチ材
- ポプラ材
- パウロニア材

New

Tourツアーリング



- パウロニア材
- ポプラ材


Blizzard Constructions

すべてのブリザートスキーは、カテゴリごとに最適なフレックスと最高のパフォーマンスを発揮するよう微調整し、特別に設計されたウッドコアで作られています。

ウッドコアを囲む構造も各カテゴリに特化しており、芯材をサポートし、あらゆるタイプのスキーヤーニーズに最高のスキーを提供するよう設計されています。


Race / High Performance

FIREBIRD




All Mountain

ANOMALY




BLACK PEARL




Piste/ High Performance

THUNDERBIRD




PHOENIX R14 PRO




Free

RUSTLER




SHEEVA




Piste/ Sport Performance

STORMBIRD DTI




STORMBIRD TI




Tour

ZERO G



ZERO G W2W





Firebird

Own Your Next Turn.

次のターンに向けて、食欲であれ。
ターンを自分のものに。

Race

R.D.



**FIREBIRD DH R.D.
(FLAT + PLATE)**
Cod: 8A430200-001
Orange / Black

Lengths (cm) / Radius (cm):
212 - 218 / ≥ 50
Sidecut: R&D
Plate: World Cup PC Interface 10mm
Sugg. Binding: Comp 30 / Comp 20
Construction:
Race Dept. Sandwich Full Sidewall
Core + Key Materials:
Race Dept. Full Woodcore
Key Technology:
Phenol Sidewalls
Rocker: Full Camber
Weight (Flat): 5240 g



**FIREBIRD SG R.D.
(FLAT + PLATE)**
Cod: 8A430400-001
Orange / Black

Lengths (cm) / Radius (cm):
185 - 195 - 202 - 205 - 212 /
 ≥ 30 ; ≥ 33 ; ≥ 33 ; ≥ 40 ; ≥ 45
Sidecut: R&D
Plate: World Cup PC Interface 10mm
Sugg. Binding: Comp 30 / Comp 20
Construction:
Race Dept. Sandwich Full Sidewall
Core + Key Materials:
Race Dept. Full Woodcore
Key Technology:
Phenol Sidewalls
Rocker: Full Camber
Weight (Flat): 4840 g



**FIREBIRD GS R.D.
(FLAT + PLATE)**
Cod: 8A430600-001
Orange / Black

Lengths (cm) / Radius (cm):
188 - 193 / ≥ 30 ; ≥ 30
Sidecut: R&D
Plate: World Cup PC Interface 10mm
Sugg. Binding: Comp 30 / Comp 20
Construction:
Race Dept. Sandwich Full Sidewall
Core + Key Materials:
Race Dept. Full Woodcore
Key Technology:
Phenol Sidewalls
Rocker: Full Camber
Weight (Flat): 4280 g

Race
R.D.

Race
WC FIS



- FIREBIRD SL R.D.
(FLAT + PLATE)**
Cod: 8A430700-001
Orange / Black

Lengths (cm) / Radius (cm):
156 – 165 / ≥13 ; ≥13
Sidecut: R&D
Plate: World Cup PC Interface 14mm
Sugg. Binding: Comp 30 / Comp 20
Construction:
Race Dept. Sandwich Full Sidewall
Core + Key Materials:
Race Dept. Full Woodcore
Key Technology:
Phenol Sidewalls
Rocker: Full Camber
Weight (Flat): 3680 g
- FIREBIRD SL R.D. M PLATE
(FLAT + PLATE)**
Cod: 8A430900-001
Orange / Black

Lengths (cm) / Radius (cm):
156 – 165 / ≥13 ; ≥13
Sidecut: R&D
Plate: World Cup PC Interface 10mm
Sugg. Binding: Comp 30 / Comp 20
Construction:
Race Dept. Sandwich Full Sidewall
Core + Key Materials:
Race Dept. Full Woodcore
Key Technology:
Phenol Sidewalls
Rocker: Full Camber
Weight (Flat): 3680 g

- FIREBIRD GS FIS
(FLAT + PLATE)**
Cod: 8A431000-001
Orange / Black

Lengths (cm) / Radius (cm):
183 – 188 / ≥23; ≥25
Sidecut: 102-65.5-85 mm (183)
Plate: World Cup PC Interface 10mm
Sugg. Binding:
Comp 20 / Comp 16
Construction:
FIS Sandwich Full Sidewall
Core + Key Materials:
FIS Full Woodcore
Key Technology:
Phenol Sidewalls
Rocker: Full Camber
Weight (Flat): 3800 g
- FIREBIRD SL FIS
(FLAT + PLATE)**
Cod: 8A431300-001
Orange / Black

Lengths (cm) / Radius (cm):
151 – 156 – 165 / ≥12; ≥12
Sidecut: 116,5 – 65 – 101,5 mm (165)
Plate: World Cup PC Interface 10mm
Sugg. Binding:.
Comp 20 / Comp 16
Construction:
FIS Sandwich Full Sidewall
Core + Key Materials:
FIS Full Woodcore
Key Technology:
Phenol Sidewalls
Rocker: Full Camber
Weight (Flat): 3680 g
- FIREBIRD GS RACING
(FLAT + PLATE)**
Cod: 8A431200-001
Orange / Black

Lengths (cm) / Radius (cm):
173 – 178 – 183 – 188
/ ≥21; ≥23; ≥23; ≥25
Sidecut: 103 – 65.5 – 86 mm (183)
Plate: World Cup PC Interface 10mm
Sugg. Binding:
Comp 20 / Comp 16 / Comp 12
Construction:
Racing Sandwich Full Sidewall
Core + Key Materials:
Racing Full Woodcore
Rocker: Full Camber
Weight (Flat): 3560 g
- FIREBIRD SL RACING
(FLAT + PLATE)**
Cod: 8A531300-001
Orange / Black

Lengths (cm) / Radius (cm):
151 / ≥12
Sidecut: 112,5 – 65 – 97,5 mm
Plate: World Cup PC Interface 10mm
Sugg. Binding:
Comp 20 / Comp 16 / Comp 12
Construction:
Racing Sandwich Full Sidewall
Core + Key Materials:
Racing Full Woodcore
Rocker: Full Camber
Weight (Flat): 3680 g

Race Junior



FIREBIRD GS JR-RACING (FLAT + PLATE)
Cod: 8A431400-001
Orange / Black

Lengths (cm) / Radius (cm):
129 – 136 – 143 – 150 – 157 – 164 – 171
/ ≥12 ; ≥14 ; ≥14 ; ≥14 ; ≥17 ; ≥17 ; ≥17
Sidecut: 104 – 65 – 86 mm
Plate: Junior Racing Plate
S (129 – 150) / L (157 – 171)
Sugg. Binding:
Comp 10 Tcx / Comp 10 / Comp J 8
Construction:
JR Racing Sandwich Full Sidewall
Core + Key Materials:
JR Racing Full Woodcore
Key Technology:
Phenol Sidewalls
Rocker: Full Camber
Weight (Flat): 2480 g



FIREBIRD SL JR-RACING (FLAT + PLATE)
Cod: 8A431500-001
Orange / Black

Lengths (cm) / Radius (cm):
121 – 128 – 135 – 142 – 149
/ ≥9 ; ≥9 ; ≥10 ; ≥10 ; ≥ 12
Sidecut: 109 – 64 – 94 mm (136)
Junior Racing Plate
S (122 – 136) / L (143 – 150)
Sugg. Binding:
Comp 10 Tcx / Comp 10 / Comp J 8
Construction:
JR Racing Sandwich Full Sidewall
Core + Key Materials:
JR Racing Full Woodcore
Key Technology:
Phenol Sidewalls
Rocker: Full Camber
Weight (Flat): 2140 g



FIREBIRD COMP. JR + FDT JR 7
Cod: 8A4316ME-001
Orange / Black

Lengths (cm) / Radius (cm):
100 – 110 – 120 – 130 – 140 – 150
/ 7 ; 8 ; 9 ; 10 ; 11 ; 12
Sidecut: 104 – 69 – 91 (100) /
106 – 69 – 91 (110) / 111 – 69 – 91 (120) /
113 – 69 – 93 (130) / 116 – 70 – 96 (140) /
118 – 70 – 98 (150)
Plate: Fdt Junior Rtl Plate
S(100 – 120) / L(130 – 150)
Binding: Fdt Jr 7
Construction:
JR Racing Sandwich Full Sidewall
Core + Key Materials:
JR Racing Full Woodcoree
Rocker: Full Camber
Weight (Flat): 1630 g



FIREBIRD COMP. JR + FDT JR 4.5
Cod: 8A4317MF-001
Orange / Black

Lengths (cm) / Radius (cm):
100 – 110 – 120 – 130 – 140 – 150
/ 7 ; 8 ; 9 ; 10 ; 11 ; 12
Sidecut: 104 – 69 – 91(100) /
106 – 69 – 91 (110) / 111 – 69 – 91 (120) /
113 – 69 – 93 (130) / 116 – 70 – 96 (140) /
118 – 70 – 98 (150)
Plate: Fdt Junior Rtl Plate
S(100 – 120) / L(130 – 150)
Binding: Fdt Jr 4.5
Construction:
JR Racing Sandwich Full Sidewall
Core + Key Materials:
JR Racing Full Woodcore
Rocker: Full Camber
Weight (Flat): 1630 g



FIREBIRD WRC RACE PLATE (FLAT + PLT)
Cod: 8A421300-001
Orange / Black

Lengths (cm) / Radius (cm):
170 – 175 – 180 – 185
/ 16,5 ; 17,5 ; 18,5 ; 19,5
Sidecut: 115,5 – 68 – 98,5 mm (180)
Plate: Race Plate Pro B
Sugg. Binding:
Comp 16 / Comp 16 Gw /
Comp 12 / Comp 12 Gw
Construction:
3Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Race Woodcore
Rocker: Full Camber
Weight (Flat): 3500 g



FIREBIRD HRC RACE PLATE (FLAT + PLT)
Cod: 8A421400-001
Black / Anthracite

Lengths (cm) / Radius (cm):
160 – 165 – 170 – 175 – 180
/ 13 ; 14 ; 15 ; 15,8 ; 16,5
Sidecut: 121 – 69 – 102 mm (175)
Plate: Race Plate Pro B
Sugg. Binding:
Comp 16 / Comp 16 Gw /
Comp 12 / Comp 12 Gw
Construction:
3Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Race Woodcore
Rocker: Full Camber
Weight (Flat): 3540 g



FIREBIRD SRC PISTON PLATE (FLAT + PLT)
Cod: 8A432000-001
Orange / Black

Lengths (cm) / Radius (cm):
155 – 160 – 165 – 170
/ 11 ; 12 ; 12,5 ; 13,5
Sidecut: 121 – 68 – 105 mm (165)
Plate: World Cup PC Interface 10mm
Sugg. Binding:
Comp 16 / Comp 16 Gw /
Comp 12 / Comp 12 Gw
Construction:
3Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Race Woodcore
Rocker: Full Camber
Weight (Flat): 3300 g

Race High performance

Race

High performance



**FIREBIRD WRC
+ XCELL 14 DEMO**
Cod: 8A4216EF-001
Orange / Black

Lengths (cm) / Radius (cm):
170 – 175 – 180 – 185
/ 16,5 ; 17,5 ; 18,5 ; 19,5
Sidecut: 115,5 – 68 – 98,5 mm (180)
Plate: Fdt Race Plate Pro B
Binding: Xcell 14 Demo
Construction:
3Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Race Woodcore
Rocker: Full Camber
Weight (Flat): 3500 g



**FIREBIRD HRC
+ XCELL 14 DEMO**
Cod: 8A4217EF-001
Black / Anthracite

Lengths (cm) / Radius (cm):
160 – 165 – 170 – 175 – 180
/ 13 ; 14 ; 15 ; 15,8 ; 16,5
Sidecut: 121 – 69 – 102 mm (175)
Plate: Race Plate Pro B
Binding: Xcell 14 Demo
Construction:
3Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Race Woodcore
Rocker: Full Camber
Weight (Flat): 3540 g



**FIREBIRD SRC
+ XCELL 14 DEMO**
Cod: 8A4218EF-001
Orange / Black

Lengths (cm) / Radius (cm):
155 – 160 – 165 – 170
/ 11 ; 12 ; 12,5 ; 13,5
Sidecut: 121 – 68 – 105 mm (165)
Plate: Fdt Race Plate Pro B
Binding: Xcell 14 Demo
Construction:
3Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Race Woodcore
Rocker: Full Camber
Weight (Flat): 3300 g



**FIREBIRD 70 RS TI
+ XCELL 12 DEMO**
Cod: 8A5310EC-001
White / Black

Lengths (cm) / Radius (cm):
154 – 160 – 166 – 172 – 178
/ 13 ; 14 ; 14,5 ; 15,5 ; 16,5
Sidecut: 121,5 – 70 – 104 mm (172)
Plate: Fdt Race Plate B
Binding: Xcell 12 Demo
Construction:
2Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Rocker: Full Camber
Weight (Flat): 3500 g



**FIREBIRD 76 RS TI
+ XCELL 12 DEMO**
Cod: 8A5311EC-001
Blue / Black

Lengths (cm) / Radius (cm):
160 – 165 – 170 – 175 – 180
/ 12 ; 13 ; 14 ; 15 ; 16
Sidecut: 125 – 76 – 106 mm (175)
Plate: Fdt Race Plate B
Binding: Xcell 12 Demo
Construction:
2Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Rocker: 2mm Rocker
Weight (Flat): 3620 g



**FIREBIRD 70 S TI
+ TPX12 DEMO**
Cod: 8A5312AG-001
White / Black

Lengths (cm) / Radius (cm):
148 – 154 – 160 – 166 – 172 – 178
/ 11 ; 12 ; 13 ; 13,5 ; 14,5 ; 15,5
Sidecut: 121 – 70 – 104 mm (172)
Plate: Fdt Race Plate B
Binding: Tpx12 Demo
Construction:
Ti Sandwich Partial Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Key Technology:
Ti Reinforcement
Rocker: Full Camber
Weight (Flat): 3200 g



Blizzard Thunderbird

Craft Your Turn.

自分のターンをマスターし、
そして、アピールしよう自分のターンを。



**BLIZZARD
THUNDERBIRD R15 PLUS
+ COMP 14 GW**
Cod: 8A5320FA-001
Black / Iridescent

Lengths (cm) / Radius (cm):
170 – 175 – 180
/ 14,5 ; 15 ; 16
Sidecut: 121 – 70 – 102 mm (175)
Plate: Race Plate Pro B
Binding: Comp 14 Gw
Construction:
2Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Key Technology:
Active Carbon Armor
Rocker: Full Camber
Weight (Flat): 3580 g

Trueblend Piste Woodcore

完璧なバランスのフレックス

トゥールブレンド・ピステ・ウッドコアは、安定性とエッジ・グリップを提供するハード・フレックスゾーンをセンターに。

コントロール性を提供するミディアム・フレックスゾーンをビンディングの前後に。

そしてターン開始とリリースを容易にするソフト・フレックスゾーンをチップとテールにデザインされています。

トゥールブレンド・テクノロジーは、スキースの全長と全サイズでフレックスを正確にコントロールすることを可能にしました。

Piste

High performance



BLIZZARD THUNDERBIRD R15 LTD + COMP 12 DEMO
Cod: 8A5321FB-001
Black

Lengths (cm) / Radius (cm):
155 – 160 – 165 – 170 – 175 – 180
/ 11,5 ; 12,5 ; 13,5 ; 14,5 ; 15,5 ; 16,5
Sidecut: 121 – 70 – 102 mm (175)
Plate: Fdt Race Plate Pro B
Binding: Comp 12 Demo
Construction:
2Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Key Technology:
Active Armor
Rocker: Full Camber
Weight (Flat): 3580 g



BLIZZARD THUNDERBIRD R15 - 76 LTD + COMP 12 DEMO
Cod: 8A5322FB-001
Blue

Lengths (cm) / Radius (cm):
158 – 166 – 174 – 182
/ 13 ; 14,5 ; 15,5 ; 16,5
Sidecut: 126 – 76 – 107 mm (174)
Plate: Fdt Race Plate Pro B
Binding: Comp 12 Demo
Construction:
2Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Key Technology:
Active Armor
Rocker: 2mm Rocker
Weight (Flat): 3700 g



BLIZZARD THUNDERBIRD R15 - 82 LTD + COMP 12 DEMO
Cod: 8A5323FB-001
Burgundy

Lengths (cm) / Radius (cm): :
165 – 170 – 175 – 180 / 13 – 14 – 15 – 16
Sidecut: 131 – 80 – 112 mm (175)
Plate: FDT RACE PLATE PRO B
Binding: COMP 12 DEMO
Construction:
2Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Key Technology:
Active Armor
Rocker: Tip Rocker
Weight (Flat): 3860 g



BLIZZARD THUNDERBIRD R13 LTD + COMP 12 DEMO
Cod: 8A5324FB-001
White

Lengths (cm) / Radius (cm): :
155 – 160 – 165 – 170
/ 11 ; 12 ; 13 ; 13,5
Sidecut: 121 – 68 – 105 mm (165)
Plate: Fdt Race Plate Pro B
Binding: Comp 12 Demo
Construction:
2Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Key Technology:
Active Armor
Rocker: Full Camber
Weight (Flat): 3260 g



BLIZZARD THUNDERBIRD R15 + TPX12 DEMO
Cod: 8A5326AG-001
Orange

Lengths (cm) / Radius (cm): :
155 – 160 – 165 – 170 – 175 – 180
/ 11,5 ; 12,5 ; 13,5 ; 14,5 ; 15,5 ; 16,5
Sidecut: 121 – 70 – 102 mm (175)
Plate: Fdt Race Plate B
Binding: Tpx12 Demo
Construction:
2Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Key Technology:
Active Armor
Rocker: Full Camber
Weight (Flat): 3580 g



BLIZZARD THUNDERBIRD R15 - 76 + TPX12 DEMO
Cod: 8A5327AG-001
Anthracite

Lengths (cm) / Radius (cm):
158 – 166 – 174 – 182
/ 13 ; 14,5 ; 15 ; 17
Sidecut: 126 – 76 – 107 mm (174)
Plate: Fdt Race Plate B
Binding: Tpx12 Demo
Construction:
2Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Key Technology:
Active Armor
Rocker: 2mm Rocker
Weight (Flat): 3700 g



BLIZZARD THUNDERBIRD R15 - 82 + TPX12 DEMO
Cod: 8A5328AG-001
Petrol

Lengths (cm) / Radius (cm):
165 – 170 – 175 – 180
/ 13 ; 14 ; 15 ; 16
Sidecut: 131-82-112 mm (175)
Plate: Fdt Race Plate B
Binding: Tpx12 Demo
Construction:
2Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Key Technology:
Active Armor
Rocker: Tip Rocker
Weight (Flat): 3860 g



BLIZZARD THUNDERBIRD R13 - 76 + TPX12 DEMO
Cod: 8A5329AG-001
Grey

Lengths (cm) / Radius (cm):
155 – 160 – 165 – 170
/ 11 ; 12 ; 13 ; 13,5
Sidecut: 121 – 68 – 105 mm (165)
Plate: Fdt Race Plate B
Binding: Tpx12 Demo
Construction:
2Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Key Technology:
Active Armor
Rocker: Full Camber
Weight (Flat): 3260 g



Stormbird

Unlock Your Turn.

すべてのターンに楽に走る。
ターンをシンプルに。




Stormbird Constructions

オリジナル・チタナル・コンストラクション構造

Stormbirdコレクションは、2つの先進的なチタナル構造を組み合わせ、様々なスキーヤーのニーズに応えます。

ダブル・チタナル構造は、あらゆるスピードでエッジグリップ、反応性、安定性を高め、あらゆるターンでのコントロールとパフォーマンスを保証します。

よりスムーズでユーザーフレンドリーなライディングを求めるなら、シングル・チタナル・レイヤーがエッジグリップのしやすさ、ターンのしやすさ、確かな安定性を提供し、より寛容で多彩な経験を求めるスキーヤーに理想的なテクノロジーとなっています。



Trueblend Piste SP Woodcore

アクセシブル・パフォーマンス

トゥループレンド・ピステSPウッドコアは、安定性とエッジ・グリップを提供するハード・フレックスゾーンをセンターに。

コントロール性を提供するミディアム・フレックスゾーンをバインディングの前後に。

そしてターン開始とリリースを容易にするソフト・フレックスゾーンをチップとテールにデザインされています。

トゥループレンド・テクノロジーは、スキーの全長と全サイズでフレックスを正確にコントロールすることを可能にしました。




Vibration Dampening System

よりスムーズなターン、安定性の向上

チップとテールに綿密に考えられた位置にあるラバーレイヤーが振動を吸収し、よりスムーズで安定したライディングを約束します。

雪面から受ける振動のビビリを抑え、コントロール性を高めるこのテクノロジーは、ターンを容易にし、横滑りをより直感的にし、アクセシブルなパフォーマンスを実現可能なものになります。

ゲレンデでの快適さと自信を重視するスキーヤーに最適です。。



Piste

Sport performance



**STORMBIRD 82 DTI
+ TPX12 DEMO**
Cod: 8A5330AP-001
Khaki / Dark Blue

Lengths (cm) / Radius (cm):
165 – 170 – 175 – 180
/ 13 ; 14 ; 15 ; 16
Sidecut: 131-82-112 mm (180)
Plate: Fdt Hp Plate
Binding: Tpx12 Demo
Construction:
2Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Key Technology:
Vibration Dampening Layer
Rocker: Tip Rocker
Weight (Flat): 3960 g



**STORMBIRD 72 TI
+ TP 11 LIGHT DEMO**
Cod: 8A5332CA-001
Grey / Orange

Lengths (cm) / Radius (cm):
148 – 154 – 160 – 166 – 172 – 178
/ 11 ; 12 ; 13 ; 13,5 ; 14,5 ; 15,5
Sidecut: 121 – 72 – 104 mm (172)
Plate: Fdt Free Plate
Binding: Tp 11 Light Demo
Construction:
Ti Sandwich Partial Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Key Technology:
Vibration Dampening Layer
Rocker: Full Camber
Weight (Flat): 3200 g



**STORMBIRD 76 TI
+ TP 11 LIGHT DEMO**
Cod: 8A5333CC-001
Petrol / Anthracite

Lengths (cm) / Radius (cm):
145 – 150 – 155 – 160 – 165 – 170 – 175
/ 11 ; 11,5 ; 12 ; 12,5 ; 13 ; 14 ; 15
Sidecut: 125 – 76 – 105 mm (170)
Plate: Fdt Free Plate
Binding: Tp 11 Light Demo
Construction:
Ti Sandwich Partial Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Key Technology:
Vibration Dampening Layer
Rocker: 2mm Rocker
Weight (Flat): 3300 g



**STORMBIRD 80 TI
+ TP 11 LIGHT DEMO**
Cod: 8A5334CC-001
Green / Gold

Lengths (cm) / Radius (cm):
160 – 165 – 170 – 175
/ 12 ; 13 ; 14 ; 15
Sidecut: 129 – 80 – 110 mm (180)
Plate: Fdt Free Plate
Binding: Tp 11 Light Demo
Construction:
Ti Sandwich Partial Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Key Technology:
Vibration Dampening Layer
Rocker: 2mm Rocker
Weight (Flat): 3400 g



**STORMBIRD 72 CA
+ TPC 11 DEMO**
Cod: 8A5335BF-001
Blue

Lengths (cm) / Radius (cm):
148 – 154 – 160 – 166 – 172 – 178
/ 12 ; 13 ; 14 ; 15
Sidecut: 121 – 72 – 104 mm (172)
Plate: Fdt Free Plate
Binding: Tpc 11 Demo
Construction:
Ti Sandwich Partial Sidewall
Core + Key Materials:
Full Woodcore
Key Technology:
Vibration Dampening Layer
Rocker: Full Camber
Weight (Flat): 3100 g



**STORMBIRD 76 CA
+ TPC 11 DEMO**
Cod: 8A5336BF-001
Burgundy / Anthracite

Lengths (cm) / Radius (cm):
145 – 150 – 155 – 160 – 165 – 170 – 175
/ 11 ; 11,5 ; 12 ; 12,5 ; 13 ; 14 ; 15
Sidecut: 125 – 76 – 105 mm (170)
Plate: Fdt Free Plate
Binding: Tpc 11 Demo
Construction:
Ti Sandwich Partial Sidewall
Core + Key Materials:
Full Woodcore
Key Technology:
Vibration Dampening Layer
Rocker: 2mm Rocker
Weight (Flat): 3200 g

Piste Women to Women



Phoenix

Carve Your Own Path.

ゲレンデで舞い上がり、
ターンのひとつひとつを自分に合わせ、
自分だけの道を進むことができる。



**PHOENIX R14 PRO
+ TPX12 DEMO W**
Cod: 8A5340AM 001
Black / Pink

Lengths (cm) / Radius (cm):
155 – 160 – 165 – 170 – 175
/ 11,5 ; 12,5 ; 14 ; 14,5 ; 15
Sidecut: 121 – 69 – 102 mm (165)
Plate: Fdt Race Plate B
Binding: Tpx12 Demo W
Construction:
W.S.D. 2Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Key Technology:
Active Armor
Rocker: Full Camber
Weight (Flat): 3480 g



**PHOENIX SL
+ TP 11 LIGHT DEMO W**
Cod: 8A4287CB-001
Black

Lengths (cm) / Radius (cm):
148 – 154 – 160 – 166 – 172
/ 11 ; 12 ; 13 ; 13,5 ; 14,5
Sidecut: 121,5 – 70 – 104 mm (172)
Plate: Fdt Race Plate B
Binding: Tp 11 Light Demo W
Construction:
W.S.D. Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Key Technology:
Ti Reinforcement
Rocker: Full Camber
Weight (Flat): 3300 g



**PHOENIX R13 TI
+ TP 11 LIGHT DEMO W**
Cod: 8A4220CB-001
Purple

Lengths (cm) / Radius (cm):
144 – 150 – 156 – 162 – 168
/ 10 ; 11 ; 12 ; 13 ; 14
Sidecut: 119 – 72 – 101 mm (162)
Plate: Fdt Hp Short Plate
Binding: Tp 11 Light Demo W
Construction:
W.S.D. Ti Sandwich Partial Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Key Technology:
Ti Reinforcement
Rocker: 3mm Rocker
Weight (Flat): 2900 g

Piste Women to Women

Sport performance



**PHOENIX R13 CA
+ TPC11 DEMO W**
Cod: 8A5342BE-001
Sand

Lengths (cm) / Radius (cm):
144 – 150 – 156 – 162 – 168
/ 10 ; 11 ; 12 ; 13 ; 14
Sidecut: 119 – 72 – 101 mm (162)
Plate: Fdt Free Short Plate
Binding: Tpc11 Demo W
Construction:
W.S.D. Sandwich Partial Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Key Technology:
CA Reinforcement
Rocker: 3mm Rocker
Weight (Flat): 2920 g



**PHOENIX R13 CA
+ TPC11 DEMO W**
Cod: 8A5343BE-001
Black / Gold


Lengths (cm) / Radius (cm):
144 – 150 – 156 – 162 – 168
/ 10 ; 11 ; 12 ; 13 ; 14
Sidecut: 119 – 72 – 101 mm (162)
Plate: Fdt Free Short Plate
Binding: Tpc11 Demo W
Construction:
W.S.D. Sandwich Partial Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Key Technology:
CA Reinforcement
Rocker: 3mm Rocker
Weight (Flat): 2920 g



**PHOENIX R13 CA WB
+ TPC11 DEMO W**
Cod: 8A4222BE-001
Green

Lengths (cm) / Radius (cm):
145 – 150 – 155 – 160 – 165 – 170
/ 11 ; 11,5 ; 12 ; 12,5 ; 13 ; 14
Sidecut: 125 – 76 – 105 mm (165)
Plate: Fdt Free Short Plate
Binding: Tpc11 Demo W
Construction:
W.S.D. Sandwich Partial Sidewall
Core + Key Materials:
Trueblend Piste Woodcore
Key Technology:
CA Reinforcement
Rocker: 3mm Rocker
Weight (Flat): 3000 g





All Mountain



ANOMALY 102 (FLAT)

Cod: 8A535000-001
Purple / White

Lengths (cm) / Radius (cm):
176 – 182 – 188 – 192
/ 18 ; 19,5 ; 21 ; 22,5
Sidecut: 136 – 102 – 123 (182)
Sugg. Binding:
Jester 16 – 110 / Griffon 13 – 110
Construction:
2Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Free Woodcore
Key Technology:
FluxForm All Mountain
Rocker: Rocker – Camber – Rocker
Weight (Flat): 4500 g

ANOMALY 94 (FLAT)

Cod: 8A535100-001
Green / Gold

Lengths (cm) / Radius (cm):
164 – 170 – 176 – 182 – 188
/ 14,5 ; 15,5 ; 17 ; 18,5 ; 19,5
Sidecut: 132,5 – 94 – 114,5 (182)
Sugg. Binding: Griffon 13 – 100
Construction:
2Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend All Mountain Woodcore
Key Technology:
FluxForm All Mountain
Rocker: Rocker – Camber – Rocker
Weight (Flat): 4200 g

ANOMALY 88 (FLAT)

Cod: 8A535200-001
Blue / Orange

Lengths (cm) / Radius (cm):
164 – 170 – 176 – 182 – 188
/ 14 ; 15 ; 16,5 ; 18 ; 19
Sidecut: 127,5 – 88 – 109,5 (182)
Sugg. Binding: Griffon 13 – 90
Construction:
2Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend All Mountain Woodcore
Key Technology:
FluxForm All Mountain
Rocker: Rocker – Camber – Rocker
Weight (Flat): 4000 g

ANOMALY 84 (FLAT)

Cod: 8A535300-001
Black / Grey

Lengths (cm) / Radius (cm):
164 – 170 – 176 – 182 – 188
/ 13 ; 14 ; 15,5 ; 17 ; 18
Sidecut: 124,5 – 84 – 107,5 (182)
Sugg. Binding: Griffon 13 – 90
Construction:
2Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend All Mountain Woodcore
Key Technology:
FluxForm All Mountain
Rocker: Rocker – Camber – Rocker
Weight (Flat): 3800 g

All Mountain



Black Pearl

Be a boss.

ダイナミックに。
乗りこなす、風のように。



BLACK PEARL 94 (FLAT)
Cod: 8A423700-001
Peach

Lengths (cm) / Radius (cm):
152 – 158 – 164 – 170 – 176
/ 12,5 ; 13,5 ; 14,5 ; 15,5 ; 17
Sidecut: 132,5 – 94 – 114,5 (170)
Sugg. Binding: Squire 11 – 100
Construction:
W.S.D. Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend All Mountain Woodcore
Key Technology:
W.S.D. FluxForm All Mountain
Rocker: Rocker – Camber – Rocker
Weight (Flat): 3500 g



BLACK PEARL 88 (FLAT)
Cod: 8A423800-001
Purple

Lengths (cm) / Radius (cm):
146 – 152 – 158 – 164 – 170 – 176
/ 11 ; 12 ; 13 ; 14 ; 15 ; 16,5
Sidecut: 127,5 – 88 – 109,5 (170)
Sugg. Binding: Squire 11 – 90
Construction:
W.S.D. Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend All Mountain Woodcore
Key Technology:
W.S.D. FluxForm All Mountain
Rocker: Rocker – Camber – Rocker
Weight (Flat): 3200 g



BLACK PEARL 84 (FLAT)
Cod: 8A423900-001
Green

Lengths (cm) / Radius (cm):
146 – 152 – 158 – 164 – 170 – 176
/ 10 ; 11 ; 12 ; 13 ; 14 ; 15,5
Sidecut: 124,5 – 84 – 107,5 (170)
Sugg. Binding: Squire 11 – 90
Construction:
W.S.D. Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend All Mountain Woodcore
Key Technology:
W.S.D. FluxForm All Mountain
Rocker: Rocker – Camber – Rocker
Weight (Flat): 3300 g



Rustler

Press Send.

パウダーパーティー。
パーティーのために。

Freeride



**RUSTLER 11
(FLAT)**
Cod: 8A536000-001
Black / Orange

Lengths (cm) / Radius (cm):
168 – 174 – 180 – 186 – 192
/ 16 ; 17,5 ; 19 ; 20,5 ; 22
Sidecut: 142 – 114 – 132 (186)
Sugg. Binding:
Jester 16 – 110 / Griffon 13 – 110
Construction:
Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Free Woodcore
Key Technology:
FluxForm
Rocker: Rocker – Camber – Rocker
Weight (Flat): 4140 g



**RUSTLER 10
(FLAT)**
Cod: 8A536100-001
Blue

Lengths (cm) / Radius (cm):
162 – 168 – 174 – 180 – 186 – 192
/ 14,5 ; 15,5 ; 16,5 ; 17,5 ; 18,5 ; 19,5
Sidecut: 134 – 102 – 123 (180)
Sugg. Binding: Griffon 13 – 110
Construction:
Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Free Woodcore
Key Technology:
FluxForm
Rocker: Rocker – Camber – Rocker
Weight (Flat): 3760 g



**RUSTLER 9
(FLAT)**
Cod: 8A536200-001
Sand / Green

Lengths (cm) / Radius (cm):
162 – 168 – 174 – 180 – 186
/ 14 ; 15 ; 16 ; 17 ; 18
Sidecut: 131,5 – 96 – 121 (180)
Sugg. Binding: Griffon 13 – 100
Construction:
Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Free Woodcore
Key Technology:
FluxForm
Rocker: Rocker – Camber – Rocker
Weight (Flat): 3720 g



**RUSTLER TEAM
(FLAT)**
Cod: 8A536400-001
Black / Orange

Lengths (cm) / Radius (cm):
132 – 140 – 148 – 156 – 164
/ 11 ; 11,5 ; 12,5 ; 13 ; 14
Sidecut: 118,5 – 90 – 108,5 (148)
Sugg. Binding: Squire 10 – 100
Construction:
Sandwich Full Sidewall
Core + Key Materials:
Full Woodcore
Rocker: Rocker – Camber – Rocker
Weight (Flat): 2460 g



Sheeva

Find Your Pack.

深雪で、自信に満ちて滑る、
楽しもう、パウダーで。

Freeride



SHEEVA 11 (FLAT)
Cod: 8A536500-001
Green / Gold

Lengths (cm) / Radius (cm):
168 – 174 – 180
/ 16 ; 17,5 ; 19
Sidecut: 140 – 112 – 130 (174)
Sugg. Binding: Griffon 13 – 110 / Squire 11 – 110
Construction: W.S.D. Ti Sandwich Full Sidewall
Core + Key Materials: Trueblend Free Woodcore
Key Technology: W.S.D. FluxForm
Rocker: Rocker – Camber – Rocker
Weight (Flat): 3640 g



SHEEVA 10 (FLAT)
Cod: 8A536600-001
Purple / Pink

Lengths (cm) / Radius (cm):
156 – 162 – 168 – 174 – 180
/ 13,5 ; 14,5 ; 15,5 ; 16,5 ; 17,5
Sidecut: 133,5 – 102 – 122,5 (174)
Sugg. Binding: Squire 11 – 110
Construction: W.S.D. Ti Sandwich Full Sidewall
Core + Key Materials: Trueblend Free Woodcore
Key Technology: W.S.D. FluxForm
Rocker: Rocker – Camber – Rocker
Weight (Flat): 3520 g



SHEEVA 9 (FLAT)
Cod: 8A536700-001
Blue / Teal

Lengths (cm) / Radius (cm):
150 – 156 – 162 – 168 – 174
/ 12 ; 13 ; 14 ; 15 ; 16
Sidecut: 129 – 96 – 118,5 (174)
Sugg. Binding: Squire 11 – 100
Construction: W.S.D. Ti Sandwich Full Sidewall
Core + Key Materials: Trueblend Free Woodcore
Key Technology: W.S.D. FluxForm
Rocker: Rocker – Camber – Rocker
Weight (Flat): 3420 g



SHEEVA TEAM (FLAT)
Cod: 8A536900-001
Purple / Pink

Lengths (cm) / Radius (cm):
132 – 140 – 148 – 156 – 164
/ 10 ; 11,5 ; 12,5 ; 13 ; 14
Sidecut: 118,5 – 90 – 108,5 (148)
Sugg. Binding: Squire 10 – 100
Construction: Sandwich Full Sidewall
Core + Key Materials: Full Woodcore
Rocker: Rocker – Camber – Rocker
Weight (Flat): 2460 g



Zero G

We Won't
Weight up.

1つ1つの歩み、
コントロールと安全がすべて。



Trueblend Tour Woodcore

アクセスしやすいパフォーマンス

山でのバランスのために設計されたトゥループレンド・ツアーウッドコア2.0。

スムーズな滑走性と信頼性の高い強度を実現するために軽量のパウロニア材と強度の高いポプラ材を正確な比率で組み合わせました。

カーボンの使用量を減らし、芯材にポプラ材を多く使用することで、多用途で遊び心があり、すべてのターンに自信を持てるスキーを実現しました。

このブレンドは、最も重要な部分に適度なフレックスを与え、足元は強靱で安定性があり、チップとテールはソフトなので、楽にターンを始められ、地形への適応性を高めている。



Ash Wood Insert

良い木は良い、木の安心感

卓越した強度とスムーズなコントロールを実現するため、Zero Gはビンディングの足元にアッシュ材を埋め込みました。

足元に戦略的に配置されたこの素材は、カーボンのように神経質になることなく、最も必要な部分にねじれ剛性とパワー伝達の役目となります。

アッシュ材は最も過酷なコンディションでも安定性を確保し、あらゆる冒険で遊び心のあるフィーリングを維持してくれます。



5 Radius Sidecut


ダイナミックなコントロール、スムーズなターン

5ラディウス・サイドカットにより、ターンの精度と多様性が融合されました。

このテクノロジーは、スキーをさまざまな半径のゾーンに分け、エッジのグリップ、コントロール、フローを独自のバランスで生み出しています。

よりストレートなセンター・ラディウスは、急斜面やアイスバーンでの信頼性を高めている、チップとテールに向かってより滑らかに変化させることで、スムーズなターンを可能にし、あらゆる雪質コンディションに適応してくれます。

テクニカルな登りからダイナミックな下りまで楽しめるテクノロジーです。



Touring



ZERO G 105 (FLAT)
Cod: 8A537000-001
Blue

Lengths (cm) / Radius (m):
164 – 172 – 180 – 188
/ 18 ; 20 ; 23 ; 24
Sidecut: 133 – 105 – 119 mm (180)
Sugg. Binding:
Raider 13 Evo / Raider 12 / Alpinist 12
Construction:
Sandwich Partial Sidewall
Core + Key Materials:
Paulownia Full Woodcore
Key Technology:
Carbon Drive 3.0
Rocker: Tip – Tail Rocker
Weight (Flat): 3080 g



ZERO G 96 (FLAT)
Cod: 8A537100-001
Brick / Red

Lengths (cm) / Radius (m):
164 – 171 – 178 – 185
/ 18 ; 19 ; 20 ; 22
Sidecut: 127 – 96 – 111 mm (178)
Sugg. Binding:
Raider 13 Evo / Raider 12 / Alpinist 12
Construction:
Sandwich Partial Sidewall
Core + Key Materials:
Trueblend Tour with Ash Core Insert
Key Technology:
5 Radius Sidecut
Rocker: Tip-Tail Rocker
Weight (Flat): 2520 g



ZERO G 88 (FLAT)
Cod: 8A537200-001
Green

Lengths (cm) / Radius (m):
157 – 164 – 171 – 178
/ 17 ; 18 ; 19 ; 20
Sidecut: 118 – 88 – 102 mm (171)
Sugg. Binding:
Raider 13 Evo / Raider 12 / Alpinist 12
Construction:
Sandwich Partial Sidewall
Core + Key Materials:
Trueblend Tour with Ash Core Insert
Key Technology:
5 Radius Sidecut
Rocker: Tip-Tail Rocker
Weight (Flat): 2220 g



ZERO G RACE (FLAT)
Cod: 8A108800-001
Black

Lengths (cm) / Radius (m):
161
/ 24
Sidecut: 98 – 65 – 78 mm (161)
Sugg. Binding: Crest 10 / Alpinist 10
Construction:
Sandwich Partial Sidewall
Core + Key Materials:
Paulownia Full Woodcore
Rocker: Tip-Tail Rocker
Weight (Flat): 1440 g



ZERO G 096 W (FLAT)
Cod: 8A537500-001
Sage / Green

Lengths (cm) / Radius (m):
157 – 164 – 171 – 178
/ 17 ; 18 ; 19 ; 20
Sidecut: 126 – 96 – 110 mm (171)
Sugg. Binding:
Crest 10 / Alpinist 10 / Alpinist 8
Construction:
W.S.D. Sandwich Partial Sidewall
Core + Key Materials:
Trueblend Tour with Ash Core Insert
Key Technology:
5 Radius Sidecut
Rocker: Tip-Tail Rocker
Weight (Flat): 2520 g



ZERO G 088 W (FLAT)
Cod: 8A537600-001
Cold Ice

Lengths (cm) / Radius (m):
150 – 157 – 164 – 171
/ 16 ; 17 ; 18 ; 19
Sidecut: 117 – 88 – 101 mm (164)
Sugg. Binding:
Crest 10 / Alpinist 10 / Alpinist 8
Construction:
W.S.D. Sandwich Partial Sidewall
Core + Key Materials:
Trueblend Tour with Ash Core Insert
Key Technology:
5 Radius Sidecut
Rocker: Tip-Tail Rocker
Weight (Flat): 2220 g




W2W Zero G Construction

女性や脚力が弱い方のために特別に設計されたZero G
構造は、滑りやすさとコントロールを最優先

スキーマの剛性(フレックス)を通常より9.7%下げることで、ニーマに合わせたスキーマとなりました

スムーズなターンで、山とのつながりを可能とした



Junior



ANOMALY JR

(70-90) + FDT JR 4.5

Cod: 8A4240MF-001
Blue / Orange

Lengths (cm) / Radius (cm):
70 – 80 – 90 / 3 ; 4 ; 5
Sidecut: 102 – 67 – 89 (70 – 90)
Plate: Fdt Junior Rtl Plate S
Binding: Fdt Jr 4.5
Construction: JR Composite Cap
Weight (Flat): 1300 g

(100-140) + FDT JR 4.5

Cod: 8A4241MF-001
Blue / Orange

Lengths (cm) / Radius (cm):
100 – 110 – 120 – 130 – 140
/ 6 ; 7 ; 8 ; 10 ; 12
Sidecut: 104 – 67 – 93 mm (110)
Plate: Fdt Junior Rtl Plate
S (70 – 110) / L (120 – 140)
Binding: Fdt Jr 4.5
Construction: JR Composite Cap
Weight (Flat): 1900 g

(110-150) + FDT JR 7

Cod: 8A4242ME-001
Blue / Orange

Lengths (cm) / Radius (cm):
110 – 120 – 130 – 140 – 150
/ 7 ; 8 ; 10 ; 12 ; 13
Sidecut: 106 – 67 – 95 mm (130)
Plate: Fdt Junior Rtl Plate
S (110) / L (120 – 150)
Binding: Fdt Jr 7
Construction: JR Composite Cap
Weight (Flat): 2000 g



PEARL JR

(70-90) + FDT JR 4.5

Cod: 8A4243MF-001
Purple

Lengths (cm) / Radius (cm):
70 – 80 – 90 / 3 ; 4 ; 5
Sidecut: 102 – 67 – 89 (70 – 90)
Plate: Fdt Junior Rtl Plate S
Binding: Fdt Jr 4.5
Construction: JR Composite Cap
Weight (Flat): 1300 g

(100-140) + FDT JR 4.5

Cod: 8A4244MF-001
Purple

Lengths (cm) / Radius (cm):
100 – 110 – 120 – 130 – 140
/ 6 ; 7 ; 8 ; 10 ; 12
Sidecut: 104 – 67 – 93 mm (110)
Plate: Fdt Junior Rtl Plate
S (70 – 110) / L (120 – 140)
Binding: Fdt Jr 4.5
Construction: JR Composite Cap
Weight (Flat): 1900 g

(110-140) + FDT JR 7

Cod: 8A4245ME-001
Purple

Lengths (cm) / Radius (cm):
110 – 120 – 130 – 140
/ 7 ; 8 ; 10 ; 12
Sidecut: 106 – 67 – 95 mm (130)
Plate: Fdt Junior Rtl Plate
S (110) / L (120 – 140)
Binding: Fdt Jr 7
Construction: JR Composite Cap



FIREBIRD JR

(70-90) + FDT JR 4.5

Cod: 8A4246MF-001
Orange

Lengths (cm) / Radius (cm):
70 – 80 – 90 / 3 ; 4 ; 5
Sidecut: 102 – 67 – 89 (70 – 90)
Plate: Fdt Junior Rtl Plate S
Binding: Fdt Jr 4.5
Construction: JR Composite Cap
Weight (Flat): 1300 g

(100-140) + FDT JR 4.5

Cod: 8A4247MF-001
Orange

Lengths (cm) / Radius (cm):
100 – 110 – 120 – 130 – 140
/ 6 ; 7 ; 8 ; 10 ; 12
Sidecut: 104 – 67 – 93 mm (110)
Plate: Fdt Junior Rtl Plate
S (70 – 110) / L (120 – 140)
Binding: Fdt Jr 4.5
Construction: JR Composite Cap
Weight (Flat): 1900 g

(70-90) + FDT JR 4.5

Cod: 8A4248ME-001
Orange

Lengths (cm) / Radius (cm):
110 – 120 – 130 – 140 – 150
/ 7 ; 8 ; 10 ; 12 ; 13
Sidecut: 106 – 67 – 95 mm (130)
Plate: Fdt Junior Rtl Plate
S (110) / L (120 – 150)
Binding: Fdt Jr 7
Construction: JR Composite Cap
Weight (Flat): 2000 g



RUSTLER TWIN JR

+ FDT JR 7 WB

Cod: 8A4249MG-001
Blue

Lengths (cm) / Radius (cm):
108 – 118 – 128 – 138 – 148
/ 8 ; 9 ; 11 ; 12 ; 14
Sidecut: 99 – 72 – 90 (108)
/ 105 – 74 – 96 (118 – 128)
/ 109 – 76 – 99 (138 – 148)
Plate: Fdt Junior Rtl Plate
S (108 – 128) / L (138 – 148)
Binding: Fdt Jr 7 WB
Construction: JR Composite Cap
Weight (Flat): 2150 g

+ FDT JR 4.5 WB

Cod: 8A4250MH-001
Blue

Lengths (cm) / Radius (cm):
108 – 118 – 128 – 138 – 148
/ 8 ; 9 ; 11 ; 12 ; 14
Sidecut: 99 – 72 – 90 (108)
/ 105 – 74 – 96 (118 – 128)
/ 109 – 76 – 99 (138 – 148)
Plate: Fdt Junior Rtl Plate
S (108 – 128) / L (138 – 148)
Binding: Fdt Jr 4.5 WB
Construction: JR Composite Cap
Weight (Flat): 2150 g



SHEEVA TWIN JR

+ FDT JR 7 WB

Cod: 8A4251MG-001
Teal / Purple

Lengths (cm) / Radius (cm):
108 – 118 – 128 – 138 – 148
/ 8 ; 9 ; 11 ; 12 ; 14
Sidecut: 99 – 72 – 90 (108)
/ 105 – 74 – 96 (118 – 128)
/ 109 – 76 – 99 (138 – 148)
Plate: Fdt Junior Rtl Plate
S (108 – 128) / L (138 – 148)
Binding: Fdt Jr 7 WB
Construction: JR Composite Cap
Weight (Flat): 2150 g

+ FDT JR 4.5 WB

Cod: 8A4252MH-001
Teal / Purple

Lengths (cm) / Radius (cm):
108 – 118 – 128 – 138 – 148
/ 8 ; 9 ; 11 ; 12 ; 14
Sidecut: 99 – 72 – 90 (108)
/ 105 – 74 – 96 (118 – 128)
/ 109 – 76 – 99 (138 – 148)
Plate: Fdt Junior Rtl Plate
S (108 – 128) / L (138 – 148)
Binding: Fdt Jr 4.5 WB
Construction: JR Composite Cap
Weight (Flat): 2150 g

Good Performance



STORMBIRD 7.2
+ TPC10 DEMO

Cod: 8A5337BH-001
Dark Avio/White

Lengths (cm) / Radius (cm):
139-146-153-160-167-174
/ 10 ; 11 ; 12 ; 13 ; 14 ; 15
Sidecut: 123-77-105 mm (167)
Plate: Fdt Free Demo Plate
Binding: Tpc10 Demo
Construction:
Composite Partial Sidewall
Core + Key Materials:
Partial Woodcore
Rocker: 6mm Rocker
Weight (Flat): 3140 g



STORMBIRD 7.2
+ TPC10 DEMO

Cod: 8A5338BH-001
Anthracite/Orange

Lengths (cm) / Radius (cm):
139-146-153-160-167-174
/ 10 ; 11 ; 12 ; 13 ; 14 ; 15
Sidecut: 121-72-104 mm (167)
Plate: Fdt Free Demo Plate
Binding: Tpc10 Demo
Construction:
Composite Partial Sidewall
Core + Key Materials:
Partial Woodcore
Rocker: 6mm Rocker
Weight (Flat): 3180 g



STORMBIRD 7.7
+ TPC10 DEMO

Cod: 8A5339BH-001
Sand/Black

Lengths (cm) / Radius (cm):
139-146-153-160-167-174
/ 10 ; 11 ; 12 ; 13 ; 14 ; 15
Sidecut: 123-77-105 mm (167)
Plate: Fdt Free Demo Plate
Binding: Tpc10 Demo
Construction:
Composite Partial Sidewall
Core + Key Materials:
Partial Woodcore
Rocker: 6mm Rocker
Weight (Flat): 3180 g



PHOENIX 7.2
+ TLT10 DEMO W

Cod: 8A4268DF-001
Sand

Lengths (cm) / Radius (cm):
139-146-153-160-167
/ 10 ; 11 ; 12 ; 13 ; 14
Sidecut: 119-72-102 mm (160)
Plate: Fdt Free Demo Plate
Binding: Tlt 10 Demo W
Construction:
Composite Partial Sidewall
Core + Key Materials:
Partial Woodcore
Rocker: 6mm Rocker
Weight (Flat): 2660 g



PHOENIX 7.7
+ TLT10 DEMO W

Cod: 8A4267DF-001
Ice Blue

Lengths (cm) / Radius (cm):
139-146-153-160-167
/ 10 ; 11 ; 12 ; 13 ; 14
Sidecut: 121-77-103 mm (160)
Plate: Fdt Free Demo Plate
Binding: Tlt 10 Demo W
Construction:
Composite Partial Sidewall
Core + Key Materials:
Partial Woodcore
Rocker: 6mm Rocker
Weight (Flat): 2800 g



Good Performance



**ANOMALY 84 R
+ TPC10 DEMO**
Cod: 8A5354BH-001
Anthracite/Orange

Lengths (cm) / Radius (cm):
158 – 164 – 170 – 176 – 182 – 188
/ 12 ; 13 ; 14 ; 15,5 ; 17 ; 18
Sidecut: 124,5 – 84 – 107,5 (182)
Plate: Fdt Free Demo Plate
Binding: Tpc10 Demo
Construction:
Sandwich Full Sidewall
Core + Key Materials:
Full Woodcore
Rocker:Rocker – Camber – Rocker
Weight (Flat): 4000 g



**ANOMALY 88 D
+ TCX11 DEMO-90**
Cod: 8A5355II-001
Blue/Orange

Lengths (cm) / Radius (cm):
164 – 170 – 176 – 182 – 188
/ 14 ; 15 ; 16,5 ; 18 ; 19
Sidecut: 127,5 – 88 – 109,5 (182)
Plate: Fdt Free Demo Plate
Binding: Tpc11 Demo – 90
Construction:
2Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend All Mountain Woodcore
Key Technology:
FluxForm All Mountain
Rocker: Rocker – Camber – Rocker
Weight (Flat): 4000 g



**BLACK PEARL 84 R
+ TPC10 DEMO**
Cod: 8A4262BH-001
Blue

Lengths (cm) / Radius (cm):
146 – 152 – 158 – 164 – 170 – 176
/ 10 ; 11 ; 12 ; 13 ; 14 ; 15,5
Sidecut: 124,5 – 84 – 107,5 (170)
Plate: Fdt Free Short Plate
Binding: Tpc10 Demo
Construction:
Sandwich Full Sidewall
Core + Key Materials:
Full Woodcore
Rocker:Rocker – Camber – Rocker
Weight (Flat): 3160 g



**BLACK PEARL 88 D
+ TCX11 DEMO-90**
Cod: 8A4263II-001
Purple

Lengths (cm) / Radius (cm):
146 – 152 – 158 – 164 – 170 – 176
/ 11 ; 12 ; 13 ; 14 ; 15 ; 16,5
Sidecut: 127,5 – 88 – 109,5 (170)
Plate: Fdt Free Short Plate
Binding: Tpc11 Demo – 90
Construction:
W.S.D. Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend All Mountain Woodcore
Key Technology:
W.S.D. FluxForm All Mountain
Rocker: Rocker – Camber – Rocker
Weight (Flat): 3200 g



**RUSTLER 9 D
+ TCX11 DEMO-100**
Cod: 8A5363IL-001
Sand/Green

Lengths (cm) / Radius (cm):
162 – 168 – 174 – 180 – 186
/ 14 ; 15 ; 16 ; 17 ; 18
Sidecut: 131,5 – 96 – 121 (180)
Plate: Fdt Free Demo Plate
Binding: Tpc11 Demo – 100
Construction:
Ti Sandwich Full Sidewall
Core + Key Materials:
Trueblend Free Woodcore
Key Technology:
FluxForm
Rocker: Rocker – Camber – Rocker
Weight (Flat): 3720 g



Accessories



Bindings

POWERED BY  **MARKER**



COMP 30
Cod: 8C5300 00 001
DIN Setting: 15.0 – 30.0

COMP 20
Cod: 8C5301 00 001
DIN Setting: 11.0 – 20.0



COMP 16
Cod: 8C4102 00 001
DIN Setting: 6.0 – 16.0
COMP 16 GW
Cod: 8C4105 00 001
DIN Setting: 6.0 – 16.0

COMP 12
Cod: 8C4103 00 001
DIN Setting: 4.0 – 12.0
COMP 12 GW
Cod: 8C4106 00 001
DIN Setting: 4.0 – 12.0



COMP 10 TCX
Cod: 8C4113 00 001
DIN Setting: 3.0 – 10.0



COMP 10
Cod: 8C4110 00 001
DIN Setting: 3.0 – 10.0



COMP JUNIOR 8
Cod: 8C4111 00 001
DIN Setting: 2.0 – 8.0

Bindings



MARKER JESTER 16 – 110
Cod: 8C3201 00 001
DIN Setting: 6.0 – 16.0



MARKER GRIFFON 13 – 90
Cod: 8C0049 00 001
DIN Setting: 4.0 – 13.0
MARKER GRIFFON 13 – 100
Cod: 8C4223 00 001
DIN Setting: 4.0 – 13.0
MARKER GRIFFON 13 – 110
Cod: 8C0050 00 001
DIN Setting: 4.0 – 13.0



MARKER SQUIRE 11 – 90
Cod: 8C1054 00 001
DIN Setting: 3.0 – 11.0
MARKER SQUIRE 11 – 100
Cod: 8C4224 00 001
DIN Setting: 3.0 – 11.0
MARKER SQUIRE 11 – 110
Cod: 8C1056 00 001
DIN Setting: 3.0 – 11.0
MARKER SQUIRE 10 – 100 + SCREW KIT
Cod: 8C1057 00 001
DIN Setting: 3.0 – 10.0



DUKE PT 16; 125 MM
Cod: 8C4230 00 001
DIN Setting: 6.0 – 16.0
DUKE PT 16; 100 MM
Cod: 8C4231 00 001
DIN Setting: 6.0 – 16.0
DUKE PT13 125 MM
Cod: 8C4232 00 001
DIN Setting: 4.0 – 13.0
DUKE PT13 100 MM
Cod: 8C4233 00 001
DIN Setting: 4.0 – 13.0

Bindings

POWERED BY 



MARKER ALPINIST 12; 90 MM
Cod: 8C2151 00 01
DIN Setting: 6.0 – 12.0

MARKER ALPINIST 10; 90 MM
Cod: 8C2153 00 01
DIN Setting: 4.0 – 10.0

MARKER ALPINIST 8; 90 MM
Cod: 8C2155 00 01
DIN Setting: 3.0 – 8.0



MARKER KING PIN 10 – 100 MM
Cod: 8C2161 00 001
DIN Setting: 5.0 – 10.0

MARKER KING PIN 13 DEMO – 125 MM
Cod: 8C2162 00 001
DIN Setting: 6.0 – 13.0

MARKER KING PIN 10 DEMO – 100 MM
Cod: 8C2163 00 001
DIN Setting: 5.0 – 10.0

MARKER KING PIN 13 – 100 MM
Cod: 8C2164 00 001
DIN Setting: 6.0 – 13.0

MARKER KING PIN 13 – 125 MM
Cod: 8C2165 00 001
DIN Setting: 6.0 – 13.0



MARKER KING PIN M-WERKS 12 – 100 MM
Cod: 8C2166 00 001
DIN Setting: 5.0 – 12.0

MARKER KING PIN M-WERKS 12 – 125 MM
Cod: 8C2167 00 001
DIN Setting: 5.0 – 12.0

BRAKES

MARKER ALPINIST BRAKE; 90 MM
Cod: 8B3002 00 001

MARKER ALPINIST BRAKE; 105 MM
Cod: 8B3003 00 001

MARKER ALPINIST BRAKE; 115 MM
Cod: 8B3004 00 001

MARKER ALPINIST LONG TRAVEL BRAKE; 90 MM
Cod: 8B3005 00 001

MARKER ALPINIST LONG TRAVEL BRAKE; 105 MM
Cod: 8B3006 00 001


BRAKE ROYAL 136 MM
Cod: 8B2006 00 001

BRAKE ROYAL, TOUR 110 MM
Cod: 839249 00 001

BRAKE UNIVERSAL, ROYAL, TOUR 90 MM
Cod: 839250 00 001

BRAKE KINGPIN 75–100 MM
Cod: 8B0004 00 001

BRAKE KINGPIN 100–125 MM
Cod: 8B0005 00 001



DIN ADAPTER AT BOOT (2PCS)
Cod: 8B2007 00 001

AFD PLATFORM KINGPIN
Cod: 8B2008 00 001



BRAKE ROYAL 136 MM
Cod: 8B2009 00 001


CRAMPON ALPINIST KP 90 MM
Cod: 8B2010 00 001

CRAMPON ALPINIST KP 105 MM
Cod: 8B2011 00 001

CRAMPON ALPINIST KP 125 MM
Cod: 8B2012 00 001

CRAMPON DUKE PT 105 MM
Cod: 8B2013 00 001

CRAMPON DUKE PT 125 MM
Cod: 8B2014 00 001



RACE XCELL HEEL DEMO PLATE
Cod: 8B2015 00 001

RACING TUNING KIT TCX–X COMP
Cod: 8B2016 00 001

RACING TUNING KIT TCX–X COMP
Cod: 8B4101 00 001

JUNIOR RACE LIFTER (2PCS)
Cod: 8B2017 00 001

BACKCOUNTRY SKINS



SKIN BACKCOUNTRY 11 – KOHLA
Cod: 8B5122 00 001

SKIN BACKCOUNTRY 10 – KOHLA
Cod: 8B5123 00 001

SKIN BACKCOUNTRY 9 – KOHLA
Cod: 8B5124 00 001

ZERO G SKINS



SKIN ZERO G 80 S (150–164)
Cod: 8B2102 00 001

SKIN ZERO G 80 L (171–178)
Cod: 8B2101 00 001

SKIN ZERO G 88 S (150–164)
Cod: 8B5111 00 001

KIN ZERO G 88 L (171–178)
Cod: 8B5110 00 001

SKIN ZERO G 96 S (157–171)
Cod: 8B5113 00 001

SKIN ZERO G 96 L (178–185)
Cod: 8B5112 00 001

SKIN ZERO G 105 S (164–172)
Cod: 8B0018 00 001

SKIN ZERO G 105 L (180–188)
Cod: 8B0020 00 001

SKIN UP TILL 125 mm
Cod: 8B0022 00 001

SKIN ZERO G 88 – KOHLA
Cod: 8B5126 00 001

SKIN ZERO G 96 – KOHLA
Cod: 8B5125 00 001

SKIN ZERO G 105 – KOHLA
Cod: 8B2110 00 001



C.A.S.

Custom Adaptive Shape



C.A.S. Liner

C.A.S.はスキースーツのフィット感と個々の足に対して、パーソナライゼーションに革命を起こしました。

ライナーは最適な履き心地のために解剖学的に形成されており、優れたヒールホールドを実現。

ライナーの内側は足に合わせて形成され、外側はシェル形状にマッチしてフィットします。

二重密度のマイクロセル素材は耐久性に優れ、カスタマイズも簡単になりました。

C.A.S.ライナーは足になじみ、フィット感を長期間維持できます。

Liner features

- ・解剖学的に作られた正確な形状
- ・二重密度の熱成形済みマイクロセル素材
- ・優れたフィット感
- ・雪面とのコンタクト感度の向上

Liner customization

- ・フローティングタン
- 甲部分の調整
- ・サーモ・シェイピング
- ライナーをオープンで 80° C – 176° F/6分間
- ・パンチング(ポリウムアップ)
- マイクロセル素材を加熱し、パンチングすることや打ち抜くことも可能です。マイクロセル素材は、フィット性に問題がある箇所を2MMまで簡単に研削できます
- ・フィットキット C.A.S.フィットキットのプレシェイプピースを接着して、ライナーの体積を減らします



MACH 1



COCHISE



ZERO G



MACH 1



COCHISE



ZERO G



C.A.S. Shell

C.A.S.シェルは、足の形に合わせた解剖学的形状をしています。

これにより、箱から出して 初期フィット感が向上します。

シェルのディンプル(くぼみ)は、表面張力を少なくし、加熱を容易にするため、シェルのカスタマイズが容易にしています。

シェルは新しい形状をより良く、より長く保持します。

Shell features

- ・解剖学的に作られた正確な形状
- ・より簡単に迅速な熱成形
- ・カスタマイズが容易に


Shell customization

- ・打ち抜き (INCREASE VOLUME) ※シェル出し加工
- ・研磨 (INCREASE VOLUME) ※シェル削り加工
- ・ショップの方とご相談の上、必要に応じて加工してください

Best Fit Out Of The Box

箱を開けた瞬間から最高のフィット感を

ライナーとシェルとの解剖学的な知見を取り入れたブーツ形状が、箱から出してすぐにフィットする秘訣である。
ライナーとシェルに足が自然な形で正しくフィットインすればするほど、フィット感とパフォーマンスが向上する。



Volume Concept 1つのコンセプトに様々なボリュームを

最高のフィット感を実現するために正確な作り出されたブーツは、より快適でより優れたパフォーマンスを提供し正確なフィット感をもたらします。あらゆる足型にマッチする完璧なフィット感を！！

テクニカは5種類のボリュームをご用意しています。

ローボリューム (LV)	98 mm
ミッドボリューム (MV)	100 mm
ハイボリューム (HV)	103 mm
ミッドボリュームフリーライド (MV)	99 mm
ハイボリュームフリーライド (HV)	102 mm



LV

MV

HV

98 mm

99 mm

100 mm

102 mm

103 mm

MACH LV


COCHISE

MACH MV

COCHISE HV

MACH HV

T.Power



New T-Drive 2.0 on MACH1 LV series

Performance

テクニカの新しいT-Drive 2.0は、アッパーカフとロアシェルを新しく革新的な方法で接続している。カフは前方でわずかに動き、スキーヤーが最も必要とするブーツの前方へのパワー伝達を強化する。

メリット

- ・長く安定したプログレッシブなフレックスを維持
- ・気温に左右されず本来のフレックスが活き、効率的なパワー伝達が可能

T-Drive on MACH1 MV & HV series

Drive Precision

T-Driveダイナミック・カーボン・コネクターは、従来のスキーブーツに比べ、より長いレバーアームで安定を生み出しています。

メリット

- ・エッジからエッジ、ターンからターンの切り返しが素早い
- ・横方向のパワーと安定性が向上
- ・エッジグリップの精度が向上

T-Ride on COCHISE series

High Performance Walking System

～高性能ウォーキングシステム～

T-Rideシステムは、ブーツのデザインに完全に統合しシンプルな構造に進化。カフとシェルの強固な接続により、ダウンヒル性能とアップヒル性能の完璧なコンビネーションを実現する。コーチスブーツの絶対的な信頼感とハイキング能力を発揮。上手い人はCOCHIES、いつかはCOCHIESと【COCHIES神話】が築かれる。

T-Hike on ZERO G series

Where Walkability Matches Downhill Performance

～歩きやすさがマッチするダウンヒル性能～

Zero G PeakとZero G Tourに搭載されているT-Hikeは、独自のダブル・ブロック機構を備えています。ユニークなダブル・ブロック機構。強力なプログレッシブな浮力と優れた横方向へのパワー伝達を提供。シェルはカフに2カ所で接続されており、ハイキング・モードになれば、制限のない歩行性が保証。さらに、内部スポイラーがダウンヒルでのブーツに独特の堅固さをもたらしている。

Give your old ski boots
a second life.




**RECYCLE YOUR
BOOTS**

【私たちは今、新しいスキブーツのライフサイクルを考え始めています。】
スキブーツのライフサイクルを考える新しい方法の取り組みです
Recycle Your Bootsは最終的な答えではありません
絶え間ない革新の現場と思っています

Plastic waste is a problem.

プラスチックは、地球にとって大きな問題となっています。
Recycle Your Bootsは、私たちの社会が世界的に膨大な量の廃棄物を生み出しているという意識から生まれました。

古いスキブーツが使用期限を迎えると、多くの場合、ゴミ捨て場に捨てられたり、ゴミ焼却場で燃やされたりします。
私たちは、誰でも、どのブランドのものでも、古いブーツを返却できるようにしたいと考えています。

テクニカは、持続可能なプロセスで、古いブーツを85%までリサイクルします。

2021年に循環型経済をスキー業界の新しいビジネスモデルにするため、「Recycle Your Boots」キャンペーンを開始しました。

この取り組みは現在は13カ国で実施され、EUの環境・気候変動対策のためのライフプログラムに採用されました。
2021年以降、私たちはすでにヨーロッパ全土で29000足以上のスキブーツを回収しています。

※日本では輸送コストによる問題により実施いたしません



Ski Boot Collection

 TECNICA





Firebird

Get
Fired Up.

Race

WC



FIREBIRD WC 150
Cod: 101A0201-100
Black

Sizes: 225 – 295
Shell: PU
Cuff: PU
Liner: Race Dept.
- Floating Tongue, with Laces
Soles: ISO 5355
Buckles: 4 Micro Adjustable
WC - Screwed
Strap: Performance elastic
WC Strap - Hard
Extra Features: Double Spoiler
Weight: 2500 g (MP 27.5)



FIREBIRD WC 130
Cod: 101A0401-100
Black

Sizes: 225 – 295
Shell: PU
Cuff: PU
Liner: Race Dept.
- Floating Tongue, with Laces
Soles: ISO 5355
Buckles: 4 Micro Adjustable
WC - Screwed
Strap: Performance elastic
WC Strap - Hard
Extra Features: Double Spoiler
Weight: 2550 g (MP 27.5)



FIREBIRD WC 110
Cod: 101A0601-100
Black

Sizes: 225 – 295
Shell: PU
Cuff: PU
Liner: Race Dept.
- Floating Tongue, with Laces
Soles: ISO 5355
Buckles: 4 Micro Adjustable
WC - Screwed
Strap: Performance elastic
WC Strap - Hard
Extra Features: Double Spoiler
Weight: 2535 g (MP 27.5)



FIREBIRD R 70 SC
Cod: 10189301-100
Black

Sizes: 3 – 8,5 UK
Shell: PU
Cuff: PU - Short cuff
Liner: Race Dept. Junior
Soles: ISO 5355
Buckles: 4 Micro Adjustable
WC - Screwed
Weight: 1735 g (UK 4)



FIREBIRD 65
Cod: 30135200-100
Black

Sizes: 190 – 275
Shell: PU
Cuff: PP
Liner: Junior
Soles: ISO 5355 - Children norm 180-215; Adult norm 220-275
Buckles: 4 Aluminum Junior
Weight: 1510 g (MP 27.5)



FIREBIRD R 130
Cod: 101A1401-100
Black

Sizes: 225 – 295
Shell: PU
Cuff: PU
Liner: Race Dept.
- Floating Tongue, with Laces
Soles: ISO 5355
Buckles: 4 Micro Adjustable
WC - Screwed
Strap: Performance elastic Power
Lock Strap - Mid
Extra Features: Double Spoiler
Weight: 2426 g (MP 27.5)



FIREBIRD R 110
Cod: 101A1601-100
Black

Sizes: 225 – 295
Shell: PU
Cuff: PU
Liner: Race Dept.
- Floating Tongue, with Laces
Soles: ISO 5355
Buckles: 4 Micro Adjustable
WC - Screwed
Strap: Performance elastic Power
Lock Strap - Mid
Extra Features: Double Spoiler
Weight: 2410 g (MP 27.5)



FIREBIRD R 90 SC
Cod: 10189201-100
Black

Sizes: 3 – 8,5 UK
Shell: PU
Cuff: PU - Short cuff
Liner: Race Dept. Junior
- Floating Tongue, with Laces
Soles: ISO 5355
Buckles: 4 Micro Adjustable
WC - Screwed
Strap: Performance elastic Power
Lock Strap - Mid
Weight: 1910 g (UK 4)





Mach1 LV 130 TD2

Real Feel.



NEW T-DRIVE 2.0

新しいT-Drive 2.0は、シェルとカフをアクティブにつなぐ2ピース構造。
そのダイナミックなデザインにより、カフがわずかに動きターンの進行方向に対して、スキーヤーの最も重要なパワー伝達を強化しています。
この革新的なシステムはシェルの変形を抑え、気温に関係なく一貫したプログレッシブな常に適切なフレックスを維持することが可能になりました。
T-Drive 2.0により、スキーヤーはより大きなコントロールと自由な操作性を手に入れ、ブーツのポテンシャルを最大限に引き出すことができます。
ブーツのポテンシャルを最大限に引き出しスキーヤーのレベルアップを助けてくれることになるでしょう。



BENEFITS

- ブーツフレックス: T-DRIVE2.0によりブーツ本来の硬さが100%発揮
- シェルの変形なしにカフが回転する
- 幅広い温度範囲で安定したフレックス
- フレックスはより長く、より進歩的



C.A.S. LINER

私たちはインナーに真剣に取り組んでいます。
そのこだわりは細部まで徹底的に。
各ラインには46のパーツがあり、そのうちの36は手縫いです。
内側から外側へ、本物のフィーリングを。
箱を開けてすぐに、あなたの足へ最高のフィット感を。



Piste

High performance



MACH1 LV LTD TD2 GW
Cod: 101C02G0-100
Black

Sizes: 240 – 310
Shell: PU - Quick Instep
Cuff: Co-Injected
Liner: Ecodesign - High Performance
- Full C.A.S. - C.A.S. Tongue
- Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Strap: Performance elastic Power
Lock Strap - Hard
Weight: 1890 g (MP 26.5)



MACH1 MV LTD TD GW
Cod: 101929G2-100
Black

Sizes: 240 – 310
Shell: PU - Quick Instep
Cuff: PU
Liner: Ecodesign - High Performance
- Full C.A.S. - C.A.S. Tongue
- Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 2040 g (MP 27.5)



MACH1 LV 130 TD2 GW
Cod: 101C04G0-381
Icon Orange

Sizes: 220 – 310
Shell: PU - Quick Instep
Cuff: Co-Injected
Liner: Ecodesign - High Performance
- Full C.A.S. - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Strap: Performance elastic Power
Lock Strap - Hard
Weight: 1860 g (MP 26.5)



MACH1 MV 130 TD GW
Cod: 101931G2-381
Icon Orange

Sizes: 240 – 310
Shell: PU - Quick Instep
Cuff: PU
Liner: Ecodesign - High Performance
- Full C.A.S. - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Strap: Performance elastic Power
Lock Strap - Hard
Weight: 2070 g (MP 27.5)



MACH1 HV 130 TD GW
Cod: 10195AG2-381
Icon Orange

Sizes: 250 – 325
Shell: PU - Quick Instep
Cuff: PU
Liner: Ecodesign - High Performance
- Full C.A.S. - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 2070 g (MP 27.5)



MACH1 LV 120 TD2 GW
Cod: 101C06G0-100
Black

Sizes: 240 – 310
Shell: PU - Quick Instep
Cuff: PU - with backspine
Liner: Ecodesign - Performance
- C.A.S. - Celliant® - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1835 g (MP 26.5)



MACH1 MV 120 TD GW
Cod: 101932G2-100
Black

Sizes: 240 – 310
Shell: PU - Quick Instep
Cuff: PU
Liner: Ecodesign - Performance
- C.A.S. - Celliant® - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1970 g (MP 27.5)



MACH1 HV 120 TD GW
Cod: 10195CG2-100
Black

Sizes: 250 – 325
Shell: PU - Quick Instep
Cuff: PU
Liner: Ecodesign - Performance
- C.A.S. - Celliant® - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: Mach1 buckles, Lift Lock
Weight: 1985 g (MP 27.5)



MACH1 LV 120 TD2 GW
Cod: 101C06G0-839
Sport Blue

Sizes: 240 – 310
Shell: PU - Quick Instep
Cuff: PU - with backspine
Liner: Ecodesign - Performance
- C.A.S. - Celliant® - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1835 g (MP 26.5)



MACH1 MV 120 TD GW
Cod: 101932G2-839
Sport Blue

Sizes: 240 – 310
Shell: PU - Quick Instep
Cuff: PU
Liner: Ecodesign - Performance
- C.A.S. - Celliant® - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1970 g (MP 27.5)



MACH1 HV 120 TD GW
Cod: 10195CG2-839
Sport Blue

Sizes: 250 – 325
Shell: PU - Quick Instep
Cuff: PU
Liner: Ecodesign - Performance
- C.A.S. - Celliant® - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1985 g (MP 27.5)



Piste

High performance



MACH1 LV 110 TD2 GW
Cod: 101C08G0-900
Race Grey

Sizes: 240 – 310
Shell: PU - Quick Instep
Cuff: PP - with backspine
Liner: Ecodesign - Performance
- C.A.S. - Celliant® - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1845 g (MP 26.5)



MACH1 MV 110 TD GW
Cod: 101933G2-900
Race Grey

Sizes: 240 – 310
Shell: PU - Quick Instep
Cuff: PP
Liner: Ecodesign - Performance
- C.A.S. - Celliant® - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1865 g (MP 27.5)



MACH1 HV 110 TD GW
Cod: 10195DG2-900
Race Grey

Sizes: 250 – 325
Shell: PU - Quick Instep
Cuff: PP
Liner: Ecodesign - Performance
- C.A.S. - Celliant® - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1890 g (MP 27.5)





Piste Women
High performance



MACH1 LV 115 W TD2 GW
Cod: 201C04G0-4P0
Iridescent Boreal

Sizes: 220 – 275
Shell: PU - Quick Instep
Cuff: Co-Injected
Liner: Ecodesign - High Performance
- C.A.S. - Celliant® - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Strap: Power Lock Strap
Weight: 1675 g (MP 24.5)



MACH1 MV 115 W TD GW
Cod: 201599G2-4P0
Iridescent Boreal

Sizes: 220 – 275
Shell: PU - Quick Instep
Cuff: PU
Liner: Ecodesign - High Performance
- C.A.S. - Celliant® - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Strap: Power Lock Strap
Weight: 1650 g (MP 24.5)



MACH1 LV 105 W TD2 GW
Cod: 201C06G0-L60
Iridescent Green

Sizes: 220 – 275
Shell: PU - Quick Instep
Cuff: PP - with backspine
Liner: Ecodesign - Performance
- C.A.S. - Celliant® - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1685 g (MP 24.5)



MACH1 MV 105 W TD GW
Cod: 20159AG2-L60
Iridescent Green

Sizes: 220 – 275
Shell: PU - Quick Instep
Cuff: PP
Liner: Ecodesign - Performance
- C.A.S. - Celliant® - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1660 g (MP 24.5)



MACH1 LV 95 W TD2 GW
Cod: 201C08G0-100
Black

Sizes: 220 – 275
Shell: PU - Quick Instep
Cuff: PP - with backspine
Liner: Ecodesign - Performance
- C.A.S. - Celliant® - Floating Tongue
- Thermoforming Collar
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1675 g (MP 24.5)



MACH1 MV 95 W TD GW
Cod: 20159CG2-100
Black

Sizes: 220 – 275
Shell: PU - Quick Instep
Cuff: PP
Liner: Ecodesign - Performance
- C.A.S. - Celliant® - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1650 g (MP 24.5)



MACH1 HV 95 W GW
Cod: 201609G2-100
Black

Sizes: 220 – 275
Shell: PU - Quick Instep
Cuff: PP
Liner: Ecodesign - Performance
- C.A.S. - Celliant® - Floating Tongue
- Thermoforming Collar
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1695 g (MP 24.5)





Piste
Sport performance



MACH SPORT LV 100 GW
Cod: 101C20G0-900
Race Grey

Sizes: 240 – 310
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - N.F.S. - Sport
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1850 g (MP 26.5)



MACH SPORT MV 100 GW
Cod: 101941G2-900
Race Grey

Sizes: 240 – 310
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - N.F.S. - Sport
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1950 g (MP 27.5)



MACH SPORT HV 100 GW
Cod: 101870G2-900
Race Grey

Sizes: 240 – 325
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Sport
- N.F.S. - Celliant®
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1980 g (MP 27.5)



MACH SPORT MV 90 GW
Cod: 101942G2-900
Race Grey

Sizes: 240 – 310
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Comfort
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1715 g (MP 27.5)



MACH SPORT HV 90 GW
Cod: 101962G2-900
Race Grey

Sizes: 240 – 325
Shell: PP - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Comfort
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1730 g (MP 27.5)



Piste Women

Sport performance



MACH SPORT LV 85 W GW
Cod: 201C20G0-D34
Ink Blue

Sizes: 220 – 275
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Sport
- N.F.S. - Celliant®
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1650 g (MP 24.5)



MACH SPORT MV 85 W GW
Cod: 201601G2-D34
Ink Blue

Sizes: 220 – 275
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Sport - N.F.S.
- Celliant® - Thermoforming Collar
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1560 g (MP 24.5)



MACH SPORT HV 85 W GW
Cod: 201610G2-D34
Ink Blue

Sizes: 220 – 275
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Sport
- N.F.S. - Celliant®
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1620 g (MP 24.5)



MACH SPORT MV 75 W GW
Cod: 20160AG2-200
Cool Grey

Sizes: 220 – 275
Shell: PP - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Sport
- N.F.S. - Celliant®
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1530 g (MP 24.5)



MACH SPORT HV 75 W GW
Cod: 201611G2-200
Cool Grey

Sizes: 220 – 275
Shell: PP - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Sport
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum with Lift Lock
Weight: 1605 g (MP 24.5)





MACH BOA

Turn up your performance fit.

Piste

BOA®



MACH BOA MV 130 GW
Cod: 101G52G0-D71
Sand

Sizes: 240 – 325
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - High Performance
- N.F.S. Plus - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 2 Micro Adjustable Cuff
+ BOA® Fit System
Strap: Performance elastic Power
Lock Strap - Hard
Weight: 1770 g (MP 26.5)



MACH BOA HV 130 GW
Cod: 10186AG2-D71
Sand

Sizes: 240 – 325
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - High Performance
- N.F.S. Plus - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 2 Micro Adjustable Cuff
+ BOA® Fit System
Weight: 1860 g (MP 27.5)



MACH BOA MV 120 GW
Cod: 101G54G0-383
Dark Avio

Sizes: 240 – 325
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Performance
- N.F.S.
- Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 2 Micro Adjustable Cuff
+ BOA® Fit System
Weight: 1800 g (MP 26.5)



MACH BOA HV 120 GW
Cod: 101868G2-383
Dark Avio

Sizes: 240 – 325
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Sport
- N.F.S. - Celliant®
Soles: ISO 23223 Gripwalk
Buckles: 2 Micro Adjustable Cuff
+ BOA® Fit System
Weight: 1850 g (MP 26.5)



Piste

BOA®



MACH BOA MV 110 GW
Cod: 101G56G0-100
Black

Sizes: 240 – 325
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Sport - N.F.S.
Soles: ISO 23223 Gripwalk
Buckles: 2 Micro Adjustable Cuff
+ BOA® Fit System
Weight: 1800 g (MP 26.5)



MACH BOA HV 110 GW
Cod: 101869G2-100
Black

Sizes: 240 – 325
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Sport
- N.F.S. - Celliant®
Soles: ISO 23223 Gripwalk
Buckles: 2 Micro Adjustable Cuff
+ BOA® Fit System
Weight: 1840 g (MP 26.5)



MACH BOA MV 100 GW
Cod: 101G58G0-900
Race Grey

Sizes: 240 – 325
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Sport - N.F.S.
Soles: ISO 23223 Gripwalk
Buckles: 2 Micro Adjustable Cuff
+ BOA® Fit System
Weight: 1790 g (MP 26.5)



MACH BOA HV 100 GW
Cod: 10186DG2-900
Race Grey

Sizes: 240 – 325
Shell: PP - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Sport
- N.F.S. - Celliant®
Soles: ISO 23223 Gripwalk
Buckles: 2 Micro Adjustable Cuff
+ BOA® Fit System
Weight: 1945 g (MP 27.5)



Piste Women

BOA®



MACH BOA MV 105 W GW
Cod: 201G52G0-4P1
Violet Irise

Sizes: 220 – 275
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - High Performance
- N.F.S. Plus - Celliant®
- Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 2 Micro Adjustable Cuff
+ BOA® Fit System
Weight: 1750 g (MP 26.5)



MACH BOA MV 95 W GW
Cod: 201G54G0-059
Cold White

Sizes: 220 – 275
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Sport
- N.F.S. - Celliant®
Soles: ISO 23223 Gripwalk
Buckles: 2 Micro Adjustable Cuff
+ BOA® Fit System
Weight: 1780 g (MP 26.5)



MACH BOA HV 95 W GW
Cod: 20160JG2-059
Cold White

Sizes: 220 – 275
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Sport
- N.F.S. - Celliant®
Soles: ISO 23223 Gripwalk
Buckles: 2 Micro Adjustable Cuff
+ BOA® Fit System
Weight: 1740 g (MP 24.5)



MACH BOA MV 85 W GW
Cod: 201G56G0-900
RACE GREY

Sizes: 220 – 270
Shell: PP - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Sport
- N.F.S. - Celliant®
Soles: ISO 23223 Gripwalk
Buckles: 2 Micro Adjustable Cuff
+ BOA® Fit System
Weight: 1765 g (MP 26.5)



Cochise

Get Comfortable
Pushing Boundaries.



COCHISE 120 DYN GW
Cod: 101R13G0-40D
Progressive Green Dark

Sizes: 240 – 310
Shell: PU - Quick Instep
Cuff: PP - Carbon inj. backspine
Liner: Ecodesign - Performance
- C.A.S. - Celliant® - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum
Extra Features: T-Ride
hiking mechanism
Weight: 1850 g (MP 27.5)



COCHISE HV 120 DYN GW
Cod: 101R59G0-40D
Progressive Green Dark

Sizes: 240 – 325
Shell: PU - Quick Instep
Cuff: PP - Carbon inj. backspine
Liner: Ecodesign - Performance
- C.A.S. - Celliant® - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum
Extra Features: T-Ride
hiking mechanism
Weight: 1870 g (MP 27.5)



COCHISE 110 DYN GW
Cod: 101R14G0-D71
Sand

Sizes: 240 – 310
Shell: PU - Quick Instep
Cuff: PP - Carbon inj. backspine
Liner: Ecodesign - Performance
- C.A.S. - Celliant® - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum
Extra Features: T-Ride
hiking mechanism
Weight: 1860 g (MP 27.5)



All Mountain

High performance



COCHISE 130 DYN GW
Cod: 101R12G0-06A
Dark Icon Orange

Sizes: 220 – 310
Shell: PU - Quick Instep
Cuff: PP - Carbon inj. backspine
Liner: Ecodesign - High Performance
- Full C.A.S. - Floating Tongue
- laces ready
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum Light
Strap: Power Lock Strap
Extra Features: T-Ride
hiking mechanism
Weight: 1885 g (MP 27.5)



COCHISE HV 130 DYN GW
Cod: 101R58G0-06A
Dark Icon Orange

Sizes: 240 – 325
Shell: PU - Quick Instep
Cuff: PP - Carbon inj. backspine
Liner: Ecodesign - High Performance
- Full C.A.S. - C.A.S. Instep
- Floating Tongue - laces ready
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum Light
Strap: Power Lock Strap
Extra Features: T-Ride
hiking mechanism
Weight: 1890 g (MP 27.5)



All Mountain Women

High performance



COCHISE 115 W DYN GW
Cod: 201R06G0-404
Camp Green

Sizes: 220 – 275
Shell: PU - Quick Instep
Cuff: PP - Carbon inj. backspine
Liner: Ecodesign - High Performance
- C.A.S. - Floating Tongue - Celliant®
- laces ready
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum Light
Strap: Power Lock Strap
Extra Features: T-Ride
hiking mechanism
Weight: 1640 g (MP 24.5)



COCHISE 105 W DYN GW
Cod: 201R08G0-4B1
Ottanio Dark

Sizes: 220 – 275
Shell: PU - Quick Instep
Cuff: PP - Carbon inj. backspine
Liner: Ecodesign - Performance
- C.A.S. - Celliant® - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum
Extra Features: T-Ride
hiking mechanism
Weight: 1640 g (MP 24.5)



COCHISE 95 W DYN GW
Cod: 201R10G0-062
Graphite

Sizes: 220 – 275
Shell: PU - Quick Instep
Cuff: PP - Carbon inj. backspine
Liner: Ecodesign - Performance
- C.A.S. - Celliant® - Floating Tongue
Soles: ISO 23223 Gripwalk
Buckles: 4 Micro Adjustable
Aluminum
Extra Features: T-Ride
hiking mechanism
Weight: 1630 g (MP 24.5)





Zero G

The Weight
is over.



Zero G Tour Pro

Zero G Tour Proの売れ行きの好調さは止まらない。

ここ数年、一から再設計し何度も修正し絶賛されたこのブーツは、クラス最高のブーツを目指し、常に正しい方向に進化させ続けている。

Zero G Tour Proは、フリーライドブーツとして十分な剛性と、ハイクアップのための最適な軽さを兼ね備えており、軽量性とパフォーマンスを両立。

ウォークモードでのフリクションがゼロのこのブーツは、ツアーガイドで生計を立てているプロのガイドからも信頼されている。

また、正確な解剖学的フィットと自然なフレックスにより、多くのプロスキーヤーはこのブーツを様々な季節の雪でのパフォーマンスに、そして絶対的な信頼につながっている。

Touring



ZERO G TOUR PRO
Cod: 101T0200-D67
Dusk Orange

Sizes: 240 – 305
Shell: Grilamid - Quick Instep
Cuff: Co-Injected Carbon
Liner: Ecodesign - C.A.S. Ultralight - Light Fit, with Laces-Recco®
Soles: ISO 9523 Low tech insert, Vibram rubber
Buckles: 4 Light Magnesium, hiking position
Weight: 1285 g (MP 26.5)



ZERO G TOUR SCOUT
Cod: 101T0500-404
Camp Green

Sizes: 240 – 305
Shell: Grilamid - Quick Instep
Cuff: Co-injected Fiberglass
Liner: Ecodesign - Light Fit, with Laces
Soles: ISO 9523 Low tech insert, Vibram rubber
Buckles: 4 Light Magnesium, hiking position
Weight: 1300 g (MP 26.5)



ZERO G TOUR
Cod: 101T0800-200
Cool Grey

Sizes: 240 – 305
Shell: Grilamid - Quick Instep
Cuff: PP
Liner: Ecodesign - Sanitized
Soles: ISO 9523 Low tech insert, Vibram rubber
Buckles: 4 Alu, hiking position
Weight: 1540 g (MP 27.5)



Touring



ZERO G PEAK CARBON
Cod: 101V0101-4CA
Black / Camp Green

Sizes: 235 – 305
Shell: Grilamid - Carbon co-injected
Cuff: Grilamid - Carbon fiber
Liner: Ultralight C.A.S.
Soles: Quik Step In DYN insert, Vibram rubber
Buckles: 2 Light Magnesium, hiking position
Weight: 1065 g (MP 27 / 27.5)



ZERO G PEAK
Cod: 101V0500-956
Black / Orange

Sizes: 245 – 305
Shell: Grilamid - Carbon co-injected
Cuff: Grilamid - Carbon co-injected
Liner: Ultralight C.A.S.
Soles: Quik Step In DYN insert, Vibram rubber
Buckles: 2 Light Magnesium, hiking position
Weight: 980 g (MP 27.5)



Touring Women



ZERO G TOUR PRO W
Cod: 201T0200-404
Camp Green

Sizes: 220 – 275
Shell: Grilamid - Quick Instep
Cuff: Co-injected Carbon
Liner: Ecodesign - C.A.S. Ultralight - Light Fit, with Laces-Recco®
Soles: ISO 9523 Low tech insert, Vibram rubber
Buckles: 4 Light Magnesium, hiking position
Weight: 1180 g (MP 24.5)



ZERO G TOUR SCOUT W
Cod: 201T0500-394
Lichen Blue

Sizes: 220 – 275
Shell: Grilamid - Quick Instep
Cuff: Co-injected Fiberglass
Liner: Ecodesign - Light Fit, with Laces
Soles: ISO 9523 Low tech insert, Vibram rubber
Buckles: 4 Light Magnesium, hiking position
Weight: 1185 g (MP 24.5)



ZERO G TOUR W
Cod: 201T0800-101
White

Sizes: 220 – 275
Shell: Grilamid - Quick Instep
Cuff: PP
Liner: Ecodesign - Sanitized
Soles: ISO 9523 Low tech insert, Vibram rubber
Buckles: 4 Alu, hiking position
Weight: 1330 g (MP 24.5)



Light Touring Women



ZERO G PEAK W
Cod: 201V0500-774
Black / Lichen Blue

Sizes: 235 – 275
Shell: Grilamid - Carbon co-injected
Cuff: Grilamid - Carbon co-injected
Liner: Ultralight W specific C.A.S.
Soles: Quik Step In DYN insert, Vibram rubber
Buckles: 2 Light Magnesium, hiking position
Weight: 980 g (MP 27.5)



Junior



MACH1 JR TD GW
Cod: 301350G1-268
Transition Grey

Sizes: 190 – 275
Shell: PP
Cuff: PP
Liner: Junior
Soles: ISO 23223 Gripwalk
Buckles: 4 Aluminum Junior
Extra Features: T-Drive Carbon after market kit
Weight: 1320 g (MP 23.5)



JT 4
Cod: 30135501-4V5
Teal

Sizes: 190 – 275
Shell: PP
Cuff: PP
Liner: Junior
Soles: ISO 5355 - Children norm 190-215; Adult norm 220-275
Buckles: 4 Aluminum Junior
Weight: 1300 g (MP 23.5)



JT 3
Cod: 30133802-4V5
Teal

Sizes: 200 – 265
Shell: PP
Cuff: PP
Liner: Junior
Soles: ISO 5355 - Children norm 200- 215; Adult norm 220- 265
Buckles: 3 Plastic Buckles
Weight: 1165 g (MP 23.5)



JT 2
Cod: 30134102-4V5
Teal

Sizes: 160 – 235
Shell: PP
Cuff: PP
Liner: Junior
Soles: ISO 5355 - Children norm 160- 215; Adult norm 220- 235
Buckles: 2 Plastic Buckles (Sizes 200-235); 1 Plastic Buckle + 1 Ratchet Buckle (Sizes 160-195)
Weight: 1030 g (MP 20.5)



JT 1
Cod: 30134402-4V5
Teal

Sizes: 140 – 195
Shell: PP
Cuff: PP
Liner: Junior
Soles: ISO 5355 - Children norm
Buckles: 1 Ratchet Buckle
Weight: 730 g (MP 19.5)



MACH SPORT MV 110 RT GW
Cod: 101935G2-406
Progressive Green

Sizes: 240 – 310
Shell: PU - Double Quick Instep
Cuff: PU
Liner: Ecodesign - N.F.S. - Sport - Sanitized
Soles: ISO 23223 Gripwalk
Buckles: Mach Sport buckles, Adj. Top ratched, Rental finishing



MACH SPORT HV 100 RT GW
Cod: 101953G2-900
Race Grey

Sizes: 240 – 325
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Comfort - Sanitized
Soles: ISO 23223 Gripwalk
Buckles: Mach Sport buckles, Adj. Top ratched, Rental finishing



MACH SPORT HV 90 RT GW
Cod: 10197AG2-070
Sport Grey

Sizes: 240 – 325
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Comfort - Sanitized
Soles: ISO 23223 Gripwalk
Buckles: Mach Sport buckles, Adj. Top ratched, Rental finishing



MACH BOA MV 110 RT GW
Cod: 101G70G0-406
Progressive Green

Sizes: 240 – 310
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Comfort - Sanitized
Soles: ISO 23223 Gripwalk
Buckles: 2 Micro Adjustable Cuff + BOA® Fit System



MACH BOA HV 100 RT GW
Cod: 10197CG0-900
Race Grey

Sizes: 240 – 325
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Comfort - Sanitized
Soles: ISO 23223 Gripwalk
Buckles: 2 Micro Adjustable Cuff + BOA® Fit System



MACH BOA HV 90 RT GW
Cod: 10197FG0-070
Sport Grey

Sizes: 240 – 325
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Comfort - Sanitized
Soles: ISO 23223 Gripwalk
Buckles: 2 Micro Adjustable Cuff + BOA® Fit System



Good Performance Piste Women

Sport performance



W2
WOMEN 2 WOMEN

GRIP
WALK



MACH SPORT MV 95 W RT GW

Cod: 201603G2-3V1
Mud Light

Sizes: 220 – 275
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Comfort
- Sanitized
Soles: ISO 23223 Gripwalk
Buckles: Mach Sport buckles,
Adj. Top ratched, Rental finishing



LAST 100



VOLUME MV



FLEX 95



W2
WOMEN 2 WOMEN

GRIP
WALK



MACH SPORT HV 75 W RT GW

Cod: 201614G2-070
Sport Grey

Sizes: 220 – 275
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Comfort
- Sanitized
Soles: ISO 23223 Gripwalk
Buckles: Mach Sport buckles,
Adj. Top ratched, Rental finishing



LAST 103



VOLUME HV



FLEX 75



W2
WOMEN 2 WOMEN

T.SPORT



GRIP
WALK



MACH BOA MV 85 W RT GW

Cod: 201G64G0-900
Race Grey

Sizes: 220 – 275
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Comfort
- Sanitized
Soles: ISO 23223 Gripwalk
Buckles: 2 Micro Adjustable Cuff
+ BOA® Fit System



LAST 100



VOLUME MV



FLEX 85



W2
WOMEN 2 WOMEN



GRIP
WALK



MACH BOA HV 85 W RT GW

Cod: 20160KG0-900
Race Grey

Sizes: 220 – 275
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Comfort
- Sanitized
Soles: ISO 23223 Gripwalk
Buckles: 2 Micro Adjustable Cuff
+ BOA® Fit System



LAST 103



VOLUME HV



FLEX 85



W2
WOMEN 2 WOMEN

T.SPORT



GRIP
WALK



MACH BOA HV 75 W RT GW

Cod: 20160QG0-070
Sport Grey

Sizes: 220 – 275
Shell: PU - Double Quick Instep
Cuff: PP
Liner: Ecodesign - Comfort
- Sanitized
Soles: ISO 23223 Gripwalk
Buckles: 2 Micro Adjustable Cuff
+ BOA® Fit System



LAST 103



VOLUME HV



FLEX 75



JTR 4

Cod: 30135601-200
Cool Grey

Sizes: 190 – 275
Shell: PU
Cuff: PP
Liner: Junior
Soles: ISO 5355 - Children norm
190-215; Adult norm 220-275
Buckles: 4 Aluminum Junior



VOLUME JR



JTR 3

Cod: 30134002-200
Cool Grey

Sizes: 200 – 265
Shell: PU
Cuff: PP
Liner: Junior
Soles: ISO 5355 - Children norm
200- 215; Adult norm 220- 265
Buckles: 3 Plastic Buckles



VOLUME JR



JTR 2

Cod: 30134302-200
Cool Grey

Sizes: 160 – 235
Shell: PU
Cuff: PP
Liner: Junior
Soles: ISO 5355 - Children norm
160- 215; Adult norm 220- 235
Buckles: 2 Plastic Buckles
(Sizes 200-235); 1 Plastic Buckle
+ 1 Ratchet Buckle (Sizes 160-195)



VOLUME JR



JTR 1


Cod: 30134602-200
Cool Grey

Sizes: 140 – 195
Shell: PU
Cuff: PP
Liner: Junior
Soles: ISO 5355 - Children norm
Buckles: 1 Ratchet Buckle



VOLUME JR

Accessories & Spare Parts



ZERO G PEAK SERVICE KIT (235 – 275)
Cod: 403A31 01 100

ZERO G PEAK SERVICE KIT (285 – 305)
Cod: 403A31 02 100



C.A.S. PRO TOOL
Cod: 450071 00 000

C.A.S. PRO TOOL + TH.CA. SYS (US)
Cod: 450073 00 000



C.A.S. TONGUE THERM CA.SYS (US)
Cod: 450121 01 000

C.A.S. TONGUE HEATING ELEMENT
Cod: 450119 00 000



C.A.S. BOOT FITTERS TONGUE
Cod: 403A24 00 956

- Fully thermo moldable with C.A.S. Tongue Thermoforming Carbon System
- Removable velcro lining for easy access to padding
- Grindable padding
- 2+3 mm pads in the box to increase the thickness
- C.A.S. grindable material on the instep
- Compatible with all Mach1 and Cochise line (unisex + W)



TECNICA C.A.S. OVEN (EU)
Cod: 403A01 01 001



FIND OUT MORE

W2
WOMEN 2 WOMEN



C.A.S. CUFF ADAPT VOLUME REDUCER
Cod: 403A21 00 000

W2
WOMEN 2 WOMEN

Bluetooth



NFS W THERM-IC BLUETOOTH LINER KIT
Cod: 401A02 00 100

W2
WOMEN 2 WOMEN



C.A.S. THERMOFORM. SYS. + CUFF (US)
Cod: 450065 01 000

C.A.S.CUFF HEATING ELEMENT
Cod: 450118 00 000

C.A.S.HEATER THERMOFOR. SYS (US)
Cod: 450120 01 000

C.A.S. THERM. SYS. CUFF HEATING EL. (US)
Cod: 450083 01 000



PERFORMANCE POWER STRAP HARD
Cod: 403A70 00 000

PERFORMANCE POWER STRAP MID
Cod: 403A71 00 000



MACH 1 TEAM CARBON T-DRIVE
Cod: 403A32 00 001

GRIP
WALK



GRIP WALK SOLES MACH 25
Cod: 403A66 00 000


GRIP WALK SOLES MACH1/ COCHISE
Cod: 403A60 00 000

GRIPWALK SOLES COCHISE DYN (MV/HV)
Cod: 403A65 00 000



CANTING KIT 1.0°
Cod: 403A40 00 100

CANTING KIT 0.5°
Cod: 403A41 00 100



FIT KIT
Cod: 403A21 00 000

Bags



BOOT BAG PROMO
Cod: 422363 00 100
Black

- 30 LT.
- Handle strap
- Adjustable shoulder strap
- Material: 600D PE-PVC backing phthalates free
- 41 x 28 x 41 cm



BOOT BAG W2W
Cod: 422383 00 001
Boreal Melange/Black

- 30 Lt.
- Rear opening for skiboos storage
- Fleece side opening (for goggles and gloves storage)
- Handle strap
- Adjustable shoulder strap
- ykk zippers
- 41 x 28 x 41 cm



BOOT BAG
Cod: 422381 00 406
Prog. Green

- 30 LT.
- Side opening (for goggles and gloves storage)
- Additional front pocket
- Handle strap
- Adjustable shoulder strap
- YKK zippers
- Material: 600D PE-PVC backing phthalates free
- 41 x 28 x 41 cm



PREMIUM BOOT BAG
Cod: 422380 00 406
Prog. Green

- 35 LT.
- Rear opening (for boots storage)
- Front pocket (helmet)
- Upper pocket (for goggles)
- Top handle strap
- Adjustable shoulder strap
- YKK zippers
- Material: 600D PE - PU PVC backing phthalates free
- 34 x 38 x 42 cm



COMPUTER BACKPACK 20
Cod: 422390 01 100
Black

- 20 LT.
- Top opening with large zip pulls provides easy access to the main compartment
- Padded lateral laptop sleeve
- Padded internal electric devices compartment
- Internal zip mesh pocket plus a second internal pocket for more organisation
- Bottle holder outside for easy carry
- YKK zippers
- 32 x 18 x 45 cm



FIREBIRD RACING 80
Cod: 422394 00 956
Black/Orange

- 80 LT.
- Top wide opening
- Wide lateral rooms for skiboos storage
- Wide side pocket (glove compartment)
- 2 side pockets
- Additional fleece top pocket for goggles, gloves or accessories
- Internal pocket for documents
- Adjustable shoulder straps
- Adjustable chest strap
- YKK zippers



FIREBIRD COACH 45
Cod: 422389 01 305
Black/Orange

- 45 LT.
- Side opening for skiboos storage
- Top wide opening
- Lateral and front easy accessible pockets
- Additional side pocket
- Adjustable shoulder straps
- YKK zippers



FIREBIRD XL DUFFLE ROLLER
Cod: 422385 01 95C
Black/Icon Orange

- 150 LT.
- Internal zipped compartments
- Trolley
- Upper pocket
- Water resistant front pocket for skiboos and ski clothes storage



SKI BAG PROMO
Cod: 422364 00 100

- 205 cm
- Adjustable shoulder strap
- 2 fixation straps
- Material: 600 D - PU - PVC backing
- 205 x 13 x 28 cm



SKI BAG
Cod: 422391 00 100

- 60 LT.
- Adjustable length from 174 to 205 cm (each side adjustment)
- 2 handle straps on the sides
- Adjustable shoulder strap
- 2 fixation straps
- YKK zippers
- Material: 600 D - PU - PVC backing phthalates free
- 174 (205) x 13 x 28 cm



FIREBIRD GS SKI BAG 3 PAIRS
Cod: 422386 00 100

- Ski length 210 cm
- 3 pairs



FIREBIRD DH SKI BAG 3 PAIRS
Cod: 422387 00 100

- Ski length 240 cm
- 3 pairs



BLIZZARD RAIN COAT
Cod: 451591 01 100

- 100% Polyester
- 10.000 water column
- Full zip opening with buttons
- Lateral pockets with waterproof zip
- Adjustable wristbands and hoodie with visor
- XS, S / M, L / XL

ROLLER SKI BAG
Cod: 422393 00 100

- 60 LT.
- Adjustable length up till 205 cm (each side adjustment)
- 2 handle straps on the sides
- Adjustable shoulder strap
- 2 fixation straps
- YKK zippers
- PVC backing phthalates free
- 174 (205) x 13 x 28 cm

Size Table



Skiboot Size Table

EU	24½	24%	25%	26%	27½	28	28½	29%	29%	30%	31	31%	32%	33	33%	34%	35	36%	37½	38	38%	39%	40	40%	41%	42	42%	43%	44	44%	45	45%	46%	47	47%	48%	49	50			
UK	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	1	1½	2	2½	3	3½	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14
US MEN	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	1	1½	2	2½	3	3½	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15
US WOMEN																	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½											
MONDO POINT	145	150	155	160	165	170	170	175	180	185	190	195	200	200	205	210	210	215	220	225	230	235	240	245	250	255	260	265	270	275	280	285	290	295	300	305	310	315	320	325	330

Skiboot Sole Length

[illegible]

SOLE (A=ADULT / C=CHILDREN)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														</
--------------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----



株式会社 テクニカグループジャパン
〒101-0051
東京都千代田区神田神保町2-40-7 友輪ビル5階
www.tecnica-group.com
Blizzard-Tecnica.com