





# Handcrafted in the Slovenian Alps

ELAN is a dedicated ski manufacturer in the Slovenian Alps, with almost 80 years of experience building the best skis in the world, for friends and families who live the skiing lifestyle and are all about good times in the mountains.




# **Innovation** Delivers experience.

At Elan, we've been innovating for decades for one simple purpose – to make the skiing experience better for everyone, from beginner to expert. Decades of constantly pushing the design envelope – from sidecuts to constructions, materials to production processes – we challenge ourselves to design the best performance, highest quality, state-of-the-art products for friends and families to enjoy great days on the mountain. It is with this uncommon valor that we have committed our brand to this one goal, and to deliver on our promise to make every day the best day on snow for Elan skiers.







At Elan W Studio we are dedicated to women's skiing. Led by our team of female designers, research and development specialists and engineers from across the Elan organization, with a simple mission: to create the best products with, and for, women skiers.

studio

Our innovative approach is shaped by a desire to help more women enjoy the skiing lifestyle with greater confidence, and a sense of fun. W Studio skis perfectly meet the needs of everyday recreational skiers and those who've dedicated their lives to skiing. It's more than just excellent products, it's a movement, and a community.

We use a consumer-centred approach to design, innovation and construction, to address the performance needs and skiing experience of the Elan brand, for women. By listening to their preferences, and by fine-tuning our technology, the result is better products for women, which enhance confidence on every run, and in every turn.

W Studio skis, created by women for women to enjoy good times in the mountains, with friends and family.

# Elan, Sustainable by nature.

Sustainability is a value that is deeply rooted in Elan's DNA. In fact, it's so ingrained in our culture, that we hardly noticed we've been committed to it for almost eighty years.

Every piece of equipment bearing the Elan name carries a guarantee of lasting quality and a commitment to environmental sustainability. Being sustainable by nature is a responsibility that shapes our business ethos and guides our production methods.

Sustainable business has been part of Elan's identity from its beginnings. Elan is the only international ski manufacturer that can claim to design, engineer, test, and handcraft skis in collaboration with advanced automation and sustainable business practices. The transfer of knowledge through multiple generations and efficient adaptation of our production processes allows us to have full vertical production at a single site in Begunje, Slovenia.













# **UN** Sustainable **Development Targets**

Elan supports the achievement of the targets for sustainable development adopted by member states of the United Nations in 2015, representing a milestone on the global path to a more sustainable future.

Elan's Sports division approach to sustainable development is focused on these seven goals, from the United Nations framework.


Source: sdgs.un.org

# **FOUNDATIONS** Sustainability built upon experience.

Elan sourcing and manufacturing play a pivotal role in our sustainable development, by influencing the materials we use, their provenance and built-in sustainability, and in manufacturing the resource consumption, emissions and waste generated. These two drivers ultimately shape Elan's overall environmental footprint.

86% of all materials for ski production come from within a 400km radius of the Begunje factory. We are also actively searching for recycled materials for use in our ski production and we pioneered VOC free digital printing technology.

We have strong, sustainable foundations built upon from our experience, in these areas. For example, in our use of wood: 100% Controlled Harvesting.



# FRAMEWORK



# PEOPLE

People-friendly employer, with a culture of social and environmental responsibility.





Sustainability at the centre of all our activities, to ensure a sustainable future.



# ADDED VALUE

Added value is the foundation for investments in sustainable development and a greener future.






# **ELAN'S SUSTAINABILITY** JOURNEY

Our progress so far.






# **RESORT SKIING**

A lift-assisted skiing experience that provides access to all conditions found at resort ski areas.


# TOURING



Skiing in unmarked areas in natural terrain and conditions without the assistance of chairlifts.

NEW **Wingman Wildcat** 





# Wingman From First to Last Chair.

Wingman is the ski for skiers looking for performance in all the conditions they'll encounter at the resort between first and last chair. It combines the accuracy of a carving ski with the adaptability of a freeride ski. Made to serve as a wide ski for carving enthusiasts and a narrow ski for freeriders, Wingman offers a dynamic skiing experience unlike any other resort all mountain ski.

ALL RESORT PERFORMANCE PLAYFUL YET STABLE

PRECISE & FORGIVING

ΜΔΙΝ	FEATURE
	LAIONE

SKI CONSTRUCTION

# **Power Line Technology**

Strategically positioned layers of reinforcement placed lengthwise along the cambered inside edge of Amphibio Profile, creating a balance between torsional strength on the inside edge and forgiveness on the outside edge. The result is direct power transmission and stability for superior edge grip throughout the turn, with a smooth and easy to control feel of the outside edge for nimble maneuverability.



Asymetrically positioned reinforcements (Mono Ti/UD Carbon) For power and responsiveness

### ADDITIONAL CONSTRUCTION ELEMENTS


# Sidewall

3 **SST - Slanted Sidewall Technology** For direct power transmission at lighter weight

# Profile


Amphibio Profile Easy Turning & Edge Grip











# WINGMAN 86 TI FUSION X/FLAT

All resort tool for first class power and performance in any conditions.







Where winter vibes never end. Switzerland

8

# WINGMAN 83 TI SHIFT X/FLAT

NEW

A slimmer, quicker Wingman for stronger skiers that prioritize carving and edge grip control.

CODE	ABWLXP25, ABWLXPC5 (Prot) ABRLYE25 (Flat)
MAIN TECHNOLOGY	<b>PowerLine Technology,</b> Mono Ti, Laminated Woodcore
SIDEWALL	SST (Slanted Sidewall Technology)
PROFILE	Amphibio Profile
SYSTEM/PLATE	Shift X, Flat
BINDING	ELX 11.0 GW SHIFT BLK/ BLK B85, PROTECTOR SHIFT 11 GW
RECOMMENDED BINDING (FLAT)	ATTACK LYT 11 GW W/O BRAKE
BASE	Sintered High Speed Gliding base
GEOMETRY	131 83 112
LENGTH RADIUS	152 (12.0), 160 (13.0), 168 (14.0), 174 (15.0), 182 (16.0)

# WINGMAN 83 C SHIFT X

All the control and quickness you could ever want or need for weekend resort adventures.

CODE	ABXLXS25, ABXLXSC5 (Prot)
MAIN TECHNOLOGY	<b>PowerLine Technology,</b> UD Carbon, Laminated Woodcore
SIDEWALL	SST (Slanted Sidewall Technology)
PROFILE	Amphibio Profile
SYSTEM/PLATE	Shift X
BINDING	EL 10.0 GW SHIFT BLK/BLK B85, PROTECTOR SHIFT 10 GW
BASE	Sintered High Speed Gliding base
GEOMETRY	131 83 112
LENGTH RADIUS	152 (12.0), 160 (13.0), 168 (14.0), 174 (15.0), 182 (16.0)

22



# WINGMAN 80 TI SHIFT X

Made for skiers who are building on their skill set and need a ski that is responsive yet composed.

CODE	ABYLXV25, ABYLXVC5 (Prot)
MAIN TECHNOLOGY	PowerLine Technology,
	Mono Ti, Power Woodcore RST Sidewall (Racing
SIDEWALL	Sidewall Technology)
PROFILE	Amphibio Profile
SYSTEM/PLATE	Shift X
BINDING	EL 10.0 GW SHIFT BLK/GRN B78, PROTECTOR SHIFT 10 GW
BASE	Sintered High Speed Gliding base
GEOMETRY	127 79 110
LENGTH RADIUS	152 (10.8), 160 (12.4), 168 (13.0), 174 (14.4)

### WINGMAN 78 C SHIFT X

Skis with the right technology to take progressing skiers to the next level and help achieve goals.

NEW

ariahlo

CODE	ABYLXY25, ABYLXYC5 (Prot)
MAIN TECHNOLOGY	<b>PowerLine Technology,</b> Carbon Reinforcement, Power Woodcore
SIDEWALL	RST Sidewall (Racing Sidewall Technology)
PROFILE	Amphibio Profile
SYSTEM/PLATE	Shift X
BINDING	EL 10.0 GW SHIFT BLK/RED B78, PROTECTOR SHIFT 10 GW
BASE	Sintered High Speed Gliding base
GEOMETRY	127 79 110
LENGTH RADIUS	152 (10.8), 160 (12.4), 168 (13.0), 174 (14.4)


# **Black Edition** Setting the standard.

Elan Black Edition, where premium style, design, and performance meet.

# MAIN FEATURE

# **Power Line Technology**

Direct power transmission. Smooth maneuverability.



- Mono Ti

- Tubelite Woodcore
- Tubelite Woodcore Strong, light, dynamic.

# ADDITIONAL CONSTRUCTION ELEMENTS

# Sidewall

SST - Slanted Sidewall Technology For direct power transmission at lighter weight.

# Profile

3

Amphibio Profile 4 Easy Turning & Edge Grip.

### Base

Sintered Running Base 5 Excellent gliding.

# WINGMAN 86 BLACK EDITION

FUSIONX/FLAT

A trusted companion, featuring both carbon and titanal for power, performance, and sophistication.

CODE	ABTLXB25, ABTLXBC5 (Prot), ABTLXH25 (Flat)
MAIN TECHNOLOGY	<b>PowerLine Technology</b> , Mono Ti, Carbon Rods, UD Carbon, Tubelite Woodcore
SIDEWALL	SST (Slanted Sidewall Technology)
PROFILE	Amphibio Profile
SYSTEM/PLATE	Fusion X, Flat
BINDING	EMX 12.0 GW FUSION X BLK/ SIL B85, PROTECTOR 13 GW
RECOMMENDED BINDING (FLAT)	ATTACK 14 MN W/O BRAKE
BASE	Sintered High Speed Gliding base
GEOMETRY	132 86 112
LENGTH RADIUS	160 (14.0), 168 (15.0), 174 (16.0), 182 (17.0)

-


2





ROCKER CAMBER ROCKER





# **Wildcat** / INTRO Your all-resort bestie.

The Wildcat is tailored to address the needs of a female skier in all the conditions they encounter at the resort between first and last chair. The Wildcat combines the accuracy of a carving ski with the adaptability of a freeride ski. Made to serve as a wide ski for carving enthusiasts and a narrow ski for freeriders, Wildcat takes your resort skiing days to new horizons.

ALL RESORT PERFORMANCE **PLAYFUL YET** STABLE

PRECISE & FORGIVING WILDCAT

### MAIN FEATURE

SKI CONSTRUCTION

# **Power Line Technology**

Strategically positioned layers of reinforcement placed lengthwise along the cambered inside edge of Amphibio Profile, creating a balance between torsional strength on the inside edge and forgiveness on the outside edge. The result is direct power transmission and stability for superior edge grip throughout the turn, with a smooth and easy to control feel of the outside edge for nimble maneuverability.



Asymetrically positioned reinforcements (Mono Ti/UD Carbon) For power and responsiveness

### ADDITIONAL CONSTRUCTION ELEMENTS


# Sidewall

SST - Slanted Sidewall Technology 3 For direct power transmission at lighter weight

# Profile

**Amphibio Profile** Easy Turning & Edge Grip







# WILDCAT 86 TI SHIFT X

Wider all resort tool for first class power and performance in any conditions.



00



# NEW N VV

### WILDCAT 83 TI SHIFT X / FLAT

A slimmer, quicker Wildcat for stronger skiers who prioritize carving and edge grip over versatility.

CODE	ACSLYH25, ACSLYHC5 (Prot), ACPLYL25 (Flat)
MAIN TECHNOLOGY	PowerLine Technology, Mono Ti, Laminated Woodcore
SIDEWALL	SST (Slanted Sidewall Technology)
PROFILE	Amphibio Profile
SYSTEM/PLATE	Shift X, Flat
BINDING	EL 9.0 GW SHIFT BLK/PUR B85, PROTECTOR SHIFT 11 GW
RECOMMENDED BINDING (FLAT)	ATTACK LYT 11 GW W/O BRAKE
BASE	Sintered High Speed Gliding base
GEOMETRY	130 82 110
LENGTH RADIUS	144 (11.5), 152 (12.0), 160 (13.0), 168 (14.0)

# WILDCAT 83 C SHIFT X

All the control and quickness you could ever want or need for weekend resort adventures.

CODE	ACTLYY25, ACTLYYC5 (Prot)
MAIN TECHNOLOGY	<b>PowerLine Technology,</b> UD Carbon, Laminated Woodcore
SIDEWALL	SST (Slanted Sidewall Technology)
PROFILE	Amphibio Profile
SYSTEM/PLATE	Shift X
BINDING	EL 9.0 GW SHIFT BLK/SND B85, PROTECTOR SHIFT 10 GW
BASE	Sintered High Speed Gliding base
GEOMETRY	130 82 110
LENGTH RADIUS	144 (11.5), 152 (12.0), 160 (13.0), 168 (14.0)

liate

WILDCAT 80 TI SHIFT X

For skiers building their skill set and need a ski that is responsive yet composed on groomed runs.

N

CODE	ACULYS25, ACULYSC5 (Prot)
MAIN TECHNOLOGY	PowerLine Technology, Mono Ti, Power Woodcore
SIDEWALL	RST Sidewall (Racing Sidewall Technology)
PROFILE	Amphibio Profile
SYSTEM/PLATE	Shift X
BINDING	<i>EL 9.0 GW SHIFT BLK/PUR B78, PROTECTOR SHIFT 10 GW</i>
BASE	Sintered High Speed Gliding base
GEOMETRY	126 79 110
LENGTH RADIUS	144 (10.0), 152 (10.8), 160 (12.4), 168 (13.0)



# WILDCAT 78 C SHIFT X

Skis with the right technology to take progressing skiers to the next level and help achieve goals.

CODE	ACULYV25, ACULYVC5 (Prot)
MAIN TECHNOLOGY	<b>PowerLine Technology,</b> Carbon Reinforcement, Power Woodcore
SIDEWALL	RST Sidewall (Racing Sidewall Technology)
PROFILE	Amphibio Profile
SYSTEM/PLATE	Shift X
BINDING	EL 9.0 GW SHIFT BLK/TRQ B78, PROTECTOR SHIFT 10 GW
BASE	Sintered High Speed Gliding base
GEOMETRY	126 79 110
LENGTH RADIUS	144 (10.0), 152 (10.8), 160 (12.4), 168 (13.0)

29

# **Black Edition** All resort performance, dressed in black.

Elan Black Edition, where exquisite style, design, and performance meet.

# MAIN FEATURE

2

# **Power Line Technology**

Direct power transmission. Smooth maneuverability.

# Asymetrically positioned reinforcements For strong and playful rebound. (1)

- Mono Ti

- UD Carbon
- Tubelite Woodcore
- Tubelite Woodcore
- Strong, light, dynamic.

# ADDITIONAL CONSTRUCTION ELEMENTS

# Sidewall

SST - Slanted Sidewall Technology For direct power transmission at lighter weight.

# Profile

3

Amphibio Profile 4 Easy Turning & Edge Grip.

# Base


Sintered Running Base 5 Excellent gliding.


# WILDCAT 83 **BLACK EDITION**

SHIFT X

A-List performance, featuring both carbon and titanal for sophisticated power.

CODE	ACRLYP25, ACRLYPC5 (Prot)
MAIN TECHNOLOGY	PowerLine Technology, Mono Ti, Carbon Rods, UD Carbon, Tubelite Woodcore
SIDEWALL	SST (Slanted Sidewall Technology)
PROFILE	Amphibio Profile
SYSTEM/PLATE	Shift X
BINDING	ELX 11.0 GW SHIFT BLK/ BLK B85, PROTECTOR SHIFT 11 GW
BASE	Sintered High Speed Gliding base
GEOMETRY	132 82 110
LENGTH RADIUS	152 (12.0), 160 (13.0), 168 (14.0)





# NEW **Playmaker**

LIEF

8C





# Playmaker Make the Mountain Your Playground.

The Elan Playmaker transforms the mountain into your playground by blending the playful personality of a freestyle twin tip with the confidence of a directional freeride ski. Crafted with lightweight 3D construction and carbon rods for a perfect balance of pop and power, the Elan Playmaker surfs and slashes through any terrain or feature with style.

FREESTYLE FEEL

FREERIDE PERFORMANCE

BI-DIRECTIONAL VERSATILITY MAIN FEATURE

SKI CONSTRUCTION


# **Dual Float Technology**

Dual Float Technology blends 3D Trapezoid construction which provides a stable and powerful platform under foot, while the razor thin profile in the tip and tail reduces weight and maximizes float, in either direction.



2

**Carbon Rods** For stability and power rebound



### ADDITIONAL CONSTRUCTION ELEMENTS

# Sidewall

**360 Sidewall** For direct power transmission at lighter weight round the clock



# Profile



Surf Rocker Bi-Directional Flotation





13

111

180

# PLAYMAKER 111

The most powder-focused ski in the series with stability at speed and the playfulness of a freeride twin.






m

180



Mt. Bachelor The Land of Free(Skiing) and bottomless powder.




PLAYMAKER 101

The one ski quiver wide enough for deep snow, yet light and nimble enough for laps through the park.

CODE	AEBLZW25 (Flat)
MAIN TECHNOLOGY	<i>Dual Float Technology,</i> <i>Carbon Rods, Tubelite</i> <i>Woodcore</i>
SIDEWALL	360° Sidewall
PROFILE	Surf Rocker
SYSTEM/PLATE	Flat
RECOMMENDED BINDING	ATTACK 14 MN W/O BRAKE
BASE	Sintered High Speed Gliding base
GEOMETRY	132 101 122
LENGTH RADIUS	164 (16.0), 172 (17.0), 180 (18.1), 188 (19.5)
WEIGHT	1685 +/- 50g (180)






# PLAYMAKER 91


This all mountain twin is as comfortable in variable conditions as it is hitting terrain features in the park.

CODE	AECMAB25 (Flat)	
MAIN TECHNOLOGY	<b>Dual Float Technology,</b> Carbon Rods, Tubelite Woodcore	
SIDEWALL	360° Sidewall	
PROFILE	Surf Rocker	
SYSTEM/PLATE	Flat	
RECOMMENDED BINDING	ATTACK 14 MN W/O BRAKE	
BASE	Sintered High Speed Gliding base	
GEOMETRY	122 91 116	
LENGTH RADIUS	156 (15.0), 164 (16.0), 172 (17.0), 180 (18.1), 188 (19.5)	
WEIGHT	1570 +/- 50g (180)	



# **PLAYMAKER 87**





PLAYMAKER 87

The park lapper in the series poised to rip groomers, cruise, carve and improve your skills.



U-Flex on p. 95



# PLAYMAKER 81T JRS/SHIFT X

The grom edition for Playmakers in the making, looking to take over the mountain and the park with one ski.

CODE	AEEMCE25 (JrS), AEELZY25
MAIN TECHNOLOGY	Fibreglass, Dual Woodcore
SIDEWALL	Full Power Cap
PROFILE	Jib Rocker
SYSTEM/PLATE	Shift X
BINDING	EL 7.5 GW CA JRS BLK B80, EL 4.5 GW CA JRS BLK B80, EL 10.0 GW SHIFT BLK/ BLK B85
BASE	Extruded base
GEOMETRY	109 81 104
LENGTH RADIUS	121 (10.0), 131 (11.5), 141 (13.0), 151 (14.0), 161 (15.0)

Ere

# **PRIMETIME** CARVE OUT A GOOD TIME





.....


### MAIN FEATURE


CONSTRUCTION

SKI

# **Power Match Technology**

With PowerMatch Technology, the construction of the ski is matched to how the skier puts power to the snow, allowing the skier more natural control of the inside and outside edges for the most intuitive feel throughout the turn.





### ADDITIONAL CONSTRUCTION ELEMENTS

Sidewall

RST - Racing Sidewall Technology
 Superior edge control

# Primetime Carve Out a Good Time with Primetime.

Hit the slopes with Primetime where the thrill of carving meets youthful design and innovative construction. Primetime brings back the joy of skiing groomers, with less effort, for those with a need for speed. Get the most out of your days on the hill with the perfect blend of power and control mixed with a playful and forgiving nature due to the skis' Amphibio profile and Power Match Technology. Push boundaries while having the most fun carving your heart out.

STABILITY

EDGE GRIP

POWERFUL CARVING



ROCKER CAMBER ROCKER



# **Profile**

5



Amphibio Profile Easy Turning & Edge Grip







# PRIMETIME 55 BLACK EDITION FUSIONX

Made for the strongest, fastest skiers that love quick edge to edge transitions and the power of Dual Ti and UD Carbon.

CODE	ABBLTR25, ABBLTRC5 (Prot)
MAIN TECHNOLOGY	<b>PowerMatch Technology,</b> Dual Ti, UD Carbon, Dual Density Woodcore
SIDEWALL	RST Sidewall (Racing Sidewall Technology)
PROFILE	Amphibio Profile
SYSTEM/PLATE	Fusion X
BINDING	EMX 12.0 GW FUSION X BLK/ SIL B85, PROTECTOR 13 GW FUSION X
BASE	Sintered Race Structured High Speed Gliding base
GEOMETRY	121 69 102
LENGTH RADIUS	151 (12.2), 158 (12.5), 165 (13.7), 172 (15.1), 179 (16.5)

# PRIMETIME 55+ BLACK EDITION FUSIONX

TEC

SYSTE

LENG

A wider platform for added comfort with Dual Ti and UD Carbon for strong and confident skiers.

ABBLUT25, ABBLUTC5 (Prot)	
<b>PowerMatch Technology,</b> Dual Ti, UD Carbon, Dual Density Woodcore	
RST Sidewall (Racing Sidewall Technology)	
Amphibio Profile	
Fusion X	
EMX 12.0 GW FUSION X BLK/ SIL B85, PROTECTOR 13 GW FUSION X	
Sintered Race Structured High Speed Gliding base	
130 74 111	
151 (10.4), 158 (11.5), 165 (12.8), 172 (14.0), 179 (15.3)	
	PowerMatch Technology, Dual Ti, UD Carbon, Dual Density Woodcore         RST Sidewall (Racing Sidewall Technology)         Amphibio Profile         Fusion X         EMX 12.0 GW FUSION X BLK/ SIL B85, PROTECTOR 13 GW FUSION X         Sintered Race Structured High Speed Gliding base         130 74 111         151 (10.4), 158 (11.5), 165

# PRIMETIME 44 FUSIONX

For those seeking to maximize each turn with a Mono Ti reinforcement that requires less input but all the fun.

NEW

PEED

slow

CODE	ABCLUW25, ABCLUWC5 (Prot)
MAIN TECHNOLOGY	<i>PowerMatch Technology,</i> Mono Ti, Dual Density Woodcore
SIDEWALL	RST Sidewall (Racing Sidewall Technology)
PROFILE	Amphibio Profile
SYSTEM/PLATE	Fusion X
BINDING	EMX 12.0 GW FUSION X BLK/ RED B85, PROTECTOR 11 GW FUSION X
BASE	Sintered High Speed Gliding base
GEOMETRY	121 69 102
LENGTH RADIUS	151 (12.2), 158 (12.5), 165 (13.7), 172 (15.1), 179 (16.5)

# advanced intermediate

NEW

# PRIMETIME 44+ FUSIONX/ SHIFT X

Perfect mix of comfort and playfulness, thanks to a wider platform and Mono Ti reinforcement.

Meets all the demands with a universal footprint and Mono Ti for all-day carving fun.

**PRIMETIME 33** 

FUSIONX/SHIFT X

CODE	ABCLUZ25, ABCLUZC5 (Prot), ABCLVC25, ABCLVCC5 (Prot)	CODE	ABDLVF25, ABDLVFC5 Prot), ABDLVJ25, ABDLVJC5 (Prot)
MAIN TECHNOLOGY	<b>PowerMatch Technology,</b> Mono Ti, Dual Density	MAIN TECHNOLOGY	PowerMatch Technology, Mono Ti, Power Woodcore
SIDEWALL	Woodcore RST Sidewall (Racing	SIDEWALL	RST Sidewall (Racing Sidewall Technology)
PROFILE	Sidewall Technology) Amphibio Profile	PROFILE	Amphibio Profile
SYSTEM/PLATE	Shift X, Fusion X	SYSTEM/PLATE	Shift X, Fusion X EM 11.0 GW FUSION X BLK/GRN
BINDING	EMX 12.0 GW FUSION X BLK/BLU B85, PROTECTOR 11 GW FUSION X, ELX 11.0 GW SHIFT BLK/BLK	BINDING	<i>EWI 11.0 GW POSION X BLIVGHN</i> <i>B85, ROTECTOR 11 GW FUSION</i> <i>X, ELX 11.0 GW SHIFT BLK/BLK</i> <i>B78, PROTECTOR SHIFT 11 GW</i>
BASE	B78, PROTECTOR SHIFT 11 GW Sintered High Speed Gliding	BASE	Sintered High Speed Gliding base
	base	GEOMETRY	127 73 111
GEOMETRY LENGTH RADIUS	130 74 111 151 (10.4), 158 (11.5), 165 (12.8), 172 (14.0), 179 (15.3)	LENGTH RADIUS	151 (10.1), 158 (11.1), 165 (12.2), 172 (13.5), 179 (14.7)



# PRIMETIME 22 BLUE SHIFT X

Experience good times in every turn on the most intermediate-friendly ski in the collection.

CODE	ABELVM25, ABELVMC5 (Prot)
MAIN TECHNOLOGY	<b>PowerMatch Technology,</b> Mono Ti, Power Woodcore
SIDEWALL	RST Sidewall (Racing Sidewall Technology)
PROFILE	Amphibio Profile
SYSTEM/PLATE	Shift X
BINDING	EL 10.0 GW SHIFT BLK/BLK B78, PROTECTOR SHIFT 10 GW
BASE	Sintered High Speed Gliding base
GEOMETRY	127 73 111
LENGTH RADIUS	151 (10.1), 158 (11.1), 165 (12.2), 172 (13.5), 179 (14.7)

# PRIMETIME 22 BLACK SHIFT X

Experience good times in every turn on the most intermediate-friendly ski in the collection.

CODE	ABELVR25, ABELVRC5 (Prot)	
MAIN TECHNOLOGY	PowerMatch Technology, Mono Ti, Power Woodcore	
SIDEWALL	RST Sidewall (Racing Sidewall Technology)	
PROFILE	Amphibio Profile	
SYSTEM/PLATE	Shift X	
BINDING	EL 10.0 GW SHIFT BLK/BLK B78, PROTECTOR SHIFT 10 GW	
BASE	Sintered High Speed Gliding base	
GEOMETRY	127 73 111	
LENGTH RADIUS	151 (10.1), 158 (11.1), 165 (12.2), 172 (13.5), 179 (14.7)	



# **PRIMETIME N°5 W** BLACK EDITION SHIFT X

The most precise ski in the series, making every turn full of bliss, confidence and smoothness.

CODE	ACBLVV25, ACBLVVC5 (Prot)	
MAIN TECHNOLOGY	<b>PowerMatch Technology,</b> Dual Ti, UD Carbon, Dual Density Woodcore	
SIDEWALL	RST Sidewall (Racing Sidewall Technology)	
PROFILE	Amphibio Profile	
SYSTEM/PLATE	Shift X	
BINDING	ELX 11.0 GW SHIFT BLK/ BLK B78, PROTECTOR SHIFT 11 GW	
BASE	Sintered Race Structured High Speed Gliding base	
GEOMETRY	121 69 102	
LENGTH RADIUS	144 (10.0), 151 (12.2), 158 (12.5), 165 (13.7), 172 (15.1)	





# PRIMETIME N°2 W WHITE SHIFT X

N

The most accessible ski in the series, with easy, agile, and forgiving performance, for effortless carving.

CODE	ACELWV25, ACELWVC5 (Prot
MAIN TECHNOLOGY	PowerMatch Technology, Mono Ti, Power Woodcore
SIDEWALL	RST Sidewall (Racing Sidewall Technology)
PROFILE	Amphibio Profile
SYSTEM/PLATE	Shift X
BINDING	EL 9.0 GW SHIFT BLK/SND B78, PROTECTOR SHIFT 10 GW
BASE	Sintered High Speed Gliding base
GEOMETRY	127 73 111
LENGTH RADIUS	144 (9.1), 151 (10.1), 158 (11.1), 165 (12.2)

# PRIMETIME N°2 W BLACK SHIFT X

The most accessible ski in the series, with easy, agile, and forgiving performance, for effortless carving.

CODE	ACELWY25, ACELWYC5 (Prot)
MAIN TECHNOLOGY	<b>PowerMatch Technology,</b> Mono Ti, Power Woodcore
SIDEWALL	RST Sidewall (Racing Sidewall Technology)
PROFILE	Amphibio Profile
SYSTEM/PLATE	Shift X
BINDING	EL 9.0 GW SHIFT BLK/BLK B78, PROTECTOR SHIFT 10 GW
BASE	Sintered High Speed Gliding base
GEOMETRY	127 73 111
LENGTH RADIUS	144 (9.1), 151 (10.1), 158 (11.1), 165 (12.2)



# Element / INTRO Progression Made Easy.

The Element is designed for the many recreational skiers who are looking for a tool to quickly progress their skill sets. Say goodbye to skidding and hello to carving, courtesy of WaveMotion Technology, a wave-shaped design offering flex and stability to improve balance. The confidenceinspiring skis help you become more comfortable and enjoy the skiing experience. Element helps you link turns and take on new trails across the ski resort.

**BALANCE &** ADDED CONFIDENCE CONTROL FOR PROGRESSION

**Wavemotion Technology** the snow. Dual Woodcore 1 Improved power transmission



# Sidewall

MAIN FEATURE

SKI CONSTRUCTION


**EST - Extended Sidewall** construction Excellent edge hold

Profile

Early Rise Rocker Profile Effortless turning for multiple ski types

**BEST VALUE FOR** YOUR MONEY

WaveMotion Technology incorporates a wave-shaped design, which allows the ski to flex effortlessly, leading to improved carving ability and torsional stability. Additionally, the ski employs Extended Sidewall Technology, which enhances edge grip and power transmission to








# **ELEMENT 78 TI RS** SHIFT X

The best tool to progress your carving skills, thanks to WaveMotion Technology reinforced with Ti.





# NEW

# **ELEMENT 78** SHIFT X

Carve turns with the smooth flex and exceptional grip of WaveMotion Technology.

CODE	ABHLZH25
MAIN TECHNOLOGY	WaveMotion Technology, Fibreglass, Mono Woodcore
SIDEWALL	EST (Extended Sidewall Technology)
PROFILE	Early Rise Rocker
SYSTEM/PLATE	Shift X
BINDING	EL 10.0 GW SHIFT BLK/ ORG B78
BASE	Extruded base
GEOMETRY	127 78 104
LENGTH RADIUS	144 (10.6), 152 (12.0), 160 (13.5), 168 (15.2), 176 (16.9)

# SHIFT X

Confidently elevate your performance on groomed slopes with this solid and responsive platform.

CODE	ACGLZL2
MAIN TECHNOLOGY SIDEWALL	WaveMo Mono Ti, EST (Exte Technolo
PROFILE	Early Ris
SYSTEM/PLATE	Shift X
BINDING	EL 9.0 G BLK B78
BASE	Sintered base
GEOMETRY	126 76
LENGTH RADIUS	144 (10.



# **ELEMENT 78 TI W RS**

### GLZL25

veMotion Technology, ono Ti, Dual Woodcore T (Extended Sidewall chnology)

rly Rise Rocker

9.0 GW SHIFT BLK/ K B78 ntered High Speed Gliding

### 6 76 103

. 144 (10.6), 152 (12.0), 160 (13.5), 168 (15.2), 176 (16.9)

### **ELEMENT 78 W** SHIFT X

Take your skiing to the next level with smooth flex, exceptional grip, and stable feel.

CODE	ACHLZM25
MAIN TECHNOLOGY SIDEWALL	WaveMotion Technology, Fibreglass, Mono Woodcore EST (Extended Sidewall
PROFILE	Technology) Early Rise Rocker
SYSTEM/PLATE	Shift X
BINDING	EL 9.0 GW SHIFT BLK/ BLK B78
BASE	Extruded base
GEOMETRY	126 76 103
LENGTH RADIUS	144 (10.6), 152 (12.0), 160 (13.5), 168 (15.2), 176 (16.9)



# **GROOVE TIP** TECHNOLOGY Always in Balance, Always in control.

Groove Technology is ultimate confidence booster. It harmonizes balance and control with rib-shaped energizers that create a uniform flex profile, helping skiers find the stability they need to excel on the mountain. In the turn, the grooves assure a powerful, energized performance.



PARABOLIC ROCKER PROFILE Easy turning, less effort.

This unique Elan design combines a generous amount of sidecut with slightly lifted tip and tail, which results in easy turn initiation with less effort. This combination allows a skier to progress faster and with this progression, passion for skiing increases.



ELEMENT	74 RS
SHIFT X	

Take on the mountain with balance and confidence from GrooveTip Technology.

CODE	ABILRJ25	
MAIN TECHNOLOGY	5,000,000,000,000,000,000,000,000,000,0	
SIDEWALL	Full Power Cap	
PROFILE	Early Rise Rocker	
SYSTEM/PLATE	Shift X	
BINDING	EL 10.0 GW SHIFT BLK/ GRN B78	
BASE	Sintered High Speed Gliding base	
GEOMETRY	122 74 103	
LENGTH RADIUS	140 (10.3), 146 (11.3), 152 (12.4), 160 (13.9), 168 (15.4), 176 (17.1)	




X

NEW

Build your skills and confidence with GrooveTip Technology.

MAIN TECHNOLOGY     GrooveTip Technology, Fibreglass, Mono Woodcore       SIDEWALL     Full Power Cap       PROFILE     Early Rise Rocker       SYSTEM/PLATE     Shift X       BINDING     EL 9.0 GW SHIFT BLK/ BLK B78       BASE     Extruded base       GEOMETRY     122 74 103       LENGTH RADIUS     140 (10.3), 146 (11.3), 152 176 (17.1)	CODE	ABJLZJ25
PROFILE         Early Rise Rocker           SYSTEM/PLATE         Shift X           BINDING         EL 9.0 GW SHIFT BLK/ BLK B78           BASE         Extruded base           GEOMETRY         122 74 103           LENGTH RADIUS         140 (10.3), 146 (11.3), 152 (12.4), 160 (13.9), 168 (15.4)		
SYSTEM/PLATE         Shift X           BINDING         EL 9.0 GW SHIFT BLK/ BLK B78           BASE         Extruded base           GEOMETRY         122 74 103           LENGTH RADIUS         140 (10.3), 146 (11.3), 152 (12.4), 160 (13.9), 168 (15.4)	SIDEWALL	Full Power Cap
BINDING         EL 9.0 GW SHIFT BLK/ BLK B78           BASE         Extruded base           GEOMETRY         122 74 103           140 (10.3), 146 (11.3), 152           LENGTH RADIUS         (12.4), 160 (13.9), 168 (15.4)	PROFILE	Early Rise Rocker
BINDING         BLK B78           BASE         Extruded base           GEOMETRY         122 74 103           140 (10.3), 146 (11.3), 152           LENGTH RADIUS         (12.4), 160 (13.9), 168 (15.4)	SYSTEM/PLATE	Shift X
GEOMETRY         122         74         103           140 (10.3), 146 (11.3), 152         140 (12.4), 160 (13.9), 168 (15.4)	BINDING	
140 (10.3), 146 (11.3), 152           LENGTH RADIUS           (12.4), 160 (13.9), 168 (15.4)	BASE	Extruded base
LENGTH RADIUS (12.4), 160 (13.9), 168 (15.4)	GEOMETRY	122 74 103
	LENGTH RADIUS	(12.4), 160 (13.9), 168 (15.4),



# **ELEMENT 74 BLUE** SHIFT X

Build your skills and confidence with GrooveTip Technology.

CODE	ABJLZK25
MAIN TECHNOLOGY	
SIDEWALL	Full Power Cap
PROFILE	Early Rise Rocker
SYSTEM/PLATE	Shift X
BINDING	EL 9.0 GW SHIFT BLK/ SND B78
BASE	Extruded base
GEOMETRY	122 74 103
LENGTH RADIUS	140 (10.3), 146 (11.3), 152 (12.4), 160 (13.9), 168 (15.4), 176 (17.1)

		TERRA	variable
			groomed
			expert
F	Ţ	SKI LEVEL	intermediate
IN	IME		beginner
B-B	EL.S		W.
Self Mary			

NFW

# **ELEMENT 74 RS W BLACK** SHIFT X

Get to know how to easily harness agility and control every day you hit the slopes

CODE	ACILZQ25		
MAIN TECHNOLOGY	1		
SIDEWALL	Full Power Cap		
PROFILE	Early Rise Rocker		
SYSTEM/PLATE	Shift X		
BINDING	EL 9.0 GW SHIFT BLK/ BLK B78		
BASE	Sintered High Speed Gliding base		
GEOMETRY	122 74 103		
LENGTH RADIUS	140 (10.3), 146 (11.3), 152 (12.4), 160 (13.9), 168 (15.4), 176 (17.1)		

# **ELEMENT 74 RS W** WHITE SHIFT X

LNEWE

1

X

Build your skills on these easy turning, lightweight, balanced skis.

LNEWEN'E

CODE	ACILZS25	CODE	ACKLZP25
MAIN TECHNOLOGY	<b>GrooveTip Technology,</b> Fibreglass, Dual Woodcore	MAIN TECHNOLOGY	<b>GrooveTip Technology,</b> Fibreglass, Mono Woodcore
SIDEWALL	Full Power Cap	SIDEWALL	Full Power Cap
PROFILE	Early Rise Rocker	PROFILE	Early Rise Rocker
SYSTEM/PLATE	Shift X	SYSTEM/PLATE	Shift X
BINDING	EL 9.0 GW SHIFT BLK/ BLK B78	BINDING	EL 9.0 GW SHIFT BLK/ SND B78
BASE	Sintered High Speed Gliding base	BASE	Extruded base
GEOMETRY	122 74 103	GEOMETRY	122 74 103
ENGTH RADIUS	140 (10.3), 146 (11.3), 152 (12.4), 160 (13.9), 168 (15.4), 176 (17.1)	LENGTH RADIUS	140 (10.3), 146 (11.3), 152 (12.4), 160 (13.9), 168 (15.4) 176 (17.1)

### 52



# **ELEMENT 74 W BLACK ELEMENT 74 W BLUE** SHIFT X

Build your skills on these easy turning, lightweight, balanced skis.

# SHIFT X

Build your skills on these easy turning, lightweight, balanced skis.


CODE	ACKLZR25	
MAIN TECHNOLOGY	GrooveTip Technology, Fibreglass, Mono Woodcore	
SIDEWALL	Full Power Cap	
PROFILE	Early Rise Rocker	
SYSTEM/PLATE	Shift X	
BINDING	EL 9.0 GW SHIFT BLK/ TRQ B78	
BASE	Extruded base	
GEOMETRY	122 74 103	
LENGTH RADIUS	140 (10.3), 146 (11.3), 152 (12.4), 160 (13.9), 168 (15.4), 176 (17.1)	

# World Cup Ace Power & control to take charge.


The Race line represents Elan's lifeblood. These skis are built for the most demanding skiers - the experienced skiers who know what they want from a ski. Skis belonging to the Race class are uncompromising arrows. Regardless of whether you choose skis for ski cross, slalom or giant slalom, you will always get the highest possible level of ski proficiency out of them. Elan race skis now have a brand-new body shape and identity with arrow references, synonymous wih speed, strength and power.



GIRO










CODE	AAFLAV24, AAFLAZ24
MAIN TECHNOLOGY	Fibreglass, Response Frame Woodcore
SIDEWALL	RST Sidewall (Racing Sidewall Technology)
PROFILE	Camber
SYSTEM/PLATE	Racing plate
BINDING	ER 11.0 GW FREEFLEX GRN/ BLK B85
BASE	Sintered Race Structured High Speed Gliding base
GEOMETRY	Conform to FIS
LENGTH RADIUS	133 (>=10.5), 139 (>=10.5)



### **ACE RCX** PLATE

CODE	AAHLBB24
MAIN TECHNOLOGY	Fibreglass, Response Frame
SIDEWALL	Woodcore RST Sidewall (Racing Sidewall Technology)
PROFILE	Camber
SYSTEM/PLATE	Flat, Racing plate
BINDING	ER 11.0 GW GRN/BLK B85
BASE	Sintered Race Structured High Speed Gliding base
GEOMETRY	Conform to FIS
LENGTH RADIUS	122 (>=8.5), 128 (>=9.8)

57



# INTRO Ace Top Ranked, Race-Inspired Performance.

The Ace series delivers race-inspired performance on the hardest snow and at the highest speeds. The combination of race-proven Ace Arrow Technology and the Fusion X System beholds the precision and accuracy of a World Cup Ski with the stability and turn initiation for high performance carving. This ski was built for the skiers who are first in the lift line and first to the bottom of the hill.

BEST EDGE TO EDGE QUICKNESS

SMOOTH AT **HIGH SPEEDS** 

ELITE EDGE GRIP **MAIN FEATURE** 

STRUCTION

CON

SKI

# Ace Arrow Technology

Ace Arrow technology is the utilization of strategically shaped titanal structural layers in the ski that work in harmony to deliver a lightning quick response with world-class precision and accuracy. Upper arrow shaped titanal layer gathers and transfers energy simultaneously which translates into instant superior edge pressure, while lower inverse arrow shaped titanal layer brings quickness and lightness to turn entry and stability on turn exit without added weight.



**R**<sup>2</sup> Frame Woodcore Constant control and powerful grip

ADDITIONAL CONSTRUCTION ELEMENTS

# Sidewall

2

**RST** - Racing Sidewall Technology 3 Superior edge control

# **Profile**

4

**Camber Profile** Superior edge grip

# **System**



**Fusion X System** FusionX – The next generation of binding systems



# **ACE SCX** FUSION X/PLATE

Any turn, any time, the SCX can shift between short and long radius turns with the power of Dual Ti layers.

CODE	AAJLBL24, AAJLBLC4 (Prot), AAJLBM24 (Plate)
MAIN TECHNOLOGY	Arrow Technology, Dual Ti, R2 Frame Woodcore
SIDEWALL	RST Sidewall (Racing Sidewall Technology)
PROFILE	Camber
SYSTEM/PLATE	Fusion X, Racing plate
BINDING	EMX 12.0 GW FUSION X BLK/ GRN B85, PROTECTOR 13 GW FUSION X BLK B85, ER 17.0 FREEFLEX ST GRN/ BLK B85
BASE	Sintered Race Structured High Speed Gliding base
GEOMETRY	113 67 100
LENGTH RADIUS	156 (13.5), 162 (14.3), 168 (15.1), 174 (15.9), 180 (16.7)



CODE	AAJLBK24, AAJLBKC4 (Prot)	
MAIN TECHNOLOGY	Arrow Technology, Dual Ti, R2 Frame Woodcore	
SIDEWALL	RST Sidewall (Racing Sidewall Technology)	
PROFILE	Camber	
SYSTEM/PLATE	Fusion X, Racing plate	
BINDING	EMX 12.0 GW FUSION X BLK/ GRN B85, PROTECTOR 13 GW FUSION X BLK B85, ER 17.0 FREEFLEX ST GRN/ BLK B85	
BASE	Sintered Race Structured High Speed Gliding base	
GEOMETRY	110 69 94	
LENGTH RADIUS	170 (17.4), 175 (19.0), 180 (21.1)	

# ACE SLX FUSION X/PLATE

ACE

The short turn specialist; quick, responsive and heaps of rebound for a renown Ace performance.

CODE	AAKLBN24, AAKLBNC4 (Prot), AAKLBS24 (Plate)	
MAIN TECHNOLOGY	Arrow Technology, Dual Ti, R2 Frame Woodcore	
SIDEWALL	RST Sidewall (Racing Sidewall Technology)	
PROFILE	Camber	
SYSTEM/PLATE	Fusion X, Racing plate	
BINDING	EMX 12.0 GW FUSION X BLK/ GRN B85, PROTECTOR 13 GW FUSION X BLK B85, ER 17.0 FREEFLEX ST GRN/ BLK B85	
BASE	Sintered Race Structured High Speed Gliding base	
GEOMETRY	121 68 104	
LENGTH RADIUS	155 (11.0), 160 (12.0), 165 (12.8), 170 (13.5)	

Ш DA

ACE SL FUSION X

Ŭ

1

Ш

Ū

1

174



Built on the same SLX's geometry with a single layer of Titanal to make the skis enjoyable for all day carving.

CODE	AALLBP24, AALLBPC4 (Prot)	
MAIN TECHNOLOGY	Arrow Technology, Dual Ti, R2 Frame Woodcore	
SIDEWALL	RST Sidewall (Racing Sidewall Technology)	
PROFILE	Camber	
SYSTEM/PLATE	Fusion X	
BINDING	EMX 12.0 GW FUSION X BLK/ GRN B85, PROTECTOR 11 GW FUSION X	
BASE	Sintered Race Structured High Speed Gliding base	
GEOMETRY	121 68 104	
LENGTH RADIUS	155 (11.0), 160 (12.0), 165 (12.8), 170 (13.5)	

### **ACE PRO** SHIFT X

Light, maneuverable and ready to take your carving to the next level.

CODE	AAMLZE25	
MAIN TECHNOLOGY	Fibreglass, Dual Woodcore	
SIDEWALL	RST Sidewall (Racing Sidewall Technology)	
PROFILE	Early Rise Rocker	
SYSTEM/PLATE	Shift X	
BINDING	EL 10.0 GW SHIFT BLK/ BLK B78	
BASE	Sintered Race Structured High Speed Gliding base	
GEOMETRY	123 72 106	
LENGTH RADIUS	144 (10.2), 152 (11.4), 160 (12.8), 168 (14.0), 175 (15.4)	

# ACE SPEED MAGIC SLX SHIFT X


Designed as the ultimate carving tool with quick short turns for expert level female skiers.



U

1

1





# ACE SPEED MAGIC PRO SHIFT X

Made with the likeness of the Speed Magic but in a lighter, more manageable construction.

CODE	AAMLZG25	
MAIN TECHNOLOGY	Fibreglass, Dual Woodcore	
SIDEWALL	EST (Extended Sidewall Technology)	
PROFILE	Early Rise Rocker	
SYSTEM/PLATE	Shift X	
BINDING	EL 9.0 GW SHIFT BLK/ BLK B78	
BASE	Sintered High Speed Gliding base	
GEOMETRY	123 72 106	
LENGTH RADIUS	144 (10.2), 152 (11.4), 160 (12.8), 168 (14.0), 175 (15.4)	





FREERIDE SERIES

> $\sim$ RIPSTICK

From storm days at the resort to ripping groomers to backcountry pow the Ripstick collection is globally recognized for instilling skiers with confidence across all conditions and terrain. Featuring award-winning technology, versatile shapes, and a range of sizes, these lightweight skis deliver heavyweight performance, empowering skiers to unleash their full potential from the first chair to the last run.

**HIGH SPEED** 

STABILITY

LIGHT CONSTRUCTION **BROAD TURN** PORTFOLIO

**Carbon Deck Technology** smooth ride.

MAIN FEATURE

3

SKI CONSTRUCTION



Energy and liveliness



ADDITIONAL CONSTRUCTION ELEMENTS

# Sidewall

SST - Slanted Sidewall Technology 5 Strong, light, dynamic

# Profile

Amphibio Profile 6 Easy turning and edge grip



CAMBER ROCKE

Carbon Deck Technology combines the powerful rebound of Tubelite Woodcore, with carbon rods and unidirectional carbon (UD) edge bands. These combined technologies provide powerful rebound, torsional rigidity and a strong, stable platform for superior response and a



Flax Fiber Natural vibration control




# Base



Sintered Running Base Superior glide







# **RIPSTICK 108**

The widest in the collection is built to float on deep days and won't hold you back when the snow gets tracked out.










Elan athletes teaming up for good times at the annual Elan summit.

V

D

닁




# **RIPSTICK 102**

The ultimate one ski quiver for freeride needs; ready for anything from pow days to resort laps.

CODE	ADBKYS24
MAIN TECHNOLOGY	<i>CarbonDeck Technology,</i> <i>Carbon Rods, UD Carbon,</i> <i>Flax Fibre, Tubelite Woodcore</i>
SIDEWALL	SST (Slanted Sidewall Technology)
PROFILE	Amphibio Profile
SYSTEM/PLATE	Flat
RECOMMENDED BINDING	ATTACK 14 MN B110
BASE	Sintered High Speed Gliding base
GEOMETRY	138 102 118
LENGTH RADIUS	161 (15.8), 168 (16.8), 175 (17.8), 182 (18.8), 189 (19.8)
WEIGHT	1720 +/- 50g (182)





Delivers the best balance between on-trail reliability and off-trail exploration making it the most versatile ski.

# CODE ADCKYE24

carbonbeck recimology,
Carbon Rods, UD Carbon,
Flax Fibre, Tubelite Woodcore
SST (Slanted Sidewall
Technology)

PROFILE Amphibio Profile

SYSTEM/PLATE Flat

MAIN

TECHNOLOGY

SIDEWALL

RECOMMENDED BINDING ATTACK 14 MN B110

BASE Sintered High Speed Gliding base

### **GEOMETRY** 133 96 114

LENGTH RADIUS 161 (14.8), 168 (15.8), 175 (16.8), 182 (17.8), 189 (18.8) WEIGHT 1640 +/- 50g (182)

# **RIPSTICK 88**

Transition seamlessly through any condition with control on groomed slopes and float in powder.

CODE	ADDKYP24	
MAIN TECHNOLOGY	<i>CarbonDeck Technology,</i> <i>Carbon Rods, UD Carbon,</i> <i>Flax Fibre, Tubelite Woodcore</i>	
SIDEWALL	SST (Slanted Sidewall Technology)	
PROFILE	Amphibio Profile	
SYSTEM/PLATE	Flat	
RECOMMENDED BINDING	ATTACK LYT 11 GW	
BASE	Sintered High Speed Gliding base	
GEOMETRY	130 90 108	
LENGTH RADIUS	154 (12.8), 161 (13.8), 168 (14.8), 175 (15.8), 182 (16.8), 189 (17.8)	
WEIGHT	1600 +/- 50g (182)	



STICK

RIP

0

Õ

Built to float on deep days without holding you back when the snow gets tracked out.

CODE	ADFLCD24
MAIN TECHNOLOGY	<i>CarbonDeck Technology,</i> <i>Carbon Rods, UD Carbon,</i> <i>Flax Fibre, Tubelite Woodcore</i>
SIDEWALL	SST (Slanted Sidewall Technology)
PROFILE	Amphibio Profile
SYSTEM/PLATE	Flat
RECOMMENDED BINDING	ATTACK 14 MN B110
BASE	Sintered High Speed Gliding base
GEOMETRY	139 106 119
LENGTH RADIUS	154 (15.8), 161 (16.8), 168 (17.8), 175 (18.8)
WEIGHT	1585 +/- 50g (168)



The ultimate one ski quiver for freeride needs- no matter the conditions, ready for it all from pow to groomers.

N

CODE	ADFLCG24	
MAIN TECHNOLOGY	<i>CarbonDeck Technology,</i> <i>Carbon Rods, UD Carbon,</i> <i>Flax Fibre, Tubelite Woodcore</i>	
SIDEWALL	SST (Slanted Sidewall Technology)	
PROFILE	Amphibio Profile	
SYSTEM/PLATE	Flat	
RECOMMENDED BINDING	ATTACK 14 MN B110	
BASE	Sintered High Speed Gliding base	
GEOMETRY	134 100 114	
LENGTH RADIUS	154 (14.8), 161 (15.8), 168 (16.8), 175 (17.8)	
WEIGHT	1535 +/- 50g (168)	

# CODE A MAIN TECHNOLOGY SIDEWALL PROFILE Am SYSTEM/PLATE Fla RECOMMENDED BINDING BASE GEOMETRY 12 LENGTH RADIUS



# **RIPSTICK 94 W**

The most versatile Ripstick ready for fresh groomed snow or surprise powder day with friends.

Ripstick dar	g	
	-	fast Gu Gu Gu Gu
		powder Variable
	B	groomed expert advanced intermediate
100	RIPSTICK	N.
IPSTIC	CK 88 W	

# **RIPSTICK 88 W**

Progress from groomers to mixed snow with confidence and control in any terrain.

DFLCK24	CODE	ADFLCN24
<b>CarbonDeck Technology,</b> Carbon Rods, UD Carbon, Tax Fibre, Tubelite Woodcore	MAIN TECHNOLOGY	CarbonDeck Technology, Carbon Rods, UD Carbon, Flax Fibre, Tubelite Woodcore
ST (Slanted Sidewall ēchnology)	SIDEWALL	SST (Slanted Sidewall Technology)
mphibio Profile	PROFILE	Amphibio Profile
lat	SYSTEM/PLATE	Flat
TTACK LYT 11 GW	RECOMMENDED BINDING	ATTACK LYT 11 GW
intered High Speed Gliding ase	BASE	Sintered High Speed Gliding base
29 94 109	GEOMETRY	125 88 104
47 (12.8), 154 (13.8), 161 14.8), 168 (15.8), 175 (16.8)	LENGTH RADIUS	147 (11.8), 154 (12.8), 161 (13.8), 168 (14.8), 175 (15.8)
500 ( 50 (100)		

# WEIGHT 1500 +/- 50g (168)



# **Ripstick Black Edition** Let it Rip, Black Edition Style.

Premium style and timeless design are merged with a state-of-the-art carbon construction that takes the Ripsticks performance to the next level of power and stability. Elan's best freeride skis just got a lot more muscle.



# Carbon Deck Technology

Stable and dynamic at high speed.


- UD Carbon 1 Superior response and intuitive feel
- Carbon Frame 2 More strength where you need it, less where you don't.
- Flax Fiber 3 Natural vibration control.
- **Tubelite Woodcore** 4 Strong, light, dynamic.



# Sidewall

SST - Slanted Sidewall 5 Technology For direct power transmission at lighter weight.

Profile



# Base

Sintered Running Base 7 Excellent gliding.

# **RIPSTICK 102**

# **BLACK EDITION**

The one ski quiver boosted with Carbon, ready to power laps on sunny slopes or powder days.

CODE	ADBLFH24
MAIN TECHNOLOGY	CarbonDeck Technology, Quadrod, Carbon Frame Reinforcement, Flax Fibre, Tubelite Woodcore
SIDEWALL	SST (Slanted Sidewall Technology)
PROFILE	Amphibio Profile
SYSTEM/PLATE	Flat
RECOMMENDED BINDING	ATTACK 14 MN B110
BASE	Sintered Race Structured High Speed Gliding base
GEOMETRY	138 102 118
LENGTH RADIUS	161 (15.8), 168 (16.8), 175 (17.8), 182 (18.8), 189 (19.8)
WEIGHT	1720 +/- 50g (182)

added muscle.

MAI


SIDEWAL PROFILE

TECHNOLOGY

SYSTEM/PLATE MMENL

BAS

GEOMETR



# RIPSTICK 96 BLACK EDITION

The best balance between on-trail and off trail, built with Black Edition carbon for

ADCLFA24	
CarbonDeck Technology,	
Quadrod, Carbon Frame	
Reinforcement, Flax Fibre,	
Tubelite Woodcore	
SST (Slanted Sidewall	
Technology)	
Amphibio Profile	
Flat	
ATTACK 14 MN B110	
Sintered Race Structured	
High Speed Gliding base	
133 96 114	

LENGTH RADIUS 161 (14.8), 168 (15.8), 175 (16.8), 182 (17.8), 189 (18.8) **WEIGHT** 1715 +/- 50g (182)

# **RIPSTICK 94 W BLACK EDITION**

The best balance between on-trail and off trail, built with Black Edition carbon for added power.

CODE	ADELFN24
MAIN TECHNOLOGY	CarbonDeck Technology, Quadrod, Carbon Frame Reinforcement, Flax Fibre, Tubelite Woodcore
SIDEWALL	SST (Slanted Sidewall Technology)
PROFILE	Amphibio Profile
SYSTEM/PLATE	Flat
BINDING	ATTACK LYT 11 GW
BASE	Sintered High Speed Gliding base
GEOMETRY	129 94 109
LENGTH RADIUS	147 (12.8), 154 (13.8), 161 (14.8), 168 (15.8), 175 (16.8)
WEIGHT	1500 +/- 50g (168)



## MAIN FEATURE

CONSTRUCTION

SKI

# **Carbon Bridge Technology**

Carbon Bridge Technology is a revolutionary solution where a single carbon is rod placed on the upper part of the ski, provides stability, dampening, and vibration absorption through the tip.



Strong, Light, Dynamic

# ADDITIONAL CONSTRUCTION ELEMENTS

# Sidewall

360° Sidewall For direct power transmission at lighter weight round the clock

Profile

**Amphibio Profile** Easy turning and edge grip

# **Ripstick Tour** INTRO

Move through mountains with confidence.

The Elan Ripstick Tour draws its inspiration from dedicated touring skiers desiring a lighter uphill experience while maintaining the familiar skiing performance they trust from Elan. Its foundation lies in the Carbon Bridge, strategically positioned to absorb vibrations and offer stability across diverse snow conditions. Move through mountains with confidence in any terrain or conditions encountered throughout your backcountry tours.


LIGHT WEIGHT

**READY FOR ANY** TERRAIN

CONFIDENCE INSPIRING



ROCKER CAMPED ROCKE







# RIPSTICK TOUR 104

The signature model by Glen Plake for chasing big lines and powder in the backcountry.

CODE	ADGKWB24		
MAIN TECHNOLOGY	<i>CarbonBridge Technology,</i> <i>Carbon Reinforcement,</i> <i>Fibreglass, Tubelite Woodcor</i>		
SIDEWALL	360° Sidewall		
PROFILE	Amphibio Profile		
SYSTEM/PLATE	Flat		
RECOMMENDED BINDING	ALMONTE 12 PT		
BASE	Sintered High Speed Gliding base		
GEOMETRY	129 104 122		
LENGTH RADIUS	173 (21.5), 180 (23.0), 187 (25.4)		
WEIGHT	1510 +/- 50g (180)		





Avoriaz, France

Glen and Kimberly Plake enjoying a well earned slopeside snack.



# **RIPSTICK TOUR 94**

The most versatile touring ski built to perform in any condition and terrain from ascent to descent.

NEW

CODE	ADHLVW25
MAIN TECHNOLOGY	CarbonBridge Technology, Carbon Reinforcement, Fibreglass, Titanal Binding Reinforcement, Tubelite Woodcore
SIDEWALL	360° Sidewall
PROFILE	Amphibio Profile
SYSTEM/PLATE	Flat
RECOMMENDED BINDING	ALMONTE 12 PT
BASE	Sintered High Speed Gliding base
GEOMETRY	129 94 109
LENGTH RADIUS	164 (13.7), 171 (15.6), 178 (17.4), 185 (19.4)
WEIGHT	1380 +/- 50g (178)

# **RIPSTICK TOUR 88**

NEW

slov

variabl

grooi

X

exper


Meant for long and multi day tours, a ski that you can rely on in any kind of conditions.

CODE	ADKLWH25
MAIN TECHNOLOGY	CarbonBridge Technology, Carbon Reinforcement, Fibreglass, Titanal Binding Reinforcement, Tubelite Woodcore
SIDEWALL	360° Sidewall
PROFILE	Amphibio Profile
SYSTEM/PLATE	Flat
RECOMMENDED BINDING	ALMONTE 12 PT
BASE	Sintered High Speed Gliding base
GEOMETRY	128 88 108
LENGTH RADIUS	156 (14.8), 163 (15.6), 170 (16.8), 177 (17.6), 184 (18.8)
WEIGHT	1270 +/- 50g (177)

# **RIPSTICK TOUR 94 W**

Crafted as the most versatile touring ski for all conditions and terrain from the up to down.

CODE	ADHLVZ25		
MAIN TECHNOLOGY	CarbonBridge Technology, Carbon Reinforcement, Fibreglass, Titanal Binding Reinforcement, Tubelite Woodcore		
SIDEWALL	360° Sidewall		
PROFILE	Amphibio Profile		
SYSTEM/PLATE	Flat		
RECOMMENDED BINDING	ALMONTE 10 PT		
BASE	Sintered High Speed Gliding base		
GEOMETRY	129 94 109		
LENGTH RADIUS	157 (12.0), 164 (13.7), 171 (15.6)		
WEIGHT	1325 +/- 50g (171)		



# **RIPSTICK TOUR 88 W**

Light, narrow and strong, to conquer as many mountain tops as possible.

CODE	ADKLWL25		
MAIN TECHNOLOGY	CarbonBridge Technology, Carbon Reinforcement, Fibreglass, Titanal Binding Reinforcement, Tubelite Woodcore		
SIDEWALL	360° Sidewall		
PROFILE	Amphibio Profile		
SYSTEM/PLATE	Flat		
RECOMMENDED BINDING	ALMONTE 10 PT		
BASE	Sintered High Speed Gliding base		
GEOMETRY	127 88 106		
LENGTH RADIUS	148 (13,7), 156 (14,8), 163 (15,6), 170 (16,8)		
WEIGHT	1160 +/- 50g (163)		



## MAIN FEATURE

CONSTRUCTION

SKI

# **Airlite Technology**

AirLite is a unique lightweight ski technology that offers the best ratio of weight to performance in the race world. A technically perfected 3D shape in combination with innovative core construction, establishes strength and stability of the ski at an unbelievably light weight.



**Carbon Reinforcement** For lightweight, powerful rebound

# ADDITIONAL CONSTRUCTION ELEMENTS

# Sidewall

3 EST - Extended Sidewall construction - Touring Lightweight racing sidewall

# System

5

Titanal Binding Reinforcement Secure binding mounting

# Built for efficient ascents and skimo enthusiasts.

The Lynx speed touring series- where every gram counts and fast ascents are the name of the game for all skimo missions. These skis pack the strength and stability in a lightweight package for racing, training or fast-paced recreational ski tours. Leading the charge with Elan's AirLite Technology, the Lynx gives you the confidence to conquer any mountain with efficiency and speed.

EFFORTLESS CLIMBING SMOOTH TURN ENTRY & EXIT FITNESS-ORIENTED

IRN FITN

78



# Base




Sintered Running Base Excellent gliding





# LYNX 82 UL

The ultra-lightweight ski for more demanding ski mountaineers needing a light and reliable tool.




LYNX

LYNX

expert

R





# LYNX 82

For ski tourers seeking lightweight enjoyable ascents and downhill confidence.

CODE	ADTKCW23	
MAIN TECHNOLOGY	AirLite Technology, Carbon Reinforcement, Titanal Binding Reinforcement, Laminated Woodcore	
SIDEWALL	EST-Touring	
PROFILE	Early Rise Rocker	
SYSTEM/PLATE	Flat	
RECOMMENDED BINDING	ALMONTE 10 PT	
BASE	Sintered base	
GEOMETRY	121 82 103	
LENGTH RADIUS	150 (13.0), 157 (14.5), 164 (16.1), 171 (17.6), 178 (19.6)	
WEIGHT	1320 +/- 50g (171)	

# LYNX 82 W

ΜΔΙΝ TECHNOLOGY

SIDEWALL

PROFILE

SYSTEM/PLATE RECOMMENDED


BINDING

BASE

GEOMETRY

LENGTH RADIUS

WEIGHT



LYNX 65 UL

For ski tourers in search of enjoyable ascents with lightweight gear and downhill confidence.

ADUKRP23
<i>AirLite Technology,</i> Carbon Reinforcement, Titanal Binding Reinforcement, Laminated Woodcore
EST-Touring
Early Rise Rocker
Flat
ALMONTE 10 PT
Sintered base
121 82 103
150 (13.0), 157 (14.5), 164 (16.1), 171 (17.6), 178 (19.6)
1320 +/- 50g (171)

Purely made for skimo racers beating the clock on the uphill and downhill.

CODE	ADPLVN25		
MAIN TECHNOLOGY	AirLite Technology, Carbon Reinforcement, Titanal Binding Reinforcement, AirLite Laminated Woodcore		
SIDEWALL	EST-Touring		
PROFILE	Early Rise Rocker		
SYSTEM/PLATE	Flat		
RECOMMENDED BINDING			
BASE	Sintered base		
GEOMETRY	94 65 80		
LENGTH RADIUS	150 (22.0), 160 (23.0)		
WEIGHT	690 +/- 50g (160)		



# **Voyager** Making the mountains closer.

Functionality, intuition, and long-term quality are the three main design drivers. Design emphasizes usefulness in a way that concentrates on essential only aspects and makes the product self-explanatory and intuitive. The ski delivers a never-seen-before folding functionality, so part of design is in the role of intuitive folding ability. The fold/unfold is achieved by rotational moves allowing snow or ice to slide out of the way. The areas that are exposed to folding & rotation are designed with care for long-term usage, even after countless repetitions. Some design elements were inspired by aviation iconography as the ultimate mobility reference.

FOLDABLE SKI

UNCOMPROMISED PERFORMANCE

EASY AND CONVENIENT TRAVEL AND STORAGE

MAIN FEATURE **Connect Technology** strong, robust and lively ski for a great experience. Connect 1 A game-changer of the ski industry ADDITIONAL CONSTRUCTION ELEMENTS System **Carbon Reinforced Fusion Plate** For most reliable connection between bindings and ski Profile **Amphibio Profile** Easy Turning & Edge Grip

SKI CONSTRUCTION



Elan's revolutionary Connect Technology®, which uses a highly advanced mechanism that bonds and seals the ski together at the folding joint, and allows the ski to fold into a compact, easy to transport package. All components slip together and seal securely, making a structurally



ROCKER

CAMBER

ROCKER







N



# VOYAGER BLACK, PURPLE, PINK


FUSION X

# Ultimate Travel Companion

Conveniently folding to under one meter for easy transport and designed to happily tackle any terrain a demanding skier can throw at it, Voyager blends convenience with performance without sacrifice.

CODE	AARLHT24 (black), AARLHW24 (puprle), AARHLM20 (pink)		
MAIN TECHNOLOGY	Connect Technology®, Mono		
TEGHNOLOGT	Ti, Laminated Woodcore		
SIDEWALL	RST Sidewall (Racing Sidewall Technology)		
PROFILE	Amphibio		
SYSTEM/PLATE	Fusion X		
BINDING	EMX 12.0 GW FUS. X [LOCK]		
BASE	Sintered High Speed Gliding base		
GEOMETRY	127 78 110		
LENGTH RADIUS	154 (83) (11.5), 160 (87) (12.6), 166 (89) (13.7), 172 (93) (14.9), 178 (96) (16.0)		





# Elan Voyager Travel **Packages** Find your perfect package.

Unlock new ski travel experiences from your home to the slopes, and solve your ski equipment storage problems, between adventures.

Our Voyager Luggage Packages redefine ski travel and how to store ski equipment between ski trips. Choose Skier On The Go Package (for all your ski essentials) or the Urban Traveler Package (for skis and poles). Bags and other accessories are also sold separately.



# SKIER ON THE GO PACKAGE FOR ALL YOUR SKI ESSENTIALS

#### PACKAGE INCLUDES

Voyager 75L Travel bag / Voyager skis / Voyager Rod ski poles / Snow removal brush / Drying cloth.



# THE URBAN TRAVELER PACKAGE FOR YOUR SKIS AND POLES

#### PACKAGE INCLUDES

Voyager 34L Travel bag / Voyager skis / Voyager Rod ski poles / Snow removal brush / Drying cloth

341

CHECK-IN APPROVED

CARRY SKI BAG

BAG VOLUME

**Bags** 

# VOYAGER TRAVEL BAG

# **VOYAGER 1-PAIR SKI BAG**

The world's most space-efficient and stylish roller ski bag designed to transport and travel with Elan's Voyager skis, poles, and much more all in one bag!

# The world's most premium and sleek ski bag

#### **CODE\_** CG110620000

FEATURE OVERVIEW Split Large Two Main Compartments / Two zippered front pockets / Extendable handle / Silent wheels / Carrying handles / Two Internal mesh pockets / Name tag pocket

MATERIAL\_ Highly Resistant Polyester (Polyester 600D), PVC

CHECK-IN APPROVED\_ w+d+h < 156 cm

DIMENSIONS / VOLUME 102x25x31.5 cm. Volume: 75L

WEIGHT\_ 7 kg

COLOR\_ Black / Elan Green details

specially designed to carry Elan's Voyager skis and poles. The compact size bag is perfect for easy and convenient travel.

**CODE**\_ CG212020000

FEATURE OVERVIEW Large Main Compartment / Two zippered front pockets / Internal mesh pocket / Detachable shoulder strap / Carrying handles

MATERIAL\_ Highly Resistant Polyester (Polyester

## 600D), PVC

CHECK-IN APPROVED\_ w+d+h < 156 cm DIMENSIONS / VOLUME\_ 100×26×16 cm, Volume: 34L WEIGHT\_ 1.7 kg COLOR\_ Black / Elan Green details



# **Accessories**

# **VOYAGER ROD**

CODE CD927622000 / TYPE Adult / LENGTH (CM)\_ 105-130cm (Telescopic), packed size 88Cm / SHAFT\_ Alu 7075 / Carbon / TUBE\_ Ø16mm (Alu 7075) /Ø14mm (Carbon) / COLOR\_ Black / GRIP\_ Race Rubber Grip / STRAP\_ System strap wide / BASKET\_ Race basket 5 mm

# **VOYAGER BRUSH**

CODE\_ PSV00320 Conveniently remove snow from skis after use.

# **VOYAGER SKI** TOWEL

CODE PSV00220 To dry your skis before storage. after use.







# **Kids** INTRO Accelerate the Learning Experience.

Younger skiers are the future of skiing and Elan takes their needs seriously by integrating the most innovative construction seen in junior skis, U-Flex technology. The feature makes smaller, lighter skis 25% more flexible than the industry standard. This design empowers kids to flex their skis, find their edge and thus link turns and accelerate their learning experience on the slopes.

ACCELERATED LEARNING

SIZE SPECIFIC FLEX JUNIOR-ADAPTED

GEOMETRY

**U-FLEX TECHNOLOGY** 25% softer, 100% more fun, skiing as easy as walking.

U-Flex technology is a unique construction and profile that allows a junior ski to be 25% more flexible. In combination with the lightweight Synflex core, Full Power Cap construction and Early Rise Rocker profile, U-Flex allows kids to learn to ski on their edges from day 1. This unique and patented technology enables easy learning and a better learning experience.



**FLEXING SKI BOOT** 

FLEXING SKI JRS PLATE




JETT **JR SHIFT** 

Boosted with U-flex for up and coming racers to gain speed and confidence.

CODE	AFDMAF25, AFDMAFA5			
MAIN TECHNOLOGY	U-Flex Technology, Fibreglass, Synflex Core			
SIDEWALL	Full Power Cap			
PROFILE	Early Rise Rocker			
SYSTEM/PLATE	Jr Shift			
BINDING	EL 4.5_7.5 GW CA JRS BLK			
BASE	Extruded base			
GEOMETRY	101 69 90			
LENGTH RADIUS	70 (2.5), 80 (3.5), 90 (4.8), 100 (6.2), 110 (7.0), 120 (8.6), 130 (9.4), 140 (11.2), 150 (13.1)			






fast

Be the brightest start on the slope and accelerate progression with the power of U-Flex.

CODE AFDLDW24, AFDLDWA4 MAIN U-Flex Technology, TECHNOLOGY Fibreglass, Synflex Core SIDEWALL Full Power Cap PROFILE Early Rise Rocker BINDING EL 4.5\_7.5 GW CA JRS WHT BASE Extruded base GEOMETRY 101 69 90

LENGTH RADIUS 10 (2.2), 30 (3.3), 30 (4.5), 100 (6.2), 110 (7.0), 120 (8.6), 130 (9.4), 140 (11.2), 150 (13.1)





From high fives to tired eyes.



# SKY JR SHIFT

# MAXX BLUE JR SHIFT

The sky's the limit when you are learning to ski with U-Flex.

Cool in blue, progress from the bunny slope to the big kid lift with ease thanks to U-Flex.

CODE	AFFMAK25, AFFMAKA5	CODE	AFDMAH25, AFDMAHA5
MAIN TECHNOLOGY	U-Flex Technology, Fibreglass, Synflex Core	MAIN TECHNOLOGY	U-Flex Technology, Fibreglass, Synflex Core
SIDEWALL	Full Power Cap	SIDEWALL	Full Power Cap
PROFILE	Early Rise Rocker	PROFILE	Early Rise Rocker
SYSTEM/PLATE	Jr Shift	SYSTEM/PLATE	Jr Shift
BINDING	EL 4.5_7.5 GW CA JRS WHT	BINDING	EL 4.5_7.5 GW CA JRS BLK
BASE	Extruded base	BASE	Extruded base
GEOMETRY	101 69 90	GEOMETRY	101 69 90
LENGTH RADIUS	70 (2.5), 80 (3.5), 90 (4.8), 100 (6.2), 110 (7.0), 120 (8.6), 130 (9.4), 140 (11.2), 150 (13.1)	LENGTH RADIUS	70 (2.5), 80 (3.5), 90 (4.8), 100 (6.2), 110 (7.0), 120 (8.6), 130 (9.4), 140 (11.2), 150 (13.1)





Hot as a red sports car; link turns and accelerate learning with U-Flex

# NEW E PLAYTIBKER HE H PL RYM

# **PLAYMAKER U-FLEX** JR SHIFT

Built for the next generation of freestyle skiers with U-Flex technology for added balance and confidence.

	CODE	AFDLDX24, AFDLDXA4	CODE	AEGMAD25
	MAIN TECHNOLOGY	U-Flex Technology, Fibreglass, Synflex Core	MAIN TECHNOLOGY	U-Flex Technology, Synflex Core
	SIDEWALL	Full Power Cap	SIDEWALL	Full Power Cap
	PROFILE	Early Rise Rocker	PROFILE	Early Rise Rocker
	SYSTEM/PLATE	Jr Shift	SYSTEM/PLATE	Jr Shift
3LK	BINDING	EL 4.5_7.5 GW CA JRS BLK	BINDING	EL 4.5 GW CA JRS BLK B80
	BASE	Extruded base	BASE	Extruded base
	GEOMETRY	101 69 90	GEOMETRY	105 72 97
3), 2),	LENGTH RADIUS	70 (2.5), 80 (3.5), 90 (4.8), 100 (6.2), 110 (7.0), 120 (8.6), 130 (9.4), 140 (11.2), 150 (13.1)	LENGTH RADIUS	095 (5.4), 105 (7.0), 115 (8.8)

# **U-Flex** Ski Boot

Elan's innovative U-Flex technology applied to skis is now applied to ski boots. We offer a complete package of Skis + Ski Boots, which make skiing easier and more fun. The boot flexes according to the anatomy of the foot, further allowing for the natural flexibility of the ski for easy learning.





# EZYY XS

U-Flex, Volume Control Plate
Cabrio Construction
Polypropylene
Thermo insulating, Junior comfort, Junior last
170, 175, 180, 185, 190, 195
1 nylon buckle
Petrol areen

CODE	RBJA2624
TECHNOLOGY	LightWeight
CONSTRUCTION	Cabrio Construction
SHELL	Polypropylene
LINER	Thermo insulating, Junior comfort, Junior last
SIZE RANGE	150, 155, 160, 165
BUCKLES	1 nylon buckle
COLOR	Petrol green






	RBJB5024
'	U-Flex, Volume Control Plate
I	Cabrio Construction
	Polypropylene
2	Thermo insulating, Junior comfort, Junior last
F	170, 175, 180, 185, 190, 195
;	1 nylon buckle
2	White

# **BLOOM XS**

CODE	RBJB2724
TECHNOLOGY	LightWeight
CONSTRUCTION	Cabrio Construction
SHELL	Polypropylene
LINER	Thermo insulating, Junior comfort, Junior last
SIZE RANGE	150, 155, 160, 165
BUCKLES	1 nylon buckle
COLOR	White

# **RC SKIS TECHNOLOGY**



**Channel Woodcore** Responsiveness and optimal flex

Camber Profile

Superior edge grip

## ADDITIONAL CONSTRUCTION ELEMENTS

# Sidewall

# Profile


2

4

EST - Extended Sidewall 3 construction Junior sidewal

# Base

Sintered Running Base 5 Excellent gliding







GEOMETRY 115 70 100

110 (6.1), 120 (7.4), 130 LENGTH RADIUS (9.0), 140 (10.4), 150 (11.9),


160 (13.7)

# GEOMETRY 115 70 100

110 (6.1), 120 (7.4), 130 LENGTH RADIUS (9.0), 140 (10.4), 150 (11.9), 160 (13.7)

LENGTH RADIUS


of carving.



# **RC MAGIC** JR SHIFT

Designed for Wingmen in the making with technology that promotes the fundamentals

CODE	AEMLJX24
MAIN TECHNOLOGY SIDEWALL	Fibreglass, Channel Woodcore EST (Extended Sidewall
DDOCU C	Technology)
PROFILE	Camber
SYSTEM/PLATE	Jr Shift
BINDING	EL 4.5_7.5 GW CA JRS WHT
BASE	Sintered High Speed Gliding base
GEOMETRY	115 70 100
LENGTH RADIUS	110 (6.1), 120 (7.4), 130 (9.0), 140 (10.4), 150 (11.9), 160 (13.7)



# **RIPSTICK T80**

From the resort to the backcountry, the Ripstick T80 is built for the next generation freeskier.

CODE	ADLLTG25
MAIN TECHNOLOGY	Full Power Cap, Fibreglass, Twin-Compound Woodcore
SIDEWALL	Full Power Cap
PROFILE	Early Rise Rocker
SYSTEM/PLATE	Flat
RECOMMENDED BINDING	
BASE	Extruded base
GEOMETRY	112 80 97
LENGTH RADIUS	120 (11.5), 130 (12.5), 140 (13.0), 150 (14.0), 160 (15.0)
WEIGHT	990 +/- 50g (140)

# **Elan Rental Program** The best gear for future adventures.

At Elan, we understand the importance of an outstanding rental ski collection. With our products, users are experiencing the magic of skiing, progressing faster and advancing in the sport. It is an important gateway to retain new committed skiers. From kids to adults and beginners to advanced, Elan is committed to offering a complete rental solution with simplicity. Selecting the right ski for your ability is easy and the technology is transferrable to our in-line collections, but upgraded with durable top sheets to withstand the variable use. The Elan rental and demo collection represents our dedication to help skiers find the perfect gear for good times in the mountains. Whether you're an experienced skier that is on the go and looking for top level equipment to a casual user trying to improve, our complete offering of products ensures you will find the perfect gear for all terrain and conditions. Elan offers proven technology throughout the rental collection that is taken directly from our retail offerings. From designs that are intended to make the sport easier for new users, to construction that improves performance, edge hold, and stability for strong skiers, the Elan rental collection is focused on giving skiers what they need to explore the entire mountain for all users.





Elan innovates to satisfy the needs of all skiers, including those that are learning the sport or building their skills. Elan products are tested to be user friendly, offer more control, proven to accelerate learning, and build confidence in all situations.





Fleet Rental

**UNIQUE TECHNOLOGY** For durable performance.






EXTRA THICK TOP SHEET At 0.8 mm, our rental skis have the thickest top sheet in the ski

industry.

# SKI CONSTRUCTION LAYERS

All layers extended to extremities for durability Special cutting procedure to unify layers





HD POWER SHELL Extra thick top sheet (0,8mm) Special 3d structure for scratch & chip resistance scratches just on tips of structure




#### TOP SHEET & LAMINATE ASSEMBLY Material fusion of to

Material fusion of top sheet and epoxy Benefit #1: improved top sheet durability Top sheet becomes load bearing material Benefit #2: improved performance




#### SEMI CAP / ROUND TOP EDGE Reduces appearance of scratches.



# SKI EDGE TIP

Tips are fully surrounded with edges Edges in tips beyond contact points are rounded tip protectors for extra tip durability



**POWER SHELL** Featured in inline ski models



# SKI ASSEMBLY

Shell top sheet is assembled with other materials Complete top sheet is reinforced with epoxy support



# Elan Helmets Enhanced safety and peace of mind.

The passion for skiing and desire for increased safety has led to commonplace use of protective helmets. When applied, helmet use improves the protection and the safety of the user and other skiers, as well as promoting peace of mind, so that you can focus on enjoying your day on the mountain. At Elan, we understand how skiing improves our lives, brings us together, and prioritize safety so that we can enjoy days of skiing with friends and family for years to come. AirFlow Liner/ Pure sound earpads

> Easy Strap System **e**

# EON HELMET Technology

It's the first snowsports safety product completely designed in the Slovenian alps. Our team was challenged to ensure the best solution to protect skiers in any conditions. It's innovative design approach covers single or dual shell protection and best in class 360° comfort.

Adjustable Airstream





# EON PRO Black

**CODE** CE121022051 (51-55), CE121022056 (56-59), CE121022060 (60-62) **CONSTRUCTION\_** PC - Inmold

FIT SYSTEM\_ BOA® 360 Fit System SIZES\_ 51-55 (S), 56-59 (M), 60-62 (L)

FEATURES\_ IRDS Construction - Impact Resistent double shell / Adjustable Airstream / AirFlow Liner / Removable liner / Pure sound earpads/ Removable Earpads / Removable liner / Easy Strap System / Designed in the Slovenian Alps COLOR Black



# EON PRO White

**CODE** CE121422051 (51-55), CE121422056 (56-59)

**CONSTRUCTION\_** PC - Inmold FIT SYSTEM BOA® 360 Fit System

**SIZES** 51-55 (S), 56-59 (M) FEATURES IRDS Construction - Impact Resistent double shell / Adjustable Airstream

/ AirFlow Liner / Removable liner / Pure sound earpads/ Removable Earpads / Removable liner / Easy Strap System / Designed in the Slovenian Alns

COLOR White



# EON Petrol

**CODE** CE322022056 (56-59), CE322022060 (60-62)

**CONSTRUCTION** PC - Inmold FIT SYSTEM Adjustable 180 System **SIZES\_** 56-59 (M), 60-62 (L)

FEATURES\_ IRSS Construction - Impact Resistent Single shell / Passive Airstream / AirFlow Liner / Removable liner / Pure sound earpads / Removable Earpads / Removable liner / Easy Strap System / Designed in the Slovenian Alps COLOR\_ Petrol



# EON PRO Green

**CODE\_** CE120822051 (51-55), CE120822056 (56-59), CE120822060 (60-62)

**CONSTRUCTION\_** PC - Inmold FIT SYSTEM\_ BOA® 360 Fit System

**SIZES\_** 51-55 (S), 56-59 (M), 60-62 (L) FEATURES\_ IRDS Construction - Impact Resistent double shell / Adjustable Airstream / AirFlow Liner / Removable liner / Pure sound earpads/ Removable Earpads / Removable liner / Easy Strap System / Designed in the Slovenian Alps COLOR\_ Green



# **EON PRO Black/White**

**CODE\_** CE221822051 (51-55), CE221822056 (56-59), CE221822060 (60-62) **CONSTRUCTION** PC - Inmold FIT SYSTEM\_ BOA® 360 Fit System SIZES\_ 51-55 (S), 56-59 (M), 60-62 (L) FEATURES IRDS Construction - Impact Resistent double shell / Adjustable Airstream / AirFlow Liner / Removable liner / Pure sound earpads/ Removable Earpads / Removable liner / Easy Strap System / Designed in the Slovenian Alps COLOR\_ Black/White

EON White

**CODE\_** CE322622051 (51-55), CE322622056 (56-59)

**CONSTRUCTION** PC - Inmold FIT SYSTEM\_ Adjustable 180 System **SIZES\_** 51-55 (S), 56-59 (M)

FEATURES IRSS Construction - Impact Resistent Single shell / Passive Airstream / AirFlow Liner / Removable liner / Pure sound earpads / Removable Earpads / Removable liner / Easy Strap System / Designed in the Slovenian Alps

COLOR White









EON Black

**CODE\_** CE322422056 (56-59), CE322422060 (60-62)

**CONSTRUCTION\_** PC - Inmold

FIT SYSTEM\_ Adjustable 180 System SIZES\_ 56-59 (M), 60-62 (L)

FEATURES\_ IRSS Construction - Impact Resistent Single shell / Passive Airstream / AirFlow Liner / Removable liner / Pure sound earpads / Removable Earpads / Removable liner / Easy Strap System / Designed in the Slovenian Alps

COLOR Black



# EON Maroon

**CODE**\_ CE322822051 (51-55), CE322822056 (56-59)

**CONSTRUCTION** PC - Inmold FIT SYSTEM\_ Adjustable 180 System

**SIZES\_** 51-55 (S), 56-59 (M)

FEATURES IRSS Construction - Impact Resistent Single shell / Passive Airstream / AirFlow Liner / Removable liner / Pure sound earpads / Removable Earpads / Removable liner / Easy Strap System / Designed in the Slovenian Alps

COLOR\_ Maroon



**CODE** CL323023000 SIZE\_ Adult / One-Size

STRAP\_ 400mm with 3 stripe gripper silicon

FEATURES\_ Hi-quality lens with 100% UV protection / Hi-quality nylon strap / Stripe gripper silicon at inside strap / Bendable TRU frame / Anti-fog treatment / Dual lense syystem (PC and CA) / Airflow ventilation frame / Micfrofibra goggle bag / Designed in the Slovenian alps / Stanadard EN174



# Bindings Race



# ER 18.0 X RD FF ST

CODE\_ DA000120000 COLOR\_ green/black Z-DIN\_ 10,5-18 TOE TYPE\_Stream AFD\_ AFD ST POM (X) HEEL TYPE\_ RACE PR0 RD BRAKE\_ PB<sup>2</sup> Race Pro 16-85 WEIGHT\_ 3150 BRAKE CODE\_ A BOOT NORM\_ A BOOT NORM\_ A



# ER 17.0 X FF ST

CODE\_DA000320000 COLOR\_green/black Z-DIN\_6-17 TOE TYPE\_Stream AFD\_AFD ST Teflon HEEL TYPE\_RACE PR0 BRAKE\_PB<sup>2</sup> Race Pro 17-85 WEIGHT\_2650 BRAKE CODE\_A BOOT NORM\_A BOOT NANCE\_255-375 mm

					ALL MO	DUNTAIN		I	FREERIC	DE TWI	4			TOUF	RING			FREE	RIDE		SPEED TOURING
					WINGMAN 86 TI	WINGMAN 83 TI WILDCAT 83 TI	PLAYMAKER 111	PLAYMAKER 101	PLAYMAKER 91	PLAYMAKER 87	PLAYMAKER 81 T (155-175CM)	PLAYMAKER 81 T (125-145CM	RIPSTICK TOUR 104	RIPSTICK TOUR 94/94 W	RIPSTICK TOUR 88/88 W	RIPSTICK TOUR T 80	RIPSTICK 108 & RIPSTICK 106 W	RIPSTICK 102 & RIPSTICK 100 W	RIPSTICK 96 & 94 W	RIPSTICK 86 & 88 W	LYNX 82 / UL / W
COLOR CODE	ELAN BINDING MODELS	ART. NO.	SALES CODE	BRAKE MODEL / WIDTH												4					
	ER 18.0 X RD FREEFLEX ST	163033	DF163033000	Power Brake <sup>2</sup> Race PRO 17-85 [A]																	
	ER 17.0 FREEFLEX ST	163035	DF163035000	Power Brake <sup>2</sup> Race PRO 95 [A]																	
A	ATTACK 17 MN ATTACK 14 MN	163036	DF163036000	Power Brake <sup>2</sup> Race PRO 110 [A]																	
	ATTACK LYT 11 GW	163037	DF163037000	Power Brake <sup>2</sup> Race PRO 130 [A]																	
D	ER 14.0 FREEFLEX, ER 11.0 / FREEFLEX, ER 14.0 GW FREEFLEX DEMO, ESP 10.0 GW, ESR 10.0 GW	163045	DF163045000	Power Brake <sup>2</sup> LD 95 [D]																	
		163050	DF163050000	Powerrail Brake <sup>2</sup> LD 85 [F]																	
_	ATTACK 14 MN DEMO	163051	DF163051000	Powerrail Brake <sup>2</sup> LD 95 [F]																	
F	ATTACK LYT 11 GW DEMO	163052	DF163052000	Powerrail Brake <sup>2</sup> LD 110 [F]																	
		163053	DF163053000	Powerrail Brake <sup>2</sup> LD 130 [F]																	
J	EL 10.0 GW EL 7.5 GW CA	162776	DF162776000	SL Brake 90 [J]																	
		163161	DF163161000	Brake TOUR 90 [M]																	
		163162	DF163162000	Brake TOUR 105 [M]																	
М	ALMONTE 12 PT W/O BRAKE [M]	163163	DF163163000	Brake TOUR 120 [M]																	
		163161	DF163161000	Brake TOUR 90 [M]																	
		163162	DF163162000	Brake TOUR 105 [M]																	
М	ALMONTE 10 PT W/O BRAKE [M]	163163	DF163163000	Brake TOUR 120 [M]																	
	1 A	163161	DF163161000	Brake TOUR 90 [M]																	
M	ALMONTE 10 PT DEMO W/O BRAKE [M]	163162	DF163162000	Brake TOUR 105 [M]																	
		163163	DF163163000	Brake TOUR 120 [M]																	
			DF163195000	Power Brake HYBRID 95 [0]																	
0	ATTACK HYBRID 14 PT/MN		DF163196000	Power Brake HYBRID 110 [0]																	
			DF163197000	Power Brake HYBRID 130 [0]																	



# ER 14.0 GW FF

CODE\_DA020522000 COLOR\_green/black Z-DIM\_4-14 TOE TYPE\_RX AFD\_AFS GW HEEL TYPE\_D RX BRAKE\_DB2 LD 85 WEIGHT\_2340 g BRAKE CODE\_D BOOT NORM\_A / GW BOOT RANGE\_257-372 mm





# ER 11.0 GW FF

CODE\_ DA520722000 COLOR\_green/black Z-DIN\_3-11 TOE TYPE\_RX AFD\_AFS GW HEEL TYPE\_NX BRAKE\_PP2 LD 85 WEIGHT\_2260 BRAKE CODE\_D BOOT NORM\_A / GW BOOT RANGE\_257-372 mm



# ER 11.0 GW

CODE\_DA620922000 COLDR\_green/black Z-DIN\_3-11 TOE TYPE\_RX AFD\_AFS GW HEEL TYPE\_NX BRAKE\_PB2LD 85 WEIGHT\_1920 BRAKE CODE\_D BOOT NORM\_A/GW BOOT RANGE\_ALL



CODE\_DA091919000 COLOR\_fluo green/matt black Z-DIN\_4-14 TOE TYPE\_RX AFD\_AFS GW HEEL TYPE\_NX BRAKE\_PBPLD 85 WEIGHT\_2650 g BRAKE CODE\_D BOOT NORM\_A / GW BOOT RANGE\_263 - 386mm



For additional information on mounting, instalation and handling, check Elan Technical manual.

# BAGS

#### **VOYAGER TRAVEL BAG**

#### **CODE\_** CG110620

**FEATURE OVERVIEW** Specially designed to fit Voyager skis. poles, helmet, boots and more

**MATERIAL** Highly Resistant Polyester / PVC

**DIMENSIONS / VOLUME\_** 102\*25\*31.5 / 75L

COLOR\_ Black









#### **VOYAGER 1P SKI BAG**

#### **CODE** CG212020

FEATURE OVERVIEW\_ Specially designed to fit 1 pair Voyager skis, 1 pair poles MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME 100 x 26 x 16cm / 34L

NFW



## DEMO SKI BAG

#### **CODE\_** CG292425

FEATURE OVERVIEW\_ 5 Pair ski compartment / Extendable handle / Inner separator / Internal and external tightening straps / Silent wheels / Padded handle

MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME\_ 206 x 35,5 x 21cm / 5 pair skis **COLOR\_** Green/Petrol green

#### SKI WRAP

**CODE** CG190819 FEATURE OVERVIEW\_ 3 Zipped Skis Compartment / 220 cm length / Padded

structure MATERIAL\_ Highly Resistant Polyester

DIMENSIONS / VOLUME\_ 225 x 150 COLOR\_ Black

# 1P/2P SKI BAG

CODE\_ CG292025 (1P), CG292225 (2P) FEATURE OVERVIEW\_ One pair (1P) / Two pair (2P) ski compartment / Tightening straps / Handle MATERIAL\_ Highly Resistant Polyester / PVC DIMENSIONS / VOLUME\_ 186 cm / 1 pair / 2 pair **COLOR** Petrol green

#### **5P SKI BAG**

**CODE\_** CG291523 FEATURE OVERVIEW\_ 5 pair ski compartment / Tightening straps / Padded structure / Handles MATERIAL\_ Highly Resistant Polyester / PVC DIMENSIONS / VOLUME\_ 200cm / 5 pairs

COLOR\_ Petrol

## **BLACK EDITION BAG**

**CODE** CG693219 FEATURE OVERVIEW\_ Specially designed to fit Black edition skis **MATERIAL\_** Highly Resistant Polyester DIMENSIONS / VOLUME\_ 190 x 12 x 23cm / 1 pair skis COLOR\_ Black

## RACE TRAVEL 165L BAG

#### **CODE\_** CG191225

FEATURE OVERVIEW Extra large volume compartment / Extandable Handle / Silent Wheels / Long side pocket / Large volume front comparment / Name tag pocket / Padded handle

MATERIAL\_ Highly Resistant Polyester / PVC DIMENSIONS / VOLUME\_ 40 x 43 x 91cm / 165L

**COLOR\_** Petrol green

## LIFESTYLE 27L BACKPACK

#### **CODE** CG590325

FEATURE OVERVIEW\_ Elevated pockets for 15.6" laptop /Soft-lined front pocket / Organi zation panel in the middle compartment / Two big compartment with zipper / Inner zipper smaller pocket/ Stretch mesh side pocket / Pass-through panel / Padded back panel / Sternum strap

MATERIAL\_ 100% Polyester DIMENSIONS / VOLUME\_ 29 x 20 x 46,5 cm / 27L

COLOR\_ Petrol Green

# **DUALIE TRAVEL 90L BAG** CARRY ON 50L BAG

**CODE\_** CG302020 (90L), CG302220 (50L) FEATURE OVERVIEW Split Main Compartment / Front Small Pockets / Extendable handle / Silent wheels / Increased tightening straps / Carrying handles /Side pockets / Name tag pocket

MATERIAL\_ Highly Resistant Polyester / PVC *DIMENSIONS / VOLUME*\_ 44 x 33,5 x 80cm / 90L / 35 x 28 x 54,5cm / 50L (Cabin Luggage) COLOR\_ Black



# BOOT 30L BAG

# **CODE** CG292425 FEATURE OVERVIEW\_ Boots + Helmet main

compartment / Front Pocket / Carrying shoulder strap MATERIAL\_ Highly Resistant Polyester / PVC

**DIMENSIONS / VOLUME\_** 35,5 x 20 x 38cm / 30L **COLOR\_** Green/Petrol green





NEW

# RACE 85L BACKPACK

#### CODE\_ CG191025

FEATURE OVERVIEW Large volume compartment / Front pocket / Upper pocket / Side pockets / External mesh side pocket / Internal mesh side pockets / Internal small zipper pocket / Padded shoulder straps / Chest clip / Name tag sticker MATERIAL\_ Highly Resistant Polyester / PVC **DIMENSIONS / VOLUME** 47,5 x 38 x 53,5cm / 60L (85L extended)

**COLOR\_** Green/Petrol green

# LIGHT 15L BACKPACK

#### **CODE** CG592619

FEATURE OVERVIEW\_ Main compartment / 15" Laptop compartment / Front pocket / Passport pocket

MATERIAL\_ Highly Resistant Polyester *DIMENSIONS / VOLUME\_* 32 x 13 x 51cm / 15L COLOR Black



# **DUFFLE 30L BAG**

#### **CODE\_** CG592523

FEATURE OVERVIEW\_ Main zipper compartment / side zipper compartment / front small pocket / inner accessories pocket / carrying hand & shoulder strap in one / 301 MATERIAL\_ Highly Resistant Polyester / PVC

DIMENSIONS / VOLUME 30L

**COLOR\_** Petrol/Green



# LIGHT 8L BAG LIGHT 50L BAG

CODE\_ CG592819 (small), CG593019 (large) FEATURE OVERVIEW Mono compartment / Lightweight construction MATERIAL\_ Highly Resistant Polyester DIMENSIONS / VOLUME\_ 28,5 x 40cm / 8L 50 x 78,5cm / 50L COLOR\_ Black



		Density woodcore		Hoodoore				Density Woodcore	Woodcore	WOODCOLE	WOODCOIE	WOODCOLE	Hoddolo	Houdeoic	Hoodcore	noodcore		Hoodoord		woodcore
GEOMETRY	121/69/102	130/74/111	121/69/102	130/74/111	127/73/111	127/73/111	127/73/111	121/69/102	121/69/102	130/74/111	127/73/111	127/73/102	127/73/111	127/78/110	127/78/110	127/78/110	127/78/104	127/78/104	126/76/103	126/76/103
LENGTH RADIUS	(12.5), 165 (13.7),	151 (10.4), 158 (11.5), 165 (12.8), 172 (14.0), 179	151 (12.2), 158 (12.5), 165 (13.7), 172 (15.1), 179	151 (10.4), 158 (11.5 165 (12.8), 172 (14.0), 179 (15.3)	), 151 (10.1), 158 (11.1), 165 (12.2), 172 (13.5), 179	151 (10.1), 158 (11.1), 165 (12.2), 172 (13.5), 179	151 (10.1), 158 (11.1), 165 (12.2), 172 (13.5), 179	144 (10.0), 151 (12.2), 158 (12.5), 165 (13.7), 172	144 (10.0), 151 (12.2), 158 (12.5), 165 (13.7))	144 (9.3), 151 (10.4), 158 (11.5), 165 (12.8)	144 (9.1), 151 (10.1), 158 (11.1 165 (12.2)	144 (9.1), 151 I), (10.1), 158 (11.1) 165 (12.2)	144 (9.1), 151 ), (10.1), 158 (11.1), 165 (12.2)	154 (83) (11.5), 10 (87) (12.6), 166 (8 (13.7), 172 (93)	60 154 (83) (11.5), 9) (87) (12.6), 166 (89) (13.7), 172	(87) (12.6), 1	.5), 160 144 (10.6), 152 66 (12.0), 160 (13.5) 72 168 (15.2), 176	144 (10.6), 152 (12.0), 160 (13.5), 168 (15.2), 176	144 (10.6), 152 (12.0), 160 (13.5), 168 (15.2), 176	144 (10.6), 152 (12.0), 160 (13.5 168 (15.2), 176
	(16.5)	172 (14.0), 179 (15.3)	(16.5)	(14.0), 179 (10.3)	(14.7)	(14.7)	(14.7)	(15.1) (13.7), 172	100 (13.7))	100 (12.0)	100 (12.2)	100 (12.2)	103 (12.2)	(13.7), 172 (93) (14.9), 178 (96) (16.0)	(89) (13.7), 172 (93) (14.9), 178 (16.0)	(89) (13.7), 1 (96) (93) (14.9), 1 (16.0)	72 168 (15.2), 176 78 (96) (16.9)	(16.9)	(16.9)	(16.9)
WEIGHT SYSTEM PLATE	Fusion X	Fusion X	Fusion X	Shift X, Fusion X	Shift X, Fusion X	Shift X	Shift X	Shift X	Shift X	Shift X	Shift X	Shift X	Shift X	Fusion X	Fusion X	Fusion X	Shift X	Shift X	Shift X	Shift X
BINDING	EMX 12.0 GW	EMX 12.0 GW	EMX 12.0 GW	EMX 12.0 GW FUSION	EM 11.0 GW FUSION	EL 10.0 GW SHIFT	EL 10.0 GW SHIFT	ELX 11.0 GW SHIFT	ELX 11.0 GW SHIFT	T ELX 11.0 GW	EL 9.0 GW SHIFT	EL 9.0 GW SHIFT	EL 9.0 GW		EMX 12.0 GW F		V FUS. EL 10.0 GW SHIFT	EL 10.0 GW SHIFT	EL 9.0 GW SHIFT	EL 9.0 GW SHIF
	B85, PROTECTOR	FUSION X BLK/SIL B85, PROTECTOR 13 GW FUSION X	FUSION X BLK/RED B85, PROTECTOR 1 GW FUSION X	1 PROTECTOR 11 GW FUSION X, ELX 11.0	ROTECTOR 11 GW FUSION X, ELX 11.0	BLK/BLK B78, PROTECTOR SHIFT 10 GW	BLK/BLK B78, PROTECTOR SHIFT 10 GW	BLK/BLK B78, PROTECTOR SHIFT 11 GW	BLK/BLK B78, PROTECTOR SHIFT 11 GW	SHIFT BLK/PUR B78, PROTECTOR SHIFT 11 GW	BLK/PUR B78, PROTECTOR SHIFT 10 GW	BLK/SND B78, PROTECTOR SHIFT 10 GW	SHIFT BLK/BLK, PROTECTOR SHIFT 10.0 GW	X [LOCK]	X [LOCK]	X [LOCK]	BLK/GRN B78	BLK/ORG B78	BLK/BLK B78	BLK/BLK B78
				GW SHIFT BLK/BLK B78, PROTECTOR SHIFT 11 GW	GW SHIFT BLK/BLK B78, PROTECTOR SHIFT 11 GW															
	ACE I RACE					AC	EW				BLACK EDI	ITION			WINGM	AN I ALL MC	UNTAIN			
						_	_	_	_						-		_	_	_	_
						NEW	NEW		NEW	NE	EW	NEW		NE	W	NEW	NEW	NEW	NEW	NEW
			1 🧃							E I										1
	5 5	5 5	C.	i Ç	C C		5	1	11											1
	a state	at a	1	1			1	1	11											
													6							
	8 8	8 8	æ	8	8 8		<u>a</u>	<u>A</u>											<b>R R</b>	£
	11	ŤŤ			11		E						4			-		a a		
											141		鳳							
						· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·						1	8	8			A.A.		
	<b>6</b>											- 8								
	ACIE	ACIE		R.	2 2				8 8	-0.4			AND DO							27
						00			•					The second						Sec.
	ACE SCX Fusion X/ Plate	ACE GSX Fusion X	AC SLI Fus		ACE SL Fusion X	ACE PRO Shift X	ACE S MAGIO Shift X	CSLX	ACE SPEED MAGIC PRO Power Shift	BLA	GMAN 86 CTI CK EDITION on X/ Flat	BLACH	CAT 86 CTI CEDITION X / Flat	86 1	1	WINGMAN 83 TI Power Shift/Flat	WINGMAN 83 C Power Shift	WINGMAN 80 TI Power Shift	WINGMAN 78 C Power Shift	WILD Power
SALES CODE	AAJLBL24, AAJLBLC4 (Prot.)	AAJLBK24, AAKLBNC4	(Prot) AAK	(LBN24, (HRD2C (Prot.)	AALLBP24, AAKLBNC4 (Prot)	AAMLZG25	AALLZF		AAMLZG25	ABTL	XB25, XBC5 (Prot).	ACRLYP		ABW	XF25.	ABWLXP25, ABWLXPC5 (Prot)	ABXLXS25, ABXLXSC5 (Prot)	ABYLXV25, ABYLXVC5 (Prof)	ABYLXY25, ABYLXYC5 (Prot)	ACRLX
PROFILE	AAJLBM24 (Plate) Camber	AAKLBS24 ( Camber	Platé) AAK	(LBS24 (Plate) nber	Camber	Early Rise Roc	ker Camber		Early Rise Rocker	ABTL: Amph	XH25 (Flat)	Amphibi	in	ABP	YB25 (Flat)	ABRLYE25 (Flat) " Amphibio	Amphibio	Amphibio	Amphibio	Amphib
TECHNOLOGY	Arrow Technology, Du Ti, R2 Frame Woodcor	al Arrow Techr	nology. Arro	ow Technology, al Ti, R2 Frame	Arrow Technology, Dual Ti, R2 Frame	Fibreglass, Du Woodcore	ial Arrow T	echnology, R2 Frame	Fibreglass, Dual Woodcore	Powe	rLine Technology, 1 Ti, Carbon Rods, U	PowerLi	ine Technology, , Carbon Rods, UD	Pow	erLine nology, Mono	PowerLine Technology, Mono	PowerLine Technology, UD	PowerLine Technology, Mono	PowerLine Technology, Carl	PowerL
	n, nz mane woodcor	Woodcore	Woo	odcore	Woodcore	Woodcore	Woodco	re	Woodcore	Carbo	on, Tubelite Woodco	ore Carbon,	Tubelite Woodcore	Ti, Li	minated	Ti, Laminated Woodcore	Carbon, Laminated Woodcore	Ti, Power Woodcore	Reinforcement, Power Woodcore	Lamina
OF OMETERS	113/67/100	110/00/04		1001104	101/00/104	100/70/400	100/00	100	100/20/100	100	0.440	100/00/	110		00/110	131/83/112	131/83/112	107/70/110	10770440	100.00
GEOMETRY LENGTH RADIUS	156 (13.5), 162 (14.3)		155	/68/104 5(11.0),	121/68/104 155 (11.0), 160	123/72/106 144 (10.2), 15	120/68/ 52 145 (10		123/72/106 144 (10.2), 152 (11.4), 160 (12.8)		36/112 14.0), 168 (15.0), 1	132/82/ 74 152 (12	.0), 160 (13.0),	152	(13.0), 160	152 (12.0), 160	152 (12.0), 160	127/79/110 152 (10.8), 160	127/79/110 152 (10.8), 160	130/85 152 (13
	168 (15.1), 174 (15.9) 180 (16.7)	), 175(19.0), 180(21.1)	165	0(12.0), 5(12.8), 0(13.5)	(12.0), 165 (12.8), 170 (13.5)	(11.4), 160 (1) 168 (14.0), 17 (15.4)	2.8), (11.0), <sup>2</sup> 75 160 (12 (12.8), <sup>2</sup>	.5), 150 155 (11.0), .0), 165 170 (13.5)	(11.4), 160 (12.8) 168 (14.0), 175 (15.4)	), (16.0)	), 182 (17.0)	168 (14	.0)	(14.) 174 (17.)	), 168 (15.0), (16.0), 182 ))	(13.0), 168 (14.0), 174 (15.0), 182 (16.0)	(13.0), 168 (14.0), 174 (15.0), 182 (16.0))	(12.4), 168 (13.0), 174 (14.4)	(12.4), 168 (13.0 174 (14.4)	0), (14.0),
WEIGHT																				
SYSTEM PLATE	Fusion X, Racing plate	e Fusion X, Ra	acing plate Fusiplat	ion X, Racing te	Fusion X	Shift X	Shift X		Shift X	Fusio	n X, Flat	Shift X		Fusi	n X, Flat	Shift X, Flat	Shift X	Shift X	Shift X	Shift X
BINDING	EMX 12.0 GW FUSION X BLK/GRN B85, PROTECTOR 13 GW	EMX 12.0 G X BLK/GRN PROTECTOR	B85. FUS	X 12.0 GW SION X BLK/GRN,	EMX 12.0 GW FUSION X BLK/GRN	EL 10.0 GW S BLK/BLK B78	HIFT ELX 11. BLK/BL	0 GW SHIFT K B78	EL 9.0 GW SHIFT BLK/BLK B78	EMX BLK/S 13 GV	12.0 GW FUSION X SIL B85, PROTECTO	OR BLK B85	0 GW SHIFT BLK/ 5, PROTECTOR	FUSI	ON X BLK/SIL	ELX 11.0 GW SHIFT BLK/BLK B85, PROTECTOR SHIFT	EL 10.0 GW SHIFT BLK/BLK B85, PROTECTOR SHIFT	EL 10.0 GW SHIFT BLK/GRN B78,	EL 10.0 GW SHI BLK/RED B78,	BLK/BL
	FUSION X BLK B85, ER 17.0 FREEFLEX ST	FUSION X B ER 17.0 FRE	LK B85, GW EEFLEX ST	TECTOR 13.0 FX	B85, PROTECTOR 13 GW FUSION X BLK B85					13 GV	TW	SHIFT 1		B85. 11 G	PROTECTOR W	PROTECTOR SHIFT 11 GW	PROTECTOR SHIFT 10 GW	PROTECTOR SHIFT 10 GW	PROTECTOR SHI 10 GW	IFT PROTE 11 GW
134	GRN/BLK B85	GRN/BLK B8	35																	

	BLACK EDI	TION	PRIMETIM	E I ON PISTE			BL	LACK DITION W		PRIMETIM	EW			VOYA
	NEW	NEW	NEW		NEW	NEW	NEW	NEW	NEW	NEW			NEW	
	PRIMETIME 55 BE Fusion X	PRIMETIME 55+ BE Fusion X	PRIMETIME 44 Fusion X	PRIMETIME 44+ Fusion X	PRIMETIME 33 Fusion X	PRIMETIME 22 BLUE Power Shift	PRIMETIME 22 BLACK Power Shift	PRIMETIME N°5 W BE Power Shift	PRIMETIME N°4 W Power Shift	PRIMETIME N°4+ W Power Shift	PRIMETIME N°3 W Power Shift	PRIMETIME N°2 W WHITE Power Shift	PRIMETIME N°2 W BLACK Power Shift	VOYAGER BLACK Fusion X
SALES CODE	ABBLTR25, ABBLTRC5 (Prot)	ABBLUT25, ABBLUTC5 (Prot)	ABCLUW25, ABCLUWC5 (Prot)	ABCLUZ25, ABCLUZC5 (Prot), ABCLVC25, ABCLVCC5 (Prot)	ABDLVF25, ABDLVFC5 Prot), ABDLVJ25, ABDLVJC5 (Prot)	ABELVM25, ABELVMC5 (Prot)	ABELVR25, ABELVRC5 (Prot)	ACBLVV25, ACBLVVC5 (Prot)	ACCLWE25, ACCLWEC5 (Prot)	ACCLWP25, ACCLWPC5 (Prot)	ACDLWS25, ACDLWSC5 (Prot)	ACELWV25, ACELWVC5 (Prot)	ACELWY25, ACELWYC5 (Prot)	AARLHT24
PROFILE	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio	Amphibio
TECHNOLOGY	PowerMatch Technology, Dual Ti, UD Carbon, Dual Density Woodcore	PowerMatch Technology, Dual Ti, UD Carbon, Dua Density Woodcore	PowerMatch Technology, Mono I Ti, Dual Density Woodcore	PowerMatch Technology, Mono Ti, Dual Density Woodcore	PowerMatch Technology, Mono 1 Power Woodcore	PowerMatch ï,Technology, Mono Ti Power Woodcore	PowerMatch i, Technology, Mono Ti, Power Woodcore	Ti, UD Carbon, Dual	PowerMatch Technology, Mono Ti, Dual Density Woodcore	PowerMatch Technology, Mono Ti, Dual Density Woodcore	PowerMatch Technology, Mono Ti, Power Woodcore	PowerMatch Technology, Mono Ti, Power Woodcore	PowerMatch Technology, Mono Ti, Power Woodcore	Connect Technology®, Mono Ti, Laminated Woodcore



NEW

VOYAGER I ALL MOUNTAIN ELEMENT I ON PISTE

	NEW						
Lines Color Color					Langer 1 Contraction Protection		
<b>ENT 78 W</b> Shift	ELEMENT 74 RS Light Shift	ELEMENT 74 BLACK Light Shift	ELEMENT 74 BLUE Light Shift	ELEMENT 74 RS W BLACK Light Shift	ELEMENT 74 RS W WHITE Light Shift	ELEMENT 74 W BLACK Light Shift	ELEMENT 74 BLUE Light Shift
125	ABILRJ25	ABJLZJ25	ABJLZJ25	ACILZQ25	ACILZS25	ACKLZP25	ACKLZR25
se Rocker	Early Rise Rocker	Early Rise Rocker	Early Rise Rocker	Early Rise Rocker	Early Rise Rocker	Early Rise Rocker	Early Rise Rocker
otion ogy, ss, Mono re	GrooveTip Technology, Fibreglass, Dual Woodcore	GrooveTip Technology, Fibreglass, Mono Woodcore	GrooveTip Technology, Fibreglass, Mono Woodcore	GrooveTip Technology, Fibreglass, Dual Woodcore	GrooveTip Technology, Fibreglass, Dual Woodcore	GrooveTip Technology, Fibreglass, Mono Woodcore	GrooveTip Technology, Fibreglass, Mono Woodcore
103	122/74/103	122/74/103	122/74/103	122/74/103	122/74/103	122/74/103	122/74/103
.6), 152 60 (13.5), .2), 176	140 (10.3), 146 (11.3), 152 (12.4), 160 (13.9), 168 (15.4), 176 (17.1)	140 (10.3), 146 (11.3), 152 (12.4), 160 (13.9), 168 (15.4), 176 (17.1)	140 (10.3), 146 (11.3), 152 (12.4), 160 (13.9), 168 (15.4), 176 (17.1)	140 (10.3), 146 (11.3), 152 (12.4), 160 (13.9), 168 (15.4), 176 (17.1)	140 (10.3), 146 (11.3), 152 (12.4), 160 (13.9), 168 (15.4), 176 (17.1)	140 (10.3), 146 (11.3), 152 (12.4), 160 (13.9), 168 (15.4), 176 (17.1)	140 (10.3), 146 (11.3), 152 (12.4), 160 (13.9), 168 (15.4), 176 (17.1)
	Shift X						
GW SHIFT ( B78	EL 10.0 GW SHIFT BLK/GRN B78	EL 9.0 GW SHIFT BLK/BLK B78	EL 9.0 GW SHIFT BLK/SND B78	EL 9.0 GW SHIFT BLK/BLK B78	EL 9.0 GW SHIFT BLK/BLK B78	EL 9.0 GW SHIFT BLK/SND B78	EL 9.0 GW SHIFT BLK/TRQ B78

WILDCAT W

NEW



NEW

NEW

NEW

# WILDCAT 86 TI Power Shift/ Flat

ACRLXL25, ACRLXLC5 (Prot)

nphibio owerLine echnology, Mono Ti, aminated Woodcore

30/85/110 152 (13.0), 160 14.0), 168 (15.0)

Shift X

ELX 11.0 GW SHIFT BLK/BLK B85, 'ROTECTOR SHIFT 1 GW



# WILDCAT 83 TI Power Shift/ Flat

ACSLYH25, ACSLYHC5 (Prot), ACPLYL25 (Flat) Amphibio

PowerLine Technology, Mono Ti, Laminated Woodcore

130/82/110 144 (11.5), 152 (12.0), 160 (13.0), 168 (14.0) 168 (14.0)

Shift X, Flat

EL 9.0 GW SHIFT BLK/ PUR 885, PROTECTOR SHIFT 11 GW SHIFT 10 GW



# WILDCAT 83 C Power Shift/ Flat

ACTLYY25, ACTLYYC5 (Prot)

Amphibio PowerLine Technology, UD Carbon, Laminated Woodcore

130/82/110

Shift X



WILDCAT 80 TI Light Shift

ACULYS25, ACULYSC5 (Prot)

Amphibio PowerLine Technology, Mono Ti, Power Woodcore

126/79/110 144 (10.0), 152 (10.8), 160 (12.4), 168 (13.0)

Shift X

EL 9.0 GW SHIFT BLK/ PUR B78, PROTECTOR SHIFT 10 GW





WILDCAT 78 C Light Shift

ACULYV25, ACULYVC5 (Prot)

Amphibio PowerLine Technology, Carbon Reinforcement, Power Woodcore

126/79/110

144 (10.0), 152 (10.8), 160 (12.4), 168 (13.0)

Shift X

EL 9.0 GW SHIFT BLK/ TRQ B78, PROTECTOR SHIFT 10 GW



	PLAYMAKER	REERIDE TWIN					BLACK EDITION			RIPSTICK	FREERIDE				
	NEW	NEW	NEW	NEW	NEW										
	PLAYMAKER 111	PLAYMAKER 101	PLAYMAKER 91	PLAYMAKER 87	PLAYMAKER	RIPSTICK 102 BLACK EDITION	RIPSTICK 96 BLACK	RIPSTICK 94 W BLACK		RIPSTICK	RIPSTIN		RIPSTICK	RIPSTICK 88	
SALES CODE	AEALZT25 (Flat)	AEBLZW25 (Flat)	AECMAB25 (Flat)	AEDLZZ25 (Flat)	AEEMCE25 (JrS),	ADBLFH24	ADCLFA24	ADELFN24		ADAKYV24	ADBKYS	24	ADCKYE24	ADDKYP24	
PROFILE	Surf Rocker	Surf Rocker	Flat	Surf Rocker	AEELZY25 Jib Rocker	Amphibio Profile CarbonDeck	Amphibio Profile CarbonDeck	Amphibio Profile CarbonDeck		Amphibio Profile CarbonDeck	Amphibio CarbonD	eck	Amphibio profile CarbonDeck	Amphibio Profile CarbonDeck	
TECHNOLOGY	Dual Float Technology, Carbon Rods, Tubelite Woodcore	Dual Float Technology, Carbon Rods, Tubelite Woodcore	Dual Float Technology, Carbon Rods, Tubelite Woodcore	Dual Float Technology, Fibreglass, Laminated Woodcore	Fibreglass, Dual Woodcore	Technology, Quadrod, Carbon Frame Reinforcement, Flax Fibre, Tubelite Woodcore	Technology, Quadrod, Carbon Frame Reinforcement, Flax Fibre, Tubelite Woodcore	Technology, Quadrod, Carbon Frame Reinforcement, Flax Fibre, Tubelit Woodcore	e	Technology, Carbon Rods, UD Carbon, Flax Fibre, Tubelite Woodcore	Technolo Rods, UD Flax Fibr Woodcor	Carbon, F e, Tubelite F	fechnology, Carbon Rods, UD Carbon, Flax Fibre, Tubelite Woodcore	Technology, Carbon Rods, UD Carbon, Flax Fibre, Tubelite Woodcore	
GEOMETRY	142 111 132 172 (18.0), 180 (19.0), 188 (23,5)	132 101 122 164 (16.0), 172 (17.0), 180 (18.1), 188 (19.5)	122 91 116 156 (15.0), 164 (16.0), 172 (17.0), 180 (18.1), 188 (19.5)	121 88 110 136 (12.0), 146 (13.0), 156 (14.0), 166 (15.0), 176 (16.0), 182 (17.0)	109 81 104 121 (10.0), 131 (11.5), 141 (13.0), 151 (14.0), 161 (15.0)	138 102 118 161 (15.8), 168 (16.8), 175 (17.8), 182 (18.8), 189 (19.8)	133 96 114 161 (14.8), 168 (15.8), 175 (16.8), 182 (17.8), 189 (18.8)	129 94 109 147 (12.8), 154 (13.8), 161 (14.8) 168 (15.8), 175 (16.8)		143 108 124 161 (16.8), 168 (17.8), 175 (18.8), 182 (19.8), 189 (21.3)	138 10 161 (15. (16.8), 1 182 (18.) (19.8)	8), 168 75 (17.8), 8), 189	133 96 114 161 (14.8), 168 15.8), 175 (16.8), 182 (17.8), 189 18.8)	130 90 108 154 (12.8), 161 (13.8), 168 (14.8), 175 (15.8), 182 (16.8), 189 (17.8)	
WEIGHT	1790 +/- 50g (180)	1685 +/- 50g (180)	1570 +/- 50g (180) Fusion X	1365 +/- 50g (166)											
SYSTEM PLATE BINDING	Flat ATTACK 14 MN W/0	Flat ATTACK 14 MN W/O	ATTACK 14 MN W/O	Flat ATTACK LYT 11 GW	Shift X	Flat ATTACK 14 MN	Flat ATTACK 14 MN	Flat ATTACK LYT 11 G	W	Flat ATTACK 17 MN W/O		14 MN	Flat	Flat ATTACK LYT 11 GW	I
	BRAKE	BRAKE	BRAKE		BLK B80, EL 4.5 GW CA JRS BLK B80, EL 10.0 GW SHIFT BLK/ BLK B85	B110	B110			BRAKE	B110		3110		
	RIPSTICK TOUI	RISKI TOURING	RIPSTICK TOUR	W		LYNX I SPEED	TOURING		LYNX W	IBEX TACTIX	KIDS				
		NEW	NEW	NEW	NEW			NEW			NEW		NEW	NEW	
	RIPSTICK TOUR 104	RIPSTICK TOUR 94	RIPSTICK TOUR 88	RIPSTICK TOUR 94W	RIPSTICK TOUR 88W	LYNX 82 UL	LYNX 82	LYNX 65 UL	LYNX 82 W	IBEX TACTIX	JETT	STARR	SKY	MAXX BLUE	MA
SALES CODE	ADGKWB24	ADHLVW25	ADKLWH25	ADHLVZ25	ADKLWL25 Amphibio Profile	ADSKCZ23	ADTKCW23	ADPLVN25	ADUKRP23	ADXKCQ23	AFDMAF25, AFDMAFA5	AFDLDW24, AFDLDWA4	AFFMAK25, AFFMAKA5	AFDMAH25, AFDMAHA5	AFD AFD
PROFILE TECHNOLOGY	Amphibio Profile CarbonBridge Technology, Carbon Reinforcement, Fibreglass, Tubelite Woodcore	Amphibio Profile CarbonBridge Technology, Carbon Reinforcement, Fibreglass, Titanal Binding Reinforcement, Tubelite Woodcore	Amphibio Profile CarbonBridge Technology, Carbon Reinforcement, Fibreglass, Titanal Binding Reinforcement, Tubelite Woodcore	Amphibio Profile CarbonBridge Technology, Carbon Reinforcement, Fibreglass, Titanal Binding Reinforcement, Tubelite Woodcore	CarbonBridge Technology, Carbon Reinforcement, Hibreglass, Titanal Binding Reinforcement, Tubelite Woodcore	Early Rise Rocker AirLite Technology, Carbon Reinforcement, Titanal Binding Reinforcement, AirLite Laminated Woodcore	Early Rise Rocker AirLite Technology, Carbon Reinforcement, Titanal Binding Reinforcement, Laminated Woodcore	Early Rise Rocker AirLite Technology, Carbon Reinforcement, Titanal Binding Reinforcement, AirLite Laminated Woodcore	Early Rise Rocker AirLite Technology, Carbon Reinforcement, Tritanal Binding Reinforcement, Laminated Woodcore	Mountain Rocker Bridge technology, Carbon Rods, Fibreglass, Tubelite Woodcore	Early Rise Rocker U-Flex Technology, Fibreglass, Synflex Core	Early Rise Rocker U-Flex Technology, Fibreglass, Synflex Core	Early Rise Rocker U-Flex Technology, Fibreglass, Synflex Core	Early Rise Rocker U-Flex Technology, Fibreglass, Synflex Core	Earl U-Fl Fibr Corr
GEOMETRY LENGTH RADIUS	129 104 122 173 (21.5), 180 (23.0), 187 (25.4)	129 94 109 164 (13.7), 171 (15.6), 178 (17.4), 185 (19.4)	128 88 108 156 (14.8), 163 (15.6), 170 (16.8), 177 (17.6), 184 (18.8)	129 94 109 157 (12.0), 164 (13.7), 171 (15.6)	127 88 106 148 (13,7), 156 (14,8), 163 (15,6), 170 (16,8)	121 82 103 150 (13.0), 157 (14.5), 164 (16.1), 171 (17.6), 178 (19.6)	121 82 103 150 (13.0), 157 (14.5), 164 (16.1), 171 (17.6), 178	94 65 80 150 (22.0), 160 (23.0)	121 82 103 150 (13.0), 157 (14.5), 164 (16.1), 171 (17.6), 178	120 84 105 163 (18.0), 170 (19.0)	101 69 90 70 (2.5), 80 (3.5), 90 (4.8), 100 (6.2), 110 (7.0), 120	101 69 90 70 (2.5), 80 (3.5), 90 (4.8), 100 (6.2), 110 (7.0), 120	101 69 90 70 (2.5), 80 (3.5), 90 (4.8), 100 (6.2), 110 (7.0), 120	101 69 90 70 (2.5), 80 (3.5), 90 (4.8), 100 (6.2), 110 (7.0), 120	101 70 ( 90 ( 110
WEIGHT SYSTEM PLATE	1510 +/- 50g (180) Flat	1380 +/- 50g (178) Flat	(10.0) 1270 +/- 50g (177) Flat	1325 +/- 50g (171) Flat	1160 +/- 50g (163) Flat	(19.6) 1100 +/- 50g (171) Flat	(19.6) (19.6) 1320 +/- 50g (171) Flat	690 +/- 50g (160) Flat	(19.6) 1320 +/- 50g (171) Flat	Tactix Plate TACTIX 12 - 86 mm	(8.6), 130 (9.4), 140 (11.2), 150 (13.1) Jr Shift EL 4.5_7.5 GW CA	(8.6), 130 (9.4), 140 (11.2), 150 (13.1) Jr Shift EL 4.5_7.5 GW CA	(8.6), 130 (9.4), 140 (11.2), 150 (13.1) Jr Shift EL 4.5_7.5 GW CA	(8.6), 130 (9.4), 140 (11.2), 150 (13.1) Jr Shift EL 4.5_7.5 GW CA	(8.6 140 (13. Jr S
BINDING	ALMONTE 12 PT	ALMONTE 12 PT	ALMONTE 12 PT	ALMONTE 10 PT	ALMONTE 10 PT	ALMONTE 10 PT	ALMONTE 10 PT		ALMONTE 10 PT	1AU11X 12 - 86 MM	EL 4.5_7.5 GW CA JRS BLK	EL 4.5_7.5 GW CA JRS WHT	EL 4.5_7.5 GW CA JRS WHT	EL 4.5_7.5 GW CA JRS BLK	EL 4 JRS

RIPSTICK 106 W	RIPSTICK 100 W	RIPSTICK 94 W	RIPSTICK 88 W
ADFLCD24	ADFLCG24	ADFLCK24	ADFLCN24
Amphibio Profile	Amphibio Profile	Amphibio Profile	Amphibio Profile
CarbonDeck Technology, Carbon Rods, UD Carbon, Flax Fibre, Tubelite Woodcore			
139 106 119	134 100 114	129 94 109	125 88 104
154 (15.8), 161 (16.8), 168 (17.8), 175 (18.8)	154 (14.8), 161 (15.8), 168 (16.8), 175 (17.8)	147 (12.8), 154 (13.8), 161 (14.8), 168 (15.8), 175 (16.8)	147 (11.8), 154 (12. 161 (13.8), 168 (14. 175 (15.8)
Flat	Flat	Flat	Flat

ATTACK 14 MN B110



ATTACK 14 MN B110

TWEENER



#### MAXX RED

AFDLDX24, AFDLDXA4 Early Rise Rocker

U-Flex Technology, Fibreglass, Synflex Core

101 69 90 70 (2.5), 80 (3.5), 90 (4.8), 100 (6.2), 110 (7.0), 120 (8.6), 130 (9.4), 140 (11.2), 150 (13.1) Jr Shift

EL 4.5\_7.5 GW CA JRS BLK



PLAYMAKER U-FLEX AEGMAD25 Early Rise Rocker

U-Flex Technology, Fibreglass, Synflex Core

105 72 97 095 (5.4), 105 (7.0), 115 (8.8)

Jr Shift



RC WINGMAN

AENMAN25 Camber

Fibreglass, Channel Woodcore

115 70 100 110 (6.1), 120 (7.4), 130 (9.0), 140 (10.4), 150 (11.9), 160 (13.7)

Jr Shift EL 4.5 GW CA JRS EL 4.5 7.5 GW CA EL 4.5 7.5 GW CA



AELLJW24 Camber

Fibreglass, Channel Woodcore

115 70 100 110 (6.1), 120 (7.4), 130 (9.0), 140 (10.4), 150 (11.9), 160 (13.7)

Jr Shift



ATTACK LYT 11 GW

RC MAGIC

AEMLJX24 Camber

Fibreglass, Channel Woodcore

115 70 100 110 (6.1), 120 (7.4), 130 (9.0), 140 (10.4), 150 (11.9), 160 (13.7)

Jr Shift

, 154 (12.8), , 168 (14.8),

ATTACK LYT 11 GW



NEW



RIPSTICK T80

ADLLTG25 Early Rise Rocker

Full Power Cap, Fibreglass, Twin-Compound Woodcore

112 80 97

120 (11.5), 130 (12.5), 140 (13.0), 150 (14.0), 160 (15.0)

Flat

# **Ski Technologies** Innovation delivers experience.

At Elan, we've been innovating for decades for one simple purpose - to make the skiing experience better for everyone, from beginner to expert. Decades of constantly pushing the design envelope - from sidecuts to constructions, materials to production processes - we challenge ourselves to design the best performance, highest quality, state-of-the-art products for friends and families to enjoy great days on the mountain. It is with this uncommon valor that we have committed our brand to this one goal, and to deliver on our promise to make every day the best day on snow for Elan skiers.



PROFILES





#### AMPHIBIO PROFILE

Amphibio technology is a revolutionar ski design that integrates both rocker and camber profiles into dedicated left and right skis. Amphibio skis feature a cambered inside edge assuring precision edge grip and stability - while a rockered outside edge provides forgiveness turning ease and smooth transitions.

EARLY RISE ROCKER

PROFILE Early Rise Rocker provides smooth and effortless turns thanks to a moderate amount of rockered tip incorporated into the ski.





A cambered profile has edge contact from tip to tail and provides superior edge grip, stability, and power transmission over the full length of the ski.

left skis



CONNECT TECHNOLOGY

Flan's revolutionary Connect Technology®

DUAL FLOAT TECHNOLGY

Dual Float Technology blends 3D Trapezoid

construction which provides a stable and

razor thin profile in the tip and tail reduces

powerful platform under foot, while the

weight and maximizes float, in either

direction

profiles that deliver a buttery and surfy feel

in any situation.



# POWER MATCH TECHNOLOGY

which uses a highly advanced mechanism that bonds and seals the ski together at the folding joint, and allows the ski to fold into a compact, easy to transport package All components slip together and seal securely, making a structurally strong robust and lively ski for a great experience



With Power Match Technology, the construction of the ski is matched to how the skier puts power to the snow, allowing the skier more natural control of the inside and outside edges for the most intuitive feel throughout the turn



AIRLITE TECHNOLOGY

Airl ite is a unique lightweight ski technology that offers the best ratio of weight to performance in the race world. A technically perfected 3D shape in combination with innovative core construction, establishes strength and stability of the ski at an unbelieveably liaht weiaht.

#### PARABOLIC ROCKER PROFILE

This unique Elan design con generous amount of sidecut with slightly lifted tip and tail, which results in easy turn initiation with less effort. This combination allows a skier to progress faster and with this progression, passion for skiing

#### MOUNTAIN ROCKER PROFILE

Mountain Rocker profile in oderate tip and tail rocker for bette flotation, easier turn initiation and versatility in varied snow conditions Combined with a moderate amount of camber underfoot. Mountain Bocker also delivers great precision and stability on roomed slopes.

#### JIB ROCKER PROFILE

lib Bocker provides nine and park rider with the perfect amount of tip and tail rocker to maximize pop and power, while ensuring smooth landings, transitions and butters.

#### MAIN TECHNOLOGY



#### AMPHIBIO TECHNOLOGY Amphibio Tech is the complet

fulldimension asymmetrical ski design Influencing both the profile and construction of dedicated right and



#### AMPHIBIO TRULINE TECHNOLOGY

Amphibio Truline elevates the asymmetrical ski design to the next dimension by strategically locating materials over the edges of the skis. Structural material is placed over the full length of the inside ski edge, providing more stability to power the turn- while less material is applied over the outside edge, resulting in a smooth and easy perfect turn.



#### CARBON LINE TECHNOLOGY

Amphibio Carbon Line technology is a combination of innovations that provide the best balance of lightweight construction with power and performance. Amphibio Carbon Line technology elevates the asymmetrical ski design to the next level by strategically locating carbon reinforcement over the inside edges of the skis providing more nower in the turn, while carbon rods inserted into the woodcore maximize weight savings and overall stability. The end result is an extremely lightweight high performance ski with uncompromised versatility and , smooth performance



ACE ARROW TECHNOLOGY

Ace Arrow technology is the utilization of strategically shaped titanal structural layers in the ski that work in harmony to deliver a lightning guick response with world-class recision and accuracy. Upper arrow shaped titanal laver gathers and transfers energy simultaneously which translates into instant superior edge pressure, while lower inverse arrow shaped titanal laver brings guickness and lightness to turn entry and stability on turn exit without added weight.



CARBON BRIDGE TECHNOLOGY

Carbon Bridge Technology is a revolutionary solution where a single carbon rod placed on the upper part of the ski, provides stability, dampening, and vibration absorption through the tip.



BRIDGE TECHNOLOGY

Bridge technology is a unique design that reduces weight and enhances performance. An ultra-thin wood core profile is reinforced with bridge inserts from tip to tail providing torsional stability and unnaralleled nower transfer to the edges



#### GROOVE TECHNOLOGY

Groove Technology is ultimate confidence booster. It harmonizes balance and control with rib-shaped energizers that create a uniform flex profile, helping skiers find the stability they need to excel on the mountain. In the turn, the grooves assure a powerful, energized performance



#### **U-FLEX TECHNOLOGY**

U-Flex technology is a unique construction and profile that allows a junior ski to be 25% more flexible. In combination with the lightweight Synflex core, Full Power Cap construction and Early Rise Rocker profile, U-Flex allows kids to learn to ski on their edges from day 1. This unique and patented technology enables easy learning and a better learning experience



CARBON DECK TECHNOLOGY

Carbon Deck Technology combines the powerful rebound of Tubelite Woodcore, with carbon rods and unidirectional carbon (UD) edge bands. These combined technologies means powerful rebound, torsional rigidity and a strong, stable platform for superior response and a smooth ride




#### WAVEMOTION TECHNOLOGY

WaveMotion Technology incorporates a waveshaped design, which allows the ski to flex effortlessly, leading to improved carving ability and torsional stability. Additionally, the ski employs Extended Sidewall Technology, which enhances edge grip and power transmission to the snow.



# GROOVE TIP TECHNOLOGY

Groove tip technology starts each turn with less effort and more confidence, creating more opportunity for quicker progression Deep grooves on the tip of the skis provide optimal tip engagement when it is needed the most to feel confident from initiating to finishing a turn.



POWER LINE TECHNOLOGY strategically positioned layers of reinforcement placed lengthwise along the cambered inside edge of Amphibio Profile, creating a balance between torsional strength on the inside edge and forgiveness on the outside edge. The result is direct power transmission and stability for superior edge grip throughout the turn, with a smooth and easy to control feel of the outside edge for nimble maneuverability

EST - EXTENDED

CONSTRUCTION


Extended sidewall construction, delivering

perfect power transmission from skier

to the edge and stability of the ski is

SIDEWALL

SYSTEM



CONSTRUCTION

#### **RST - RACING SIDEWALL** TECHNOLOGY

The RST Construction optimizes the transfer of power and energy from the skier to the edge, providing maximum edg hold from the tip to the tail of the ski.



SST - SLANTED SIDEWALL TECHNOLOGY

The SST Construction provides quick. nimble and direct power transmission from the ski to snow as well as providing exceptional torsional rigidity.



#### AIRLITE LAMINATED WOODCORE

The AirLite Laminated Woodcore is our lightest wood core construction, specially developed for high-performance. liahtweiaht tourina skis. Usina carefully selected ultralight paulownia with strategically placed air pockets guarantees the optimal balance betweer ightness and strength, without sacrificing performance.



# CHANNEL WOODCORE

Specially designed for kids where channels are cut into poplar core, delivering responsiveness and optimal flex at the same time



# REINFORCEMENTS



MONO TI The Mono Ti construction uses a single laver of titanium on top of the

DUAL TI




360° Sidewall is a unique and effective sidewall solution to maximize performance while keeping the weight low. Pyramidal shaned sidewalls are positioned throughout the whole body of the ski, to increase vibration absorption and highspeed stability.




## **PST - PARTIAL SIDEWALL** TECHNOLOGY

The PST construction is the best balance of power and forgiveness. The Cap/ Sidewall construction is both lightweight and forgiving while equally powerful and stable




EST - EXTENDED SIDEWALL CONSTRUCTION -TOURING Extended sidewall construction delivers

perfect power transmission from skier to the edge and uncompromised stability, for superior race performance.



#### POWER SHELL Side to side reinforced shell construction, distributing force and stability to every inch of the ski without adding extra weight. Skiers on skis with power shell construction benefit from direct and

powerful force transmission throughout the ski assuring perfect control.



a skis structural integrity.


FIBERGLASS Fiberglass reinforcement optimizes the flex

woodcore for increased performance and



# HD POWER SHELL

Featured only on Elan rental skis, the HD Shell exceeds rental industry standards with an extra thick top sheet for extreme durability, scratch and chip resistance. and long-lasting performance for years of use. The HD Shell is not only easy to clean and maintain but also customizable with a specific area on the ski where rental shops can place its own logo sticker for increased recognition in the shop and on the slopes



## FULL POWER CAP Full Power Cap is a traditional cap construction that is light, easy to turn and forgiving.

high performance binding system. The new single connection design enables a smoother free flex between the ski and binding leading to easy turn initiation. At 30% lighter, the new pyramidal-shaped construction is reinforced with titanium for additional strength and direct powerful edge-to-edge responsiveness. Skiing at high speeds is now more accurate due to

irect power transmission.

FUSION X

The Fusion X is Elan's next generation of



SHIFT X

Shift X is a one piece design binding system, where its wide trapeziod shaped platform delivers most direct power transmisison from skier to the edge. Close connection between binding and system enables the ski to react faster and allows skier to have better control over the ski. An embossed scale area provides scratch protection to the large, easy to read numbers for simple adjustment.

JR SHIFT

Junior Shift is a modern, lightweight design, enabling unified flex of a ski for easy learning and fast progression to a higher level. Incorporated locking rails make the system extremely light and deliver extraordinary flex. Size adjusting scales are deepened, therefore well protected which makes JrS Junior System easy to adjust and long-lasting. Due to these attributes, JrS is a perfect match with U-Flex ski design, making skiing as easy as walking.








# UD CARBON

Unidirectional carbon bands are strategically positioned along both edges of the ski to create torsional stability which produces superior response and intuitive maneuverability at an extremely light weight.



#### C-PLY™ CARBON REINFORCEMENT The C-Ply Carbon Reinforcement found in

CARBON FRAME

REINFORCEMENT

Frame our top tier performance addition

Ripstick Black Edition models places an additional laver of carbon in the mid-body of the ski to achieve next level edge grip and stability

stability

BASE



#### DUAL DENSITY WOODCORE

CORE

The Dual Density Woodcore supports Power Match Technology through a unique construction that utilizes a thicke profile and stronger materials along the inside edge for power, stability, edge grip, and rebound. The outside edge has a thinner profile in the tip and tail and uses lighter materials for intuitive maneuverability, weight reduction, ease and smoother tracking.



#### **R<sup>2</sup> FRAME WOODCORE** LAMINATED WOODCORE

The R<sup>2</sup> FRAME wood core is a unique This tip-to-tail Laminated Woodcore is tip-to-tail laminated wood core where specially shaped for each model and size a softer wood center is reinforced by a Using different wood types in various hardwood frame, allowing the core material combinations allows for the adjustment to distribute forces evenly from tip to tail. of the flex pattern for different types of This robust construction allows for a variety performance. This extremely responsive of flex patterns for different skiing types and and highly durable wood core transmits giving skier pure skiing confidence feel. power directly to the edges and excels in a variety of conditions.




# TUBELITE WOODCORE

To create the Tubel ite Woodcore, two super lightweight Carbon tubes are inserted into a lightweight laminated wood core. These tubes run the length of the ski following the arc of the side cut. They provide torsional stability and powerful rebound while allowing for material reduction of the core. The result is incredible lightweight response and stability



#### TWIN COMPOUND WOODCORE

Specially designed for Teenager touring skis, Twin Compound Woodcore is a perfect match of wooden reinforcing structure for lightness, responsiveness and power, and PU material for added smoothness.



#### CTI - CARBON RODS + TITANAL

COMBINED REINFORCEMENTS

The CTI is the new generation of ski design construction for wider platform high performance skis. The lightweight design engages a layer of titanal with longitudinal carbon rods to provide torsional stability, a powerful rebound and smooth transitions from turn to turn.





Carbon Deck Technology is fortified by the addition of C-Ply Carbon laminate through the mid-body of the ski and QuadRod reinforcement. The result is a stronger and of conditions more powerful frame that boosts stability. edge grip, and response making Carbon



## POWER WOODCORE

The Power Wood Core features a nowe frame composed of poplar that is vertically connected to laminates, a structure that provides increased torsional stability and responsiveness. This composit construction delivers enhanced edge hol in the tin and tail areas and a uniform fle throughout the length of the ski

#### DUAL WOODCORE


Dual Woodcore features two symmetrica wooden stringers placed on the outer edges of the ski core. This construction mproves power transmission and edge hold while keeping ski easy to handle in various snow conditions.

#### MONO WOODCORE

The Mono Woodcore consists of a lightweight wood stringer in the middle section that provides enhanced edgeto-edge responsiveness and effortless carving.



Dual TI is a sandwiched wood core with 2 lavers of titanium. The construction provides superior edge control and a progressive flex pattern for high performance skis.



#### CARBON REINFORCEMENT

One of the most innovative designs in adventure skiing. Elan's carbon reinforced construction is extremely lightweight and adds torsional rigidity to create superior nerformance.



#### FLAX FIBER A layer of natural Flax Fiber is placed in the tip of the ski to neutralize vibration and chatter, providing a smooth ride at high speeds and in variable snow conditions



CARBON ROD REINFORCEMENT Lightweight Carbon tubes inserted into

the ski and run the length of the ski following the arc of the side cut. The carbon tubes provide torsional stability and powerful rebound while allowing for material reduction of the core. The result is incredible lightweight response and



QUADROD REINFORCEMENT Expanded upon its Tubel ite Woodcore.


which features two full-length carbon rods placed in the core, adjacent to the edges and the shape of the sidecut, by adding wo additional carbon rods to the center of the ski, one in the tip and one in the tail. resulting in QuadRod Technology. It delivers next level smoothness and grip, with a natural flex nattern for the nerfect blend of playful, yet powerful performance.



TITANAL BINDING REINFORCEMENT

The Titanal Binding Reinforcement is compatible with all commercial bindings and is reinforced with extra composite reinforcement for safe and secure mounting

The special ultra-high molecular weight running base delivers excellent durability and superb gliding performance in variety



 A
 B
 C
 D
 E

 1,0
 1,0
 1,0
 1,0
 1,0
 (°)

ACE SERIES W STUDIO
ACE Speed Magic Fusion X
ACE Speed Magic Pro SHIFT X

MODEL

β (°) 3°

α (°)

 TUNING MODEL	TUNING RUNNING BASE	TUNING SIDE ANGLE
3	1°	3°
 3	1°	3°
3	1°	3°
3	1°	3°
 3	1°	3°
 3	1°	3°
2	1°	2°
2	1°	2°
2	1°	2°
2	1°	2°
2	1°	2°
2	1°	2°
2	1 1°	2°
 2	1°	2°
2	1°	2°
2	1°	2°
1	1,2°/ 0,8° / 1,2°*	3°
2	1°	3°
1	1,2°/ 0,8° / 1,2°*	3°
1	1,2°/ 0,8° / 1,2°*	3°
1	1,2°/ 0,8° / 1,2°*	3°
1	1,2°/ 0,8° / 1,2°*	3°
1	1,2°/ 0,8° / 1,2°*	3°
1	1,2°/ 0,8° / 1,2°*	3°
2	1°	2°
3	1°	3°
3	1°	3°
3	1°	3°
3	1°	3°
3	1°	3°
3	1°	3°
3	1°	3°
3	1°	3°
3	1°	3°
3	1°	3°
3	1°	3°
3	1°	3°
3	1°	3°
3	1°	3°
3	1°	3°
2	1°	2°
2	1°	2°
2	1°	2°
2	1°	2°
2	1°	2°
2	10	2°
2	1°	2°
 2	1°	2°
2	1°	2°
2	1°	2°
2	1°	2°
1	1,2°/ 0,8° / 1,2°*	3°
2	1°	2°

	MODEL	TUNING MODEL	TUNING RUNNING BASE	TUNING SIDE ANG
	Primetime N°5 W SHIFT X	3	1°	3°
	Primetime N°4 W SHIFT X	3	1°	3°
W STUDIO ON PISTE	Primetime N°4+ W SHIFT X	3	1°	3°
	Primetime N°3 W SHIFT X	3	1°	3°
	Primetime N°2 W SHIFT X	3	1°	3°
	Wildcat 83 Black Edition SHIFT X	3	1°	3°
	Wildcat 86 Ti SHIFT X	3	1°	3°
	Wildcat 83 Ti SHIFT X	3	1°	3°
			1°	
W STUDIO ALL RESORT WILDCAT	Wildcat 83 Ti	3		3°
	Wildcat 83 C SHIFT X	3	1°	3°
	Wildcat 80 Ti SHIFT X	3	1°	3°
	Wildcat 78 C SHIFT X	3	1°	3°
	Voyager Green	3	1°	3°
FOLDING SERIES	Voyager Black	3	1°	3°
	Voyager Pink	3	1°	3°
	Ripstick 102 Black Edition	2	1°	2°
	Ripstick 96 Black Edition	2	1°	2°
	Ripstick 116 RE	2	1°	2°
FREERIDE	Ripstick 108	2	1°	2°
INCENIUE	Ripstick 102	2	1°	2 2°
			1°	2° 2°
	Ripstick 96	2		
	Ripstick 88	2	1°	2°
	Ripstick 94 W Black Edition	2	1°	2°
	Ripstick 106 W	2	1°	2°
FREERIDE W	Ripstick 100 W	2	1°	2°
	Ripstick 94 W	2	1°	2°
	Ripstick 88 W	2	1°	2°
	Ripstick T80	2	1°	2°
	Lynx 65 UL	2	1°	2°
	Lynx 82UL	2	1°	2°
	Lynx 82	2	1°	2°
	Lynx 82 W	2	1°	2°
TOURING SERIES	Ripstick Tour 88	2	1°	2°
	Ripstick Tour 88 W	2	1°	2°
	Ripstick Tour 94	2	1°	2°
	Ripstick Tour 94 W	2	1°	2°
	Ripstick Tour 104	2	1°	2°
	Playmaker 91	2	1°	2°
	Playmaker 101	2	1°	2°
	Playmaker 91	2	1°	2°
FREERIDE TWIN	Playmaker 87	2	1°	2°
	Playmaker 81 T SHIFT X	2	1°	2°
	Playmaker 81 T JrS	2	1°	2°
	Playmaker U-Flex Jr Shift	2	1°	2°
		2	1°	2°
	Ripstick 88 RNT SHIFT X Ripstick 88 W RNT SHIFT X	2	1°	2° 2°
	Explore 80 SHIFT X	2	1°	2°
	Playmaker 87 RNT SHIFT X	2	10	2°
	Element 76 SHIFT X	2	1°	2°
	Element 76 Track	2	1°	2°
RENTAL + SPECIAL	Element 76 RS SHIFT X	2	1°	2°
	Element 76 RS Track	2	1°	2°
	Explore Pro Jr Shift Uni	2	1°	2°
	Freeline SHIFT X	2	1°	2°
	Freeline Track	2	1°	2°
	Vario	2	1°	2°

	MODEL	TUNING MODEL	TUNING RUNNING BASE	TUNING SIDE ANGLE
R R Je St JUNIOR M Sk Fo Fo Liit	RC Race JrShift	2	1°	2°
	RC Race Red JrShift	2	1°	2°
	RC Wingman JrShift	2	1°	2°
	Jett JrShift	2	1°	2°
	Starr JrShift	2	1°	2°
	Maxx Blue JrShift	2	1°	2°
	Maxx Orange JrShift	2	1°	2°
	Sky JrShift	2	1°	2°
	Formula Red JrShift	2	1°	2°
	Formula S JrShift	2	1°	2°
	Lil Magic JrShift	2	1°	2°
	Pinball Team JrShift	2	1°	2°

•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••
•••••••••••••••••••••••••••••••••••••••	
•••••••••••••••••••••••••••••••••••••••	
•••••••••••••••••••••••••••••••••••••••	
•••••••••••••••••••••••••••••••••••••••	
•••••••••••••••••••••••••••••••••••••••	
•••••••••••••••••••••••••••••••••••••••	
•••••••••••••••••••••••••••••••••••••••	
•••••••••••••••••••••••••••••••••••••••	
	•••••••••••••••••••••••••••••••••••••••
	« ELAN in wor
	Always Good Rule, ACE, SL AMPHBIO, VC
	Wingman, Wil TECHNOLOG EARLY RISE, trademarks of
	registered in th Trade Mark O and Playmake
	is pending. This catalog v developed an recencible
•••••••••••••••••••••••••••••••••••••••	responsibly.

• • • • •		••••••
• • • • •		
		••••••••••••••••••••••••••••
• • • • •		
• • • •		•••••••••••
• • • • •		
••••		••••••
••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
		•••••••••••••••••••••••••••••••••••••••
• • • • •		• • • • • • • • • • • • • • • • • • • •
• • • • •		
• • • • •	• • • • • • • • • • • • • • • • • • • •	•••••••••••••••••••••••••••••
• • • • •		• • • • • • • • • • • • • • • • • • • •
• • • • •		• • • • • • • • • • • • • • • • • • • •
• • • • •		••••••
• • • • •		• • • • • • • • • • • • • • • • • • • •
		« ELAN in word & shape, Always Good Times, We
		Rule, ACE, SLX, GSX, SCX, AMPHIBIO, VOYAGER,
• • • • •		Wingman, Wildcat, CONNECT TECHNOLOGY, FUSION,
		EARLY RISE, Waveflex », sare trademarks of Elan, d.o.o., registered in the U.S. Patent and
		Trade Mark Office. For Primetime PEG2731.32 and Playmaker », the registration Promoting Sustainable
• • • • •	• • • • • • • • • • • • • • • •	is pending.
		developed and printed

