

2025 | 2026
JAPAN COLLECTION



NORDICA



Our Values	4
Ski Boots	6
Skis	30
Racing	54
Rental	58
Accessories	66
RYB	74

Our Values

私たちの価値観

Be the best.

私たちは、すべてのスキーヤーに優れた製品をお届けすることに、決して妥協はしません



Do the right thing.

私たちは常に誠意を持ってスキーヤーと自然と地球（フィールド）に向き合います



Build relationships.

私たちは情熱を仲間と共有することでコミュニティに力を与え、人とスキーの絆を深めます



Keep creating legacy.

私たちの経験と専門知識は、先進的なイノベーションを促進し、スキーの未来を形作るのに役立っています



Share the joy.

私たちは自分たちの仕事を愛しているスキーが私たちの生活にもたらす楽しさと幸せを分かち合うために生きています



Manifesto

「ルディカ宣言」



スキーを愛するすべての人に贈る
滑りの楽しさを忘れられないすべてのスキーヤーに
パウダーいっぱいのハートを世界に開いてくれるすべての人に
そんな毎日を輝かせ、滑りを良くしてくれるブーツとスキーに捧げる
私たちとの距離を縮め、大切なものを思い出させてくれる冒険に
私たちは、ともに仲間と親睦を深め
私たちは常にハードルを上げ
私たちは私たちのやり方でプレーしよう

NORDICA
LET'S SKI



Ski boots

Closure Systems.

あなたが望むフィット感
あなたにふさわしいホールドを

Buckles

的確なホールド
高性能なパフォーマンス
時代を超えた安心感

BOA® Fit System

象徴的なデザイン
0.25mm幅の調整力
新時代のフィット感

Memory Wiring

的確なホールド
早く簡単
軽量



Dobermann 5



Word Cup / Dobermann 93mm

Dobermann 5 RD-93 Extra Stiff

NEW
050A06 01 100 - black



soles
Not replaceable -
Alpine DIN 5355
last (mm) flex
93 150-130
size range
22,5-29,5
g/MP 26,5
2450
liner type/style
Heel Link Laced Race
Fit
technologies
Dynamic Booster Stiff
Double Setting
Quick Spoiler
4 buckles RD Micro
※リフターパーツ別売

Dobermann 5 RD-93 Stiff

NEW
050A08 01 100 - black



soles
Not replaceable -
Alpine DIN 5355
last (mm) flex
93 140-120
size range
22,5-29,5
g/MP 26,5
2450
liner type/style
Heel Link Laced Race
Fit
technologies
Dynamic Booster Stiff
Double Setting
Quick Spoiler
4 buckles RD Micro
※リフターパーツ別売

Dobermann 5 RD-93 Medium

NEW
050A10 01 100 - black



soles
Not replaceable -
Alpine DIN 5355
last (mm) flex
93 120-100
size range
22,5-29,5
g/MP 26,5
2450
liner type/style
Heel Link Laced Race
Fit
technologies
Dynamic Booster
Med
Double Setting
Quick Spoiler
4 buckles RD Micro
※リフターパーツ別売

Dobermann 5 RD-93 Soft L.C.

NEW
050A12 01 100 - black



soles
Not replaceable -
Alpine DIN 5355
last (mm) flex
93 110-90
size range
22,5-27,5
g/MP 24,5
2060
liner type/style
Heel Link Laced Race
Fit
L.C.
technologies
Dynamic Booster
Med
Double Setting
Quick Spoiler
4 buckles RD Micro
Alu

Race – On Piste / Dobermann 96mm

Dobermann 5-96 Stiff

NEW
050A20 01 100 - black



soles
Not replaceable -
Alpine DIN 5355
last (mm) flex
96 140-120
size range
22,5-29,5
g/MP 26,5
2310
liner type/style
Heel Link DB 5 Race laced
technologies
Dynamic Booster Med
Double setting
Quick Spoiler
4 Buckles Micro Alu
screwed
※リフターパーツ別売



Dobermann 5-96 Medium

NEW
050A22 01 100 - black



soles
Not replaceable -
Alpine DIN 5355
last (mm) flex
96 120-100
size range
22,5-29,5
g/MP 26,5
2310
liner type/style
Heel Link DB 5 Race laced
technologies
Dynamic Booster Med
Double setting
Quick Spoiler
4 Buckles Micro Alu
screwed
※リフターパーツ別売

Dobermann 5-96 L.C. Medium

NEW
050A24 01 100 - black



soles
Not replaceable -
Alpine DIN 5355
last (mm) flex
96 110-90
size range
21,5-27,5
g/MP 24,5
2060
liner type/style
Dobermann 5 Race
laced L.C.
technologies
Strap 45mm
Quick set Spoiler
4 Buckles Micro Alu
screwed

Dobermann 5-96 Soft L.C.

NEW
050A28 01 100 - black



soles
Not replaceable -
Alpine DIN 5355
last (mm) flex
96 90-70
size range
21,5-27,5
g/MP 24,5
2060
liner type/style
Dobermann 5 Race
laced L.C.
technologies
Strap 45mm
Quick set Spoiler
4 Buckles Micro Alu
screwed



All Mountain / High Performance / Promachine

98mm

Promachine 130 GW

CARRY FORWARD
050F42 04 7T1 - black / anthracite / red



soles
Michelin® Gripwalk® soles

last (mm)	flex
98	130

size range
22,5-30,5

g / MP 26,5
1870

liner type/style
Isotherm 3D Cork Fit R

laced & adjustable tongue

technologies
Infrared
Tri-Fit Technology
Dynamic Booster med
Tri Force Construction
Easy Entry Soft Flap

Promachine 120 GW

CARRY FORWARD
050F44 03 688 - grey / black / red



soles
Gripwalk® soles

last (mm)	flex
98	120

size range
24,0-30,5

g / MP 26,5
1830

liner type/style
Isotherm 3D
Cork Fit Primaloft®

technologies
Infrared
Tri-Fit Technology
45mm Power
Driver Strap
Tri Force
Construction
Easy Entry Soft Flap



Promachine 115w GW

CARRY FORWARD
050F46 04 6R5 - black / green / white



soles
Michelin® Gripwalk® soles

last (mm)	flex
98	115

size range
22,0-27,5

g / MP 24,5
1690

liner type/style
Isotherm 3D Cork Fit
W Primaloft®

technologies
Infrared
Tri-Fit Technology
Dynamic Booster med
Tri Force Construction
Easy Entry Soft Flap

Promachine 105w GW

CARRY FORWARD
050F48 03 9F7 - white / light blue / black



soles
Gripwalk® soles

last (mm)	flex
98	105

size range
22,0-27,5

g / MP 24,5
1670

liner type/style
Isotherm 3D Cork Fit
W Primaloft®

technologies
Infrared
Tri-Fit Technology
35mm Power
Driver Strap
Tri Force
Construction
Easy Entry Soft Flap

Promachine 110 GW

CARRY FORWARD
050F50 03 7T1 - black / anthracite / red



soles
Gripwalk® soles

last (mm)	flex
98	110

size range
24,0-30,5

g / MP 26,5
1810

liner type/style
Isotherm 3D
Primaloft®

technologies
Infrared
Tri-Fit Technology
45mm Strap
Tri Force
Construction
Easy Entry Soft Flap

Promachine 100 GW

CARRY FORWARD
050F53 03 4F1 - anthracite / grey / red



soles
Gripwalk® soles

last (mm)	flex
98	100

size range
24,0-30,5

g / MP 26,5
1810

liner type/style
Isotherm 3D
Primaloft®

technologies
Infrared
Tri-Fit Technology
45mm Strap
Tri Force
Construction
Easy Entry Soft Flap

Promachine 90 GW

CARRY FORWARD
050F70 03 7T1 - black / anthracite / red



soles
Gripwalk® soles

last (mm)	flex
98	90

size range
22,0-28,5

g / MP 24,5
1630

liner type/style
Isotherm 3D
Primaloft®

technologies
Tri-Fit Technology
35mm Strap
Tri Force
Construction
Easy Entry Soft Flap

Promachine 95w GW

CARRY FORWARD
050F52 03 798 - black / light blue / white



soles
Gripwalk® soles

last (mm)	flex
98	95

size range
22,0-27,5

g / MP 24,5
1650

liner type/style
Isotherm 3D W
Primaloft®

technologies
Infrared
Tri-Fit Technology
Strap 35mm
Tri Force
Construction
Easy Entry Soft Flap

Promachine 85w GW

CARRY FORWARD
050F54 03 4F2 - black / avio / white



soles
Gripwalk® soles

last (mm)	flex
98	85

size range
22,0-27,5

g / MP 24,5
1630

liner type/style
Isotherm 3D W
Primaloft®

technologies
Infrared
Tri-Fit Technology
Strap 35mm
Tri Force
Construction
Easy Entry Soft Flap



The BOA® Fit System

Single Dial SHELL WRAP

BOA®フィット・システムは、マイクロアジャスト可能な多方向の精密フィットを実現し、プレッシャーポイントを均一化すると同時に、ヒールをロックしてパワー伝達とエッジ・トゥ・エッジ・コントロールを向上させている。BOA®は、最も過酷なコンディションで性能を発揮するよう設計され、保証されている。

新登場のSPORTMACHINE 3 BOA® は、マシーンブーツの中で最も生産量の多いモデルで、マイクロアジャストBOA® フィットシステムをシェルに内蔵し、操作性、フィット感、スキー性能を向上させている。シェルとライナーは完全にBOAブーツ用に再設計され、Machineシリーズの精度とワイドなシャーシはそのままに、より高いサポート性と快適性を提供するが可能になった。この組み合わせにより、スキー中の究極のパワー伝達、コントロール性、快適性を実現し、足を包み込むような安定したフィット感を生み出している。



Single Dial CUFF WRAP

アッパーボアはH+i1を採用したBOA®フィットシステム。アルペンスキー、エキスパートプレーヤーに特化して設計されており、マイクロアジャスト可能な多方向からの精密なフィット感で、下腿の圧迫ポイントを均一に包み込みます。

よりアグレッシブなスキー操作を楽しめる。

Dual Dial SHELL + CUFF WRAP

BOA®デュアル・ダイヤル・フィット・システムは、マイクロアジャスト可能で、多方向、ゾーン状の精密なフィットを実現し、プレッシャーポイントを均一化すると同時に、優れたパワー伝達とエッジ・トゥ・エッジ・コントロールを実現するためにヒールをロックする。BOA®は、最もタフなコンディションで性能を発揮するよう設計され、保証されている。

スピードマシンのデュアルダイヤル受賞歴のあるTri-ForceシェルテクノロジーとBOA®デュアルダイヤルフィットシステムを組み合わせ、戦略的な統合と配置により、Speedmachine 3の包み込むようなフィット感とパフォーマンスを増幅させました。デュアルダイヤルBOA®は、優れたヒールホールド、サポート力、均一なフィット感を実現し、コントロールされたパワー伝達とエッジからエッジへのコントロールを可能にする。



BOA® POWERED ALPINE BOOTS ADVANTAGE ボアブーツの利点

BOA® Fit System Benefits	Traditional Buckles	Single Dial Cuff Wrap	Single Dial Shell Wrap	Dual Dial Shell + Cuff Wrap
マイクロアジャスタブル、多方向、ゾーン・プレジジョン・フィット 適応性、均一性、安全性 – プレッシャーポイントの軽減	●●	●●	●●	●●●
優れた運動性能 ヒールホールドの向上により、パワー伝達とエッジ間のコントロールを実現	●	●	●●	●●●
迅速、的確なフィット	●	●●*	●●*	●●●
過酷な条件下での性能を発揮 – シチュエーションとアクティブ	●●	●●●	●●●	●●●
品質と耐久性 – 製品寿命まで保証（BOAパーツ）	-	●●●	●●●	●●●

* バックルとBOA®の組み合わせ

THE BOA® FIT SYSTEM COMPONENTS



H+i1 DIAL PLATFORM

ギア式のH+i1システムは、最適なパワーと正確な多方向調整を実現し、ブーツのフィットを楽に締めたり緩めたりできる。革新的なバヨネットとカートリッジのデザインは、最高の耐久性を保証する。



LACE

この超強力で軽量なレースワイヤーは、100本以上のステンレスを巧みに組み合わせ、柔軟性を最大限に高め、250kg以上の引張強度を実現している。



LACE GUIDES

低摩擦のガイドがシューレースのテンションを安定させ、1人ひとり違いのある脚と足の形に最適に適應する均一なラッピングをサポートする。



RELEASABLE GUIDES (USED ON CUFF ONLY)

直感的なアッパーカフの着脱、取り付けを可能にし、スムーズかつ楽に出入りできる十分なスペースを生み出す。



All Mountain / High Performance / Speedmachine
100mm with BOA® Fit System

Speedmachine 3 130 S BOA® C. GW

NEW
050Q60 00 7T1 - black / anthracite / red



soles
Gripwalk® soles
last (mm) flex
99 130
size range
22,5-30,5
g / MP 26,5
1920
liner type/style
3D Cork Fit R
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Power
Driver Strap
Tri Force Construction
Easy Entry Soft Flap

Speedmachine 3 130 BOA® DD GW

NEW
050Q02 00 7T1 - black / anthracite / red



soles
Gripwalk® soles
last (mm) flex
100 130
size range
22,5-30,5
g / MP 26,5
1920
liner type/style
3D Cork Fit Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Strap
Tri Force
Construction
Easy Entry Soft Flap

Speedmachine 3 120 BOA® DD GW

NEW
050Q04 00 688 - grey / black / red



soles
Gripwalk® soles
last (mm) flex
100 120
size range
22,5-30,5
g / MP 26,5
1920
liner type/style
3D Cork Fit Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Strap
Tri Force
Construction
Easy Entry Soft Flap

Speedmachine 3 120 BOA® GW

CARRY FORWARD
050Q10 00 688 - grey / black / red



soles
Gripwalk® soles
last (mm) flex
100 120
size range
24,5-30,5
g / MP 26,5
1920
liner type/style
3D Cork Fit Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Strap
Tri Force
Construction
Easy Entry Soft Flap

Speedmachine 3 110 BOA® GW

CARRY FORWARD
050Q14 00 N96 - black / grey / red



soles
Gripwalk® soles
last (mm) flex
100 110
size range
24,5-30,5
g / MP 26,5
1910
liner type/style
3D Cork Fit Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Strap
Tri Force
Construction
Easy Entry Soft Flap

Speedmachine 3 100 BOA® GW

NEW
050Q20 00 243 - anthracite / black / white



soles
Gripwalk® soles
last (mm) flex
100 100
size range
22,5-30,5
g / MP 26,5
1910
liner type/style
3D Performance Fit
Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Strap
Tri Force
Construction
Easy Entry Soft Flap

All Mountain / High Performance / Speedmachine
100mm with BOA® Fit System

Speedmachine 3 115w BOA® DD GW

NEW
050Q05 00 137 - black / rose / white



soles
Gripwalk® soles
last (mm) flex
100 115
size range
22,5-27,5
g / MP 24,5
1700
liner type/style
3D Cork Fit W
Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Strap
Tri Force Construction
Easy Entry Soft Flap

Speedmachine 3 105w BOA® DD GW

NEW
050Q06 00 4F3 - green / black / aqua



soles
Gripwalk® soles
last (mm) flex
100 105
size range
22,5-27,5
g / MP 24,5
1700
liner type/style
3D Cork Fit W
Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Strap
Tri Force
Construction
Easy Entry Soft Flap

Speedmachine 3 105w BOA® GW

CARRY FORWARD
050Q11 00 4F3 - green / black / aqua



soles
Gripwalk® soles
last (mm) flex
100 105
size range
22,5-27,5
g / MP 24,5
1700
liner type/style
3D Cork Fit W
Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Strap
Tri Force
Construction
Adjustable Cuff
Profile

Speedmachine 3 95w BOA® GW

CARRY FORWARD
050Q17 00 798 - black / light blue / white



soles
Gripwalk® soles
last (mm) flex
100 95
size range
22,5-27,5
g / MP 24,5
1700
liner type/style
3D Cork Fit W
Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force
Construction
Adjustable Cuff
Profile Easy Entry Soft

Speedmachine 3 85w BOA® GW

NEW
050Q22 00 4A2 - black / white / rose



soles
Gripwalk® soles
last (mm) flex
100 85
size range
22,5-27,5
g / MP 24,5
1700
liner type/style
3D Performance Fit W
Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force
Construction
Adjustable Cuff
Profile Easy Entry Soft



All Mountain / High Performance / Speedmachine
100mm

Speedmachine 3 130 GW

CARRY FORWARD
050G14 00 7T1 - black / anthracite / red



soles
Gripwalk® soles
last (mm) flex
100 130
size range
24,0-31,0
g / MP 26,5
1920
liner type/style
3D Cork Fit Primaloft®
technologies
Infrared
Tri-Fit Technology
45mm Power
Driver Strap
Tri Force
Construction
Easy Entry Soft Flap

Speedmachine 3 120 GW

CARRY FORWARD
050G18 00 688 - grey / black / red



soles
Gripwalk® soles
last (mm) flex
100 120
size range
24,0-31,0
g / MP 26,5
1910
liner type/style
3D Cork Fit Primaloft®
technologies
Infrared
Tri-Fit Technology
45mm Strap
Tri Force
Construction
Easy Entry Soft Flap

Speedmachine 3 110 GW

CARRY FORWARD
050G22 00 N96 - black / grey / red



soles
Gripwalk® soles
last (mm) flex
100 110
size range
24,0-31,0
g / MP 26,5
1910
liner type/style
3D Cork Fit Primaloft®
technologies
Infrared
Tri-Fit Technology
45mm Strap
Tri Force
Construction
Easy Entry Soft Flap

Speedmachine 3 100 GW

CARRY FORWARD
050G26 00 243 - anthracite / black / white



soles
Gripwalk® soles
last (mm) flex
100 100
size range
24,0-31,0
g / MP 26,5
1910
liner type/style
3D Performance Fit
Primaloft®
technologies
Infrared
Tri-Fit Technology
45mm Strap
Tri Force
Construction
Easy Entry Soft Flap



All Mountain / High Performance / Speedmachine
100mm

Speedmachine 3 105w GW

CARRY FORWARD
050G19 00 4F3 - green / black / aqua



soles
Gripwalk® soles
last (mm) flex
100 105
size range
22,0-27,5
g / MP 24,5
1700
liner type/style
3D Cork Fit W
Primaloft®
technologies
Infrared
Tri-Fit Technology
35mm Strap
Tri Force
Construction
Adjustable Cuff
Profile Easy Entry Soft
Flap

Speedmachine 3 95w GW

CARRY FORWARD
050G23 00 798 - black / light blue / white



soles
Gripwalk® soles
last (mm) flex
100 95
size range
22,0-27,5
g / MP 24,5
1700
liner type/style
3D Cork Fit W
Primaloft®
technologies
Infrared
Tri-Fit Technology
35mm Strap
Tri Force
Construction
Adjustable Cuff
Profile Easy Entry Soft
Flap

Speedmachine 3 85w GW

CARRY FORWARD
050G27 00 4A2 - black / white / rose



soles
Gripwalk® soles
last (mm) flex
100 85
size range
22,0-27,5
g / MP 24,5
1700
liner type/style
3D Performance Fit W
Primaloft®
technologies
Infrared
Tri-Fit Technology
35mm Strap
Tri Force
Construction
Adjustable Cuff
Profile Easy Entry Soft
Flap



All Mountain / High Performance / Sportmachine
102mm with BOA® Fit System

Sportmachine 3 130 BOA® GW

NEW
050S10 00 M99 - anthracite / black / red



soles
Gripwalk® soles
last (mm) flex
102 130
size range
24,5-32,5
g/MP 26,5
1980
liner type/style
3D Cork Fit Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 120 BOA® GW

NEW
050S14 00 N96 - black / grey / red



soles
Gripwalk® soles
last (mm) flex
102 120
size range
24,5-32,5
g/MP 26,5
1980
liner type/style
3D Cork Fit Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 110 BOA® GW

NEW
050S18 00 4A5 - black / avio / red



soles
Gripwalk® soles
last (mm) flex
102 110
size range
24,5-32,5
g/MP 26,5
1970
liner type/style
3D Performance Fit
Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile

Sportmachine 3 100 BOA® GW

NEW
050S22 00 4R4 - green / black / red



soles
Gripwalk® soles
last (mm) flex
102 100
size range
24,5-32,5
g/MP 26,5
1900
liner type/style
Precision Fit
Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile

All Mountain / High Performance / Sportmachine
102mm

Sportmachine 3 110 GW

NEW
050T06 01 4A5 - black / avio / red



soles
Gripwalk® soles
last (mm) flex
102 110
size range
24,0-32,5
g/MP 26,5
1970
liner type/style
3D Performance Fit
Primaloft®
technologies
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 100 GW

NEW
050T10 01 4R4 - green / black / red



soles
Gripwalk® soles
last (mm) flex
102 100
size range
24,0-32,5
g/MP 26,5
1900
liner type/style
Precision Fit
Primaloft®
technologies
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 90

NEW
050T14 01 4N3 - black / anthracite / grey



soles
5355 Alpine High
Traction soles
last (mm) flex
102 90
size range
24,0-32,5
g/MP 26,5
1700
liner type/style
Comfort Fit
Primaloft®
technologies
Tri Force Construction
35mm Strap
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 80

NEW
050T18 01 M99 - anthracite / black / red



soles
5355 Alpine High
Traction soles
last (mm) flex
102 80
size range
24,0-32,5
g/MP 26,5
1700
liner type/style
Comfort Fit
technologies
Tri Force Construction
35mm Strap
Easy Entry Soft Flap

Sportmachine 3 105w BOA® GW

NEW
050S16 00 798 - black / light blue / white



soles
Gripwalk® soles
last (mm) flex
102 105
size range
22,5-27,5
g/MP 24,5
1780
liner type/style
3D Cork Fit W
Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 95w BOA® GW

NEW
050S20 00 4N1 - black / irid purple / white



soles
Gripwalk® soles
last (mm) flex
102 95
size range
22,5-27,5
g/MP 24,5
1780
liner type/style
3D Performance Fit W
Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile

Sportmachine 3 85w BOA® GW

NEW
050S24 00 4N2 - bronze / black / rose



soles
Gripwalk® soles
last (mm) flex
102 85
size range
22,5-27,5
g/MP 24,5
1780
liner type/style
Precision Fit W
Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile

Sportmachine 3 95w GW

NEW
050T07 01 4N1 - black / irid purple / white



soles
Gripwalk® soles
last (mm) flex
102 95
size range
22,5-27,5
g/MP 24,5
1780
liner type/style
3D Performance Fit W
Primaloft®
technologies
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 85w GW

NEW
050T11 01 4N2 - bronze / black / rose



soles
Gripwalk® soles
last (mm) flex
102 85
size range
22,5-27,5
g/MP 24,5
1780
liner type/style
Precision Fit W
Primaloft®
technologies
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 75w

NEW
050T15 01 4M9 - black / grey / blue



soles
5355 Alpine High
Traction soles
last (mm) flex
102 75
size range
22,5-27,5
g/MP 24,5
1580
liner type/style
Comfort Fit W
Primaloft®
technologies
Tri Force Construction
35mm Strap
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 65w

NEW
050T19 01 4N4 - black / anthracite / mauve



soles
5355 Alpine High
Traction soles
last (mm) flex
102 65
size range
22,5-27,5
g/MP 24,5
1580
liner type/style
Comfort Fit W
technologies
Tri Force Construction
35mm Strap
Easy Entry Soft Flap

The All-Mountain Adventure.



All Mountain / Touring / Unlimited

99mm

Unlimited LT DYN

NEW
050P30 01 4N6 - blue / black / copper



soles
Gripwalk® Michelin® +
Dynafit® inserts
last (mm) flex
99 130
size range
22,5-30,5
g / MP 26,5
1480
liner type/style
3D Light Performance
Fit TF Primaloft®
technologies
Infrared
Tri-Fit Technology
Hike Mechanism
50mm Power Strap +
quick release
Tri Force Construction
Memory wiring

Unlimited 130 DYN

NEW
050P34 00 4N8 - black / sand / copper



soles
Gripwalk® PU +
Dynafit® inserts
last (mm) flex
99 130
size range
22,5-30,5
g / MP 26,5
1680
liner type/style
3D Cork Fit Primaloft®
Light
technologies
Infrared
Tri-Fit Technology
Hike Mechanism
50mm Power Strap +
quick release
Tri Force Construction
Memory wiring

Unlimited 120 DYN

NEW
050P36 00 4N9 - sand / black / copper



soles
Gripwalk® PU +
Dynafit® inserts
last (mm) flex
99 120
size range
22,5-30,5
g / MP 26,5
1680
liner type/style
3D Cork Fit Primaloft®
Light
technologies
Infrared
Tri-Fit Technology
Hike Mechanism
50mm Power Strap +
quick release
Tri Force Construction
Memory wiring

Unlimited 105w DYN

NEW
050P37 00 3V4 - black / blue / light blue



soles
Gripwalk® PU +
Dynafit® inserts
last (mm) flex
99 105
size range
22,5-27,5
g / MP 24,5
1530
liner type/style
3D Cork Fit W
Primaloft® Light
technologies
Infrared
Tri-Fit Technology
Hike Mechanism
45mm Power Strap
Tri Force
Construction

Unlimited 95w DYN

NEW
050P39 00 4N5 - sand / black / light blue



soles
Gripwalk® PU +
Dynafit® inserts
last (mm) flex
99 95
size range
22,5-27,5
g / MP 24,5
1530
liner type/style
3D Cork Fit W
Primaloft® Light
technologies
Infrared
Tri-Fit Technology
Hike Mechanism
45mm Power Strap
Tri Force
Construction



HF family.

Entry Reimagined.



HF Pro.

Comfort meets precision.

HF PRO リアエントリーコレクションは、快適性と利便性の最高峰ブーツとなりました。足の形にぴったりフィットする使いやすいハンズフリーシステムで、脱ぎ履きが楽々に。洗練されたモダンなデザインのブーツは、スキーヤーが求めるコントロール性と信頼性を高めてくれます。HFプロ・コレクションは、揺るぎないコントロール力と信頼感、そして他にない快適性をスキーヤーにお届けします。この素敵な魔法のようなブーツで笑顔の絶えない滑りをお楽しみください。

Closure System

ブーツを履く動作が驚くほど簡単なHF PRO、クロージャー・システムは、安定性とコントロール性を高め、利便性を最大限に引き出します

- ・着脱と調整が極めて簡単
- ・コントロール性とレスポンス反応が高い

Adjustable Cable

HF PRO、クロージャー・システムは、さまざまな足や下腿の形状にフィットするよう、簡単に調整できます

- ・個々の足形にフィット感を生み出す
- ・パフォーマンスと快適さを実現

XL Wiring Cable Buckle

HF Proのマイクロ・フィット・ダイヤルは、ブーツのフィット感を微調整することができます

- ・正確で自分に合ったフィット感
- ・バックルセットすれことさえ忘れる便利さ

ACP

HF PROのアジャスタブル・カフ・プロファイルは、ふくらはぎのボリュームが多いスキーヤー向けで、ブーツのアップーカフの外周を最大8MM上げることができます

- ・究極のフィット感を簡単に実現
- ・パフォーマンスと快適性を向上



All Mountain / Premium Comfort / HF Pro
100mm

HF Pro 130 GW

CARRY FORWARD
050J06 00 7T1 - black / anthracite / red



soles
Gripwalk® soles
last (mm) flex
100 130
size range
24,5-30,5
g / MP 26,5
1780
liner type/style
3D Cork Fit Primaloft®
technologies
Infrared
Double Axis Pivot
45mm Strap
Hands Free
Step In & Out
Monolock Buckle
Memory wiring
closure

HF Pro 110 GW

CARRY FORWARD
050J10 00 688 - grey / black / red



soles
Gripwalk® soles
last (mm) flex
100 110
size range
24,5-30,5
g / MP 26,5
1780
liner type/style
3D Performance Fit
Primaloft®
technologies
Infrared
Double Axis Pivot
35mm Strap
Hands Free
Step In & Out
Monolock Buckle
Memory wiring
closure

HF Pro 105w GW

CARRY FORWARD
050J11 00 P36 - light blue / white / green



soles
Gripwalk® soles
last (mm) flex
100 105
size range
22,5-27,5
g / MP 25,5
1750
liner type/style
3D Cork Fit W
Primaloft®
technologies
Infrared
Double Axis Pivot
45mm Strap
Hands Free
Step In & Out
Monolock Buckle
Memory wiring
closure

HF Pro 95w GW

CARRY FORWARD
050J13 00 R86 - green / black / white



soles
Gripwalk® soles
last (mm) flex
100 95
size range
22,5-27,5
g / MP 25,5
1750
liner type/style
3D Performance Fit W
Primaloft®
technologies
Infrared
Double Axis Pivot
45mm Strap
Hands Free
Step In & Out
Monolock Buckle
Memory wiring
closure



All Mountain / Premium Comfort / HF
102mm

HF 120 GW

CARRY FORWARD
050K06 01 M99 - anthracite / black / red



soles
Gripwalk® soles
last (mm) flex
102 120
size range
23,0-31,0
g / MP 26,5
1900
liner type/style
HF 3D Cork Fit
Primaloft®
technologies
Infrared
Instep Volume Control
Double Axis Pivot
45mm Power
Driver Strap
Hands Free
Step In & Out
Monolock Buckle

HF 110 GW

CARRY FORWARD
050K12 01 7T1 - black / anthracite / red



soles
Gripwalk® soles
last (mm) flex
102 110
size range
23,0-31,0
g / MP 26,5
1760
liner type/style
HF 3D Cork Fit
Primaloft®
technologies
Infrared
Instep Volume
Control Double Axis
Pivot
Hands Free
Step In & Out
Monolock Buckle

HF 100

CARRY FORWARD
050K18 01 2T5 - grey / black / white



soles
5355 Alpine High
Traction double
density PU
last (mm) flex
102 100
size range
24,0-31,0
g / MP 26,5
1750
liner type/style
HF 3D Performance
Fit Primaloft®
technologies
Infrared
Instep Volume
Control Double Axis
Pivot
Hands Free
Step In & Out

HF 90 R GW

CARRY FORWARD
050K30 G1 4F1 - anthracite / grey / red



soles
Gripwalk® soles
last (mm) flex
102 90
size range
24,0-31,0
g / MP 26,5
1750
liner type/style
HF 3D Hygienical
Comfort Fit
technologies
Infrared
Instep Volume
Control Double Axis
Pivot
Hands Free
Step In & Out
Monolock Buckle

HF 85w GW

CARRY FORWARD
050K13 01 4F5 - black / green / aquamarine



soles
Gripwalk® soles
last (mm) flex
102 85
size range
23,0-27,5
g / MP 24,5
1750
liner type/style
HF 3D Cork Fit W
Primaloft®
technologies
Infrared
Instep Volume
Control Double Axis
Pivot
Hands Free
Step In & Out
Monolock Buckle

HF 75w

CARRY FORWARD
050K19 01 9G1 - black / bronze / white



soles
5355 Alpine High
Traction double
density PU
last (mm) flex
102 75
size range
23,0-27,5
g / MP 24,5
1580
liner type/style
HF 3D Performance
Fit W Primaloft®
technologies
Infrared
Instep Volume
Control Double Axis
Pivot
Hands Free
Step In & Out

HF 75w R GW

CARRY FORWARD
050K31 G1 4F6 - anthracite / grey / green



soles
Gripwalk® soles
last (mm) flex
102 75
size range
23,0-27,5
g / MP 24,5
1740
liner type/style
HF 3D Hygienical
Comfort Fit W
technologies
Infrared
Instep Volume
Control Double Axis
Pivot
Hands Free
Step In & Out
Monolock Buckle



All Mountain / Sport Performance / The CruiseTrend 3 / Trend 3
104mm

The Cruise 130 GW

CARRY FORWARD
050638 02 M99 - anthracite / black / red



soles
Gripwalk® soles

last (mm)	flex
104	130

size range
24,0-32,5

g / MP 26,5
1980

liner type/style
3D Cork Fit Primaloft®

technologies
Instep Volume
Control 45mm Strap
Full Alu Micro Buckles
Adjustable Cuff
Profile Easy Entry Soft Flap

The Cruise 120 GW

CARRY FORWARD
050640 02 7T1 - black / anthracite / red



soles
Gripwalk® soles

last (mm)	flex
104	120

size range
24,0-32,5

g / MP 26,5
1940

liner type/style
Performance Fit Primaloft®

technologies
Instep Volume
Control 45mm Strap
Full Alu Micro Buckles
Adjustable Cuff
Profile Easy Entry Soft Flap

The Cruise 100

CARRY FORWARD
050650 02 243 - anthracite / black / white



soles
5355 Alpine High Traction soles

last (mm)	flex
104	100

size range
24,0-32,5

g / MP 26,5
1660

liner type/style
Comfort Fit

technologies
Instep Volume
Control 35mm Strap
Full Alu Micro Buckles
Adjustable Cuff
Profile Easy Entry Soft Flap

The Cruise 80

CARRY FORWARD
050660 02 7T1 - black / anthracite / red



soles
5355 Alpine High Traction soles

last (mm)	flex
104	80

size range
24,0-32,5

g / MP 26,5
1590

liner type/style
Comfort Fit

technologies
Instep Volume
Control 35mm Strap
Full Alu Micro Buckles
Easy Entry Soft Flap

Junior

Speedmachine J4

CARRY FORWARD
050734 00 7T1 - black / anthracite / red



soles
5355 High Traction last (mm)

flex	55
------	----

size range
19,0-27,5

g / MP 23,5
1400

liner type/style
Comfort Fit

technologies
Strap 25 mm
Micro Adj Buckles

Speedmachine J3

CARRY FORWARD
050860 00 7T1 - black / anthracite / red



soles
5355 High Traction flex

45

size range
19,0-26,5

g / MP 21,5
860

liner type/style
Comfort Fit

technologies
Full Alu Buckles
Easy Entry Soft Flap
Weight Adjuster

Speedmachine J2

CARRY FORWARD
050862 00 7T1 - black / anthracite / red



soles
5355 High Traction flex

45

size range
16,5-23,5

g / MP 18,5
710

liner type/style
Comfort Fit

technologies
Full Alu Buckles
Easy Entry Soft Flap
Weight Adjuster

Speedmachine J1

CARRY FORWARD
050864 00 7T1 - black / anthracite / red



soles
5355 High Traction flex

25

size range
14,5-19,5

g / MP 16,0
680

liner type/style
Comfort Fit

technologies
Ratchet Single Buckle

Dobermann 70

NEW
050730 00 100 - black



soles
5355 High Traction

last (mm)	flex
100	70

size range
19,0-28,0

g / MP 23,5
1530

liner type/style
Comfort Fit

technologies
Strap 35 mm
Micro Adj Buckles

Trend 3 / Trend 3 W

CARRY FORWARD
050718 00 Q04 - blackgreen / green / white (Trend 3)
050719 00 7T6 - black / light blue / white (Trend 3 W)



soles
5355 Alpine High Traction soles

last (mm)	flex
104	75

size range
24,0-31,5 (Trend 3)
22,5-27,5 (Trend 3 W)

g / MP 26,5
1500

liner type/style
Comfort Fit

technologies
Instep Volume Control
35mm Strap
Full Alu Micro Buckles
Easy Entry Soft Flap

The Cruise 95w GW

CARRY FORWARD
050644 G2 6R5 - black / green / white



soles
Gripwalk® soles

last (mm)	flex
104	95

size range
22,5-27,5

g / MP 24,5
1710

liner type/style
3D Cork Fit W Primaloft®

technologies
Instep Volume
Control 35mm Strap
Full Alu Micro Buckles
Adjustable Cuff
Profile Easy Entry Soft Flap

The Cruise 75w

CARRY FORWARD
050652 02 4D1 - pearl black / white / gold



soles
5355 Alpine High Traction soles

last (mm)	flex
104	75

size range
22,5-27,5

g / MP 24,5
1550

liner type/style
Comfort Fit W Primaloft®

technologies
Instep Volume
Control 35mm Strap
Full Alu Micro Buckles
Adjustable Cuff
Profile Easy Entry Soft Flap

The Cruise 65w

CARRY FORWARD
050670 02 Q04 - black / white / green



soles
5355 Alpine High Traction soles

last (mm)	flex
104	65

size range
22,5-27,5

g / MP 24,5
1480

liner type/style
Comfort Fit W

technologies
Instep Volume
Control 35mm Strap
Full Alu Micro Buckles
Easy Entry Soft Flap

Speedmachine J4 girl

CARRY FORWARD
050736 00 3L4 - light blue / white / rose



soles
5355 High Traction last (mm)

flex	55
------	----

size range
19,0-27,5

g / MP 23,5
1400

liner type/style
Comfort Fit

technologies
Strap 25 mm
Micro Adj Buckles

Speedmachine J3 girl

CARRY FORWARD
050870 01 3L4 - light blue / white / rose



soles
5355 High Traction flex

45

size range
19,0-26,5

g / MP 21,5
860

liner type/style
Comfort Fit

technologies
Full Alu Buckles
Easy Entry Soft Flap
Weight Adjuster

Speedmachine J2 girl

CARRY FORWARD
050872 01 3L4 - light blue / white / rose



soles
5355 High Traction flex

45

size range
16,5-23,5

g / MP 18,5
710

liner type/style
Comfort Fit

technologies
Full Alu Buckles
Easy Entry Soft Flap
Weight Adjuster

Speedmachine J1 girl

CARRY FORWARD
050874 01 3L4 - light blue / white / rose



soles
5355 High Traction flex

25

size range
14,5-19,5

g / MP 16,0
680

liner type/style
Comfort Fit

technologies
Ratchet Single Buckle

Dobermann 60

NEW
050732 01 100 - black



soles
5355 High Traction

last (mm)	flex
100	60

size range
19,0-27,5

g / MP 23,5
1420

liner type/style
Comfort Fit

technologies
Strap 25 mm
Micro Adj Buckles

Skis



Double Core.

Double the Core. Double the Fun.

ダブルコアテクノロジーの開発を始めた時、世界中のスキーをここまで一変させる可能性があるかと予想していませんでした。当初、プロダクト・マネージャーのFlorian Seerが率いるノルディカ・スキー開発チームは、レディーススキーの性能を再構築することを目標としていました。ノルディカの研究開発チームは、スキーの要であるウッドコアを2層に分け、その間にエラストマーのパルスコアを埋め込むことにしました。これによって振動が緩和され、スムーズでありながらもパワフルな滑りが実現し、信頼感が高まりました。エキスパートプレーヤーから中級者まで様々なレベルのスキーが自然とレベルアップテクノロジーとなっています。


Perfect Combination

ダブルコアテクノロジーの使用を拡大し、アイコンックなモデルの性能をさらに高めて生まれ変わらせました。各モデルのデザインと構造はそれぞれのニーズに合わせて微調整されているが、これらのスキーは、楽しさを増幅させるという共通のビジョンでまとめられています。

FIND OUT MORE




Energy 2 TI DC Race Performance




- チタナル
- ウッドコア
- 〰 パルスコア(振動を抑える素材)
- ウッドコア
- チタナル

Energy TI DC Versatile Performance



- ウッドコア
- チタナル
- 〰 パルスコア(振動を抑える素材)
- ウッドコア

Energy DC Intuitive Performance



- ウッドコア
- 〰 パルスコア(振動を抑える素材)
- ウッドコア

Performance That Adapts.

THE NEW SKI EVERY DAY EVERY TIME Dobermann Multipista

ゲレンデで最も万能なカービング・スキーを目指して開発がスタート。山頂から麓まで、朝一番のリフト乗車から最終まで、コンディションにかかわらず、滑ることに質の高い同じパフォーマンスを維持、発揮しながら、すべてを1台でこなせるスキーを登場させることができました。


3年にわたる集中的な研究開発プロセスへとつながり、その結果、良いスキーと良いスキーを組み合わせ新しいシェイプを生み出しました。この新しいスキー「マルチピスタ」は、エナジー2 TI DC構造と組み合わせられ、安定性と適応性に優れたスキーに仕上がっています。抜群の汎用性を持つ「マルチピスタ」は、フレッシュなパウダーの中で弧を描くターンでも、アイスバーンをぶち抜くターンでも、同じパワーとパフォーマンスで応えてくれる1台となることでしょう。



Multi Condition Shape.

オールテレーンチップ・テールとオンピステの優れたテクノロジーと形状を融合させることで、一日中あらゆるコンディションに対応できるフロントサイド・カービング・スキーの究極のコンビネーションを生み出しました。

- マルチコンディションでの安定性
- 硬い雪面ではパワフルで正確
- 変化に富んだ地形でもスムーズな操作性



センター部分は DOBERMANN RACE ON-PISTE SHAPE を採用



トップとテール部分は ALL-TERRAIN TIP & TAIL を採用



融合された完成した MULTIGARA MULTI CONDITION



On-Piste Rocker

新しいスキー、MULTIPISTAは、2つのロッカー・プロファイルを融合させています。あらゆるオン・ステコンディションを駆け抜け、山頂から麓まで快適にスキーライディングをもたらすカービング・スキーを生み出すことに成功しました。

- 様々な斜面に対応する形状
- 究極の操作を求めたコントロール性
- 常に安定したパフォーマンス

MULTIPISTA TIP

RACE ON-PISTE TIP

MULTIPISTA TAIL

RACE ON-PISTE TAIL

Energy 2 TI Double Core

ノルディカのエネルギー2TIダブルコアは、正確なコンタクト精度とレスポンスを実現するため、2枚のウッドコアの間にパルスエラストマー層を挟み込み、それぞれのコアをチタナル層で挟んでいます。この構造はノルディカ独自のテクノロジーであり、新しいマルチテレンシェイプの組み合わせにより、ゲレンデのコンディションに関わらず、安定性とコントロール性を向上させたスキーに仕上がっています。

- ダンパーとコントロールの融合
- 変わりやすいコンディションでも安心

- チタナル
- ウッドコア
- 〰 パルスコア
- ウッドコア
- チタナル

Stability in all conditions

MULTIPISTAは、少しだけ広いトップ形状と強めのティップロッカーでデザインされており、オンピステの様々なコンディションに対応する能力を、力強く安定したフィーリングで高めている。テールはカーブ中の正確さとパワーを維持するようにデザインされており、ターンごとの加速を高めています。

- 安定性UP
- グリップ強さUP
- スピード安定感UP



締まったバーンでも快適



ナチュラルバーンでも快適

Marker TPX 13 Royal

マグネシウムボディを採用した最新ビンディングは、ロイヤルファミリーのスタイルで優れたダウンヒル性能を発揮。パワー伝達性、エネルギー吸収性、ヒール縦方向の弾力性を向上させ、快適性を高めました。グリップウォーク対応のステンレス製グライディングプレートと、後方転倒時のインテリジェント・リリース機能を備えたトリプルピボットXトウを採用。高さ調節可能なグライディングプレートは、市販されているすべてのブーツソールに対応します。アルパインソール(ISO 5355 A)、ツェリンゲソール(ISO 9523)、グリップウォークソール(ISO 23223 A)に対応。

made by **MARKER**



Race-On Piste / Dobermann

Dobermann

Dobermann GSR DC FDT



NEW
0A5422 NC 001
black / red
Comp 13 FDT

sizes
170 · 175 · 180 · 185

sidecut (by size)
113,5-69-96,5 (170-175) ·
114-69-97 (180-185)

radius (by size)
17,5 (170) ·
18,5 (175) ·
19,5 (180) ·
20,5 (185)

DIN setting
4-13 TCX

system
FDT Race Plate Pro N

ski construction
Energy 2 TI Double Core

camRock
Full Camber Profile

Dobermann SLR DC FDT



NEW
0A5426 NC 001
black / red
Comp 13 FDT

sizes
155 · 160 · 165 · 170

sidecut (by size)
119-69-103 (155-160) ·
120-69-104 (165-170)

radius (by size)
11,5 (155) ·
12,5 (160) ·
13 (165) ·
14 (170)

DIN setting
4-13 TCX

system
FDT Race Plate Pro N

ski construction
Energy 2 TI Double Core

camRock
Full Camber Profile

Race-On Piste / Dobermann

Multigara

Dobermann Multigara DC Race



NEW
0A5420 MB 001
black / white
Comp 14 GW

sizes
170 · 175 · 180

sidecut (by size)
121-70-101 (170-175) ·
122-70-102 (180)

radius (by size)
15 (170) ·
16 (175) ·
16,6 (180)

DIN setting
5-14 TCX

system
Race Plate Pro N

ski construction
Energy 2 TI Double Core

camRock
Full Camber Profile

Dobermann Multigara DC FDT



NEW
0A5423 NC 001
black / white
Comp 13 FDT

sizes
160 · 165 · 170 · 175 · 180

sidecut (by size)
118,5-70-98,5 (160) ·
119-70-99 (165) ·
121-70-101 (170-775) ·
122-70-102 (180)

radius (by size)
14 (160) ·
14,8 (165) ·
15 (170) ·
16 (175) ·
16,6 (180)

DIN setting
4-13 TCX

system
FDT Race Plate Pro N

ski construction
Energy 2 TI Double Core

camRock
Full Camber Profile

Race-On Piste / Dobermann

Multigara

Dobermann Multigara DC FDT



NEW
0A5424 NC 001
grey / black
Comp 13 FDT

sizes
160 · 165 · 170 · 175 · 180

sidecut (by size)
118,5-70-98,5 (160) ·
119-70-99 (165) ·
121-70-101 (170-775) ·
122-70-102 (180)

radius (by size)
14 (160) ·
14,8 (165) ·
15 (170) ·
16 (175) ·
16,6 (180)

DIN setting
4-13 TCX

system
FDT Race Plate Pro N

ski construction
Energy 2 TI Double Core

camRock
Full Camber Profile

Multipista

Dobermann Multipista DC FDT



NEW
0A5425 NA 001
blue / white
TPX 13 Royal FDT

sizes
160 · 165 · 170 · 175 · 180 ·
185

sidecut (by size)
117-74-95 (160) ·
118-74-96 (165) ·
119-74-97 (170-175) ·
120-74-98 (180) ·
121-74-99 (185)

radius (by size)
14 (160) ·
14,5 (165) ·
15 (170) ·
15,5 (175) ·
16 (180) ·
16,5 (185)

DIN setting
4-13 Royal

system
FDT Race Plate Pro N

ski construction
Energy 2 TI Double Core

camRock

Multi Condition Shape

Top & Tail
On Piste Rocker

Center
Camber

On Piste / Performance / Belle

Belle SL DC FDT



NEW
RENTAL READY
0A5437 NE 001
grey / black
TPX 12 FDT

sizes
150 · 155 · 160 · 165

sidecut (by size)
118-69-102 (150) ·
119-69-103 (155-160) ·
120-69-104 (165)

radius (by size)
11 (150) ·
11,5 (155) ·
12,5 (160) ·
13 (165)

DIN setting
4-12 TC

system
FDT Race Plate N

ski construction
Energy Ti Double Core

camRock
Full Camber Profile

Belle SL DC FDT



NEW
0A5438 NE 001
black / silver
TPX 12 FDT

sizes
150 · 155 · 160 · 165

sidecut (by size)
118-69-102 (150) ·
119-69-103 (155-160) ·
120-69-104 (165)

radius (by size)
11 (150) ·
11,5 (155) ·
12,5 (160) ·
13 (165)

DIN setting
4-12 TC

system
FDT Race Plate N

ski construction
Energy Ti Double Core

camRock
Full Camber Profile

Spitfire Double Core

NEW
0A5427 ND 001
greyblue / white
Comp 12 FDT



sizes
162 · 168 · 174 · 180
sidecut (by size)
128-80-108 (162) ·
130-80-110 (168-174-180)

NEW
0A5428 ND 001
greyblue / white
Comp 12 FDT



sizes
160 · 165 · 170 · 175 · 180
sidecut (by size)
121,5-74-101,5 (160) ·
122-74-102 (165) ·
124-74-104 (170-175) ·

NEW
0A5429 ND 001
greyblue / white
Comp 12 FDT



sizes
160 · 165 · 170 · 175 · 180
sidecut (by size)
116,5-68-96,5 (160) ·
117-68-97 (165) ·
119-68-99 (170-175) ·

Spitfire

NEW
0A5430 NB 001
greygreen / anthracite
TPX 12 FDT



sizes
160 · 165 · 170 · 175
sidecut (by size)
121,5-74-101,5 (160) ·
122-74-102 (165) ·
124-74-104 (170-175)

NEW
0A5431 NB 001
greygreen / anthracite
TPX 12 FDT



sizes
160 · 165 · 170 · 175
sidecut (by size)
116,5-68-96,5 (160) ·
117-68-97 (165) ·
119-68-99 (170-175)

NEW
0A5432 OD 001
greyblue / red / silver
TP2 Light 11 FDT



sizes
150 · 156 · 162 · 168 · 174
sidecut (by size)
116-70-96 (150) ·
118-70-98 (156)
119-71-99 (162-168) ·

NEW
0A5433 SA 001
greygreen / red / silver
TP2 Compact 10 FDT



sizes
150 · 156 · 162 · 168 · 174
sidecut (by size)
116-70-96 (150) ·
118-70-98 (156)
119-71-99 (162-168) ·

All Mountain / Performance / Spitfire

Spitfire

Spitfire 75 FDT



NEW
0A5434 SA 001
greyblue / white
TP2 Compact 10 FDT

sizes
144 · 150 · 156 · 162 · 168 · 174

sidecut (by size)
123-75-103 (144-150) ·
124-75-104 (156-162) ·
125-75-105 (168-174)

radius (by size)
11 (144) ·
12 (150) ·
12,5 (156) ·
13,5 (162) ·
14,5 (168) ·
15,5 (174)

DIN setting
3-10 ML

system
FDT Demo Plate

ski construction
Composite Wood Partial SW

camRock
On Piste Profile

Spitfire 73 FDT



NEW
0A5435 SA 001
greygreen / white
TP2 Compact 10 FDT

sizes
144 · 150 · 156 · 162 · 168 · 174

sidecut (by size)
119-73-96 (144) ·
121-73-98 (150) ·
122,5-73-100 (156) ·
123,5-73-101 (162) ·
124-73-101 (168) ·
124,5-73-102 (174)

radius (by size)
12 (144) ·
12,5 (150) ·
13 (156) ·
13,7 (162) ·
14,6 (168) ·
15,5 (174)

DIN setting
3-10 ML

system
FDT Demo Plate

ski construction
Composite Wood

camRock
On Piste Profile



Wild Belle DC 84



NEW
0A5440 NF 001
black / blue
TP2 Light 11 FDT

sizes
144 · 150 · 156 · 162 · 168

sidecut (by size)
130-84-109 (144) ·
131-84-110 (150) ·
132-84-111 (156) ·
133-84-112 (162) ·
134-84-113 (168)

radius (by size)
11,5 (144) ·
12,2 (150) ·
12,8 (156) ·
13,7 (162) ·
14,5 (168)

DIN setting
3-11 TC

system
FDT HP Free
Demo Plate Short

ski construction
Double Core CA

camRock
On Piste Rocker Profile

Belle DC 78



NEW
0A5441 NG 001
black / gold
TP2 Light 11 FDT

sizes
138 · 144 · 150 · 156 · 162 · 168

sidecut (by size)
123-78-102 (138) ·
124-78-103 (144) ·
125-78-104 (150) ·
126-78-105 (156) ·
127-78-106 (162) ·
128-78-107 (168)

radius (by size)
10,7 (138) ·
11,5 (144) ·
12,2 (150) ·
12,8 (156) ·
13,7 (162) ·
14,5 (168)

DIN setting
3-11 TC

system
FDT HP Free
Demo Plate Short

ski construction
Double Core CA

camRock
On Piste Rocker Profile

Belle DC 72



NEW
0A5441 NG 001
black / gold
TP2 Light 11 FDT

sizes
138 · 144 · 150 · 156 · 162 · 168

sidecut (by size)
117-72-96 (138) ·
118-72-97 (144) ·
119-72-98 (150) ·
120-72-99 (156) ·
121-72-100 (162) ·
122-72-101 (168)

radius (by size)
10,7 (138) ·
11,5 (144) ·
12,2 (150) ·
12,8 (156) ·
13,7 (162) ·
14,5 (168)

DIN setting
3-11 TC

system
FDT HP Free
Demo Plate Short

ski construction
Double Core CA

camRock

All Mountain / Performance / Belle

Wild Belle 78 CA



NEW
0A5442 SA 001
black / aqua
TP2 Compact 10 FDT

sizes
138 · 144 · 150 · 156 · 162 · 168

sidecut (by size)
123-78-102 (138) ·
124-78-103 (144) ·
125-78-104 (150) ·
126-78-105 (156) ·
127-78-106 (162) ·
128-78-107 (168)

radius (by size)
10,7 (138) ·
11,5 (144) ·
12,2 (150) ·
12,8 (156) ·
13,7 (162) ·
14,5 (168)

DIN setting
3-10 ML

system
FDT Free Demo Plate Short

ski construction
Energy CA

camRock
On Piste Rocker Profile

Belle 72 CA



NEW
0A5443 SA 001
midnight blue / rainbow
TP2 Compact 10 FDT

sizes
138 · 144 · 150 · 156 · 162 · 168

sidecut (by size)
117-72-96 (138) ·
118-72-97 (144) ·
119-72-98 (150) ·
120-72-99 (156) ·
121-72-100 (162) ·
122-72-101 (168)

radius (by size)
10,7 (138) ·
11,5 (144) ·
12,2 (150) ·
12,8 (156) ·
13,7 (162) ·
14,5 (168)

DIN setting
3-10 ML

system
FDT Free Demo Plate Short

ski construction
Energy CA

camRock
On Piste Rocker Profile

Belle 75



NEW
0A5443 SA 001
teal / rainbow
TP2 Compact 10 FDT

sizes
138 · 144 · 150 · 156 · 162 · 168

sidecut (by size)
123-75-103 (138-144-150) ·
124-75-104 (156-162) ·
125-75-105 (168)

radius (by size)
10 (138) ·
11 (144) ·
12 (150) ·
12,5 (156) ·
13,5 (162) ·
14,5 (168)

DIN setting
3-10 ML

system
FDT Free Demo Plate Short

ski construction
Composite Wood Partial SW

camRock
On Piste Rocker Profile

Wild Belle 74



NEW
0A5445 SA 001
black / blue
TP2 Compact 10 FDT

sizes
138 · 144 · 150 · 156 · 162 · 168

sidecut (by size)
123-75-103 (138-144-150) ·
124-75-104 (156-162) ·
125-75-105 (168)

radius (by size)
10 (138) ·
11 (144) ·
12 (150) ·
12,5 (156) ·
13,5 (162) ·
14,5 (168)

DIN setting
3-10 ML

system
FDT Free Demo Plate Short

ski construction
Composite Wood Partial SW

camRock
On Piste Rocker Profile

Belle 73



NEW
0A5446 SA 001
white / rainbow
TP2 Compact 10 FDT

sizes
138 · 144 · 150 · 156 · 162 · 168

sidecut (by size)
117-73-94 (138) ·
119-73-96 (144) ·
121-73-98 (150) ·
122,5-73-100 (156) ·
123,5-73-101 (162) ·
124-73-101 (168)

radius (by size)
11,5 (138) ·
12 (144) ·
12,5 (150) ·
13 (156) ·
13,7 (162) ·
14,6 (168)

DIN setting
3-10 ML

system
FDT Free Demo Plate Short

ski construction
Composite Wood

camRock
On Piste Rocker Profile



Steadfast 85 DC FDT



NEW
0A5448 NB 001
greyblue / anthracite
TPX 12 FDT

sizes
162 · 168 · 174 · 179

sidecut (by size)
133-84-112 (162) ·
134-84-113 (168) ·
136-85-115 (174) ·
137-85-116 (179)

radius (by size)
13,7 (162) ·
14,5 (168) ·
15,3 (174) ·
15,8 (179)

DIN setting
4-12 TC

system
FDT HP Free Demo Plate

ski construction
Double Core TI

camRock
On Piste Rocker Profile

Steadfast 80 DC FDT



NEW
0A5449 OB 001
greygreen / anthracite
TP2 Light 11 FDT

sizes
156 · 162 · 168 · 174 · 179

sidecut (by size)
126-78-105 (156) ·
127-78-106 (162) ·
128-78-107 (168) ·
131-80-110 (174) ·
132-80-111 (179)

radius (by size)
12,8 (156) ·
13,7 (162) ·
14,5 (168) ·
15,3 (174) ·
15,8 (179)

DIN setting
3-11 TC

system
FDT Free Demo Plate

ski construction
Double Core CA

camRock
On Piste Rocker Profile

Steadfast 80 CA FDT



NEW
0A5450 SA 001
black / white
TP2 Compact 10 FDT

sizes
156 · 162 · 168 · 174 · 179

sidecut (by size)
126-78-105 (156) ·
127-78-106 (162) ·
128-78-107 (168) ·
131-80-110 (174) ·
132-80-111 (179)

radius (by size)
12,8 (156) ·
13,7 (162) ·
14,5 (168) ·
15,3 (174) ·
15,8 (179)


DIN setting
3-10 ML

system
FDT Free Demo Plate

ski construction
Energy CA

camRock
On Piste Rocker Profile

Steadfast 75 CA FDT



NEW
0A5451 SA 001
midnight blue / anthracite
TP2 Compact 10 FDT

sizes
150 · 156 · 162 · 168 · 174

sidecut (by size)
123-75-103 (150) ·
124-75-104 (156-162) ·
125-75-105 (168-174)

radius (by size)
12 (150) ·
12,5 (156) ·
13,5 (162) ·
14,5 (168) ·
15,5 (174)

DIN setting
3-10 ML

system
FDT Free Demo Plate

ski construction
Composite Wood Partial SW

camRock
On Piste Rocker Profile





Unlimited 104 flat



CARRY FORWARD
0A3574 00 001
blue / grey

sizes
158 · 165 · 172 · 179 · 186 · 191

sidecut (by size)
132-104-121 (158) ·
133-104-122 (165) ·
134-104-123 (172) ·
134,5-104-123,5 (179) ·
135-104-124 (186-191)

radius (by size)
15,5 (158) ·
16 (165) ·
16,5 (172) ·
17,5 (179) ·
18,5 (186) ·
19,5 (191)

ski construction
Carbon SW
camRock
Powder Rocker Profile

Unlimited 94 flat



CARRY FORWARD
0A3575 00 001
red / grey

sizes
151 · 158 · 165 · 172 · 179 · 186

sidecut (by size)
124,5-93-111,5 (151) ·
125-93-112 (158) ·
125,5-94-112,5 (165) ·
126,5-94-114,5 (172) ·
127-94-115,5 (179) ·
127,5-94-115,5 (186)

radius (by size)
13,3 (151) ·
14,4 (158) ·
15,5 (165) ·
16,1 (172) ·
17,1 (179) ·
18,2 (186)

ski construction
Carbon SW
camRock
All Mountain Rocker Profile

Unlimited 94 flat



CARRY FORWARD
0A3578 00 001
violet / grey

sizes
151 · 158 · 165 · 172 · 179 · 186

sidecut (by size)
124,5-93-111,5 (151) ·
125-93-112 (158) ·
125,5-94-112,5 (165) ·
126,5-94-114,5 (172) ·
127-94-115,5 (179) ·
127,5-94-115,5 (186)

radius (by size)
13,3 (151) ·
14,4 (158) ·
15,5 (165) ·
16,1 (172) ·
17,1 (179) ·
18,2 (186)

ski construction
Carbon SW
camRock
All Mountain Rocker Profile

Unlimited 88 flat



CARRY FORWARD
0A3576 00 001
sand / grey

sizes
151 · 158 · 165 · 172 · 179

sidecut (by size)
118-88-106 (151) ·
118,5-88-106,5 (158) ·
119-88-107 (165) ·
121-88-109 (172) ·
121,5-88-109,5 (179)

radius (by size)
13 (151) ·
14 (158) ·
15 (165) ·
15,5 (172) ·
16,5 (179)

ski construction
Carbon SW
camRock
All Mountain Rocker Profile

Unlimited 88 flat



CARRY FORWARD
0A3579 00 001
aqua / grey

sizes
151 · 158 · 165 · 172 · 179

sidecut (by size)
118-88-106 (151) ·
118,5-88-106,5 (158) ·
119-88-107 (165) ·
121-88-109 (172) ·
121,5-88-109,5 (179)

radius (by size)
13 (151) ·
14 (158) ·
15 (165) ·
15,5 (172) ·
16,5 (179)

ski construction
Carbon SW
camRock
All Mountain Rocker Profile

Ski Everything, Better.

The redesigned Enforcer and Santa Ana are here.
ノルディカの仲間たちから新しい仲間へ
よりスムーズに、より反応が早い、誰もがもっと楽しくなる。
新たなオールマウンテン革命へようこそ



All Terrain / Enforcer

Enforcer 104 flat

NEW

0A5481 00 001

lime / blue / black

sizes

167 · 173 · 179 · 185 · 191

sidecut (by size)

132,5-104-122,5 (167) ·
133,5-104-122,5 (173) ·
135-104-125 (179) ·
136-104-126 (185) ·
137,5-104-127,5 (191)

radius (by size)

17,5 (167) ·
18 (173) ·
18,5 (179) ·
19 (185) ·
19,5 (191)

ski construction

Energy 2 TI

camRock

All Mountain Rocker Profile

Enforcer 99 flat

NEW

0A5482 00 001

red / blue / black

sizes

167 · 173 · 179 · 185 · 191

sidecut (by size)

129-99-117 (167) ·
131-99-119 (173) ·
132-99-120 (179) ·
133-99-121 (185) ·
134-99-122 (191)

radius (by size)

17 (167) ·
17,5 (173) ·
18 (179) ·
18,5 (185) ·
19 (191)

ski construction

Energy 2 TI

camRock

All Mountain Rocker Profile

Enforcer 94 flat

NEW

0A5483 00 001

orange / green / black

sizes

167 · 173 · 179 · 185 · 191

sidecut (by size)

125-94-113 (167) ·
126,5-94-114,5 (173) ·
127,5-94-115,5 (179) ·
128,5-94-116,5 (185) ·
130-94-118 (191)

radius (by size)

16,5 (167) ·
17 (173) ·
17,5 (179) ·
18 (185) ·
18,5 (191)

ski construction

Energy 2 TI

camRock

All Mountain Rocker Profile

Enforcer 89 flat

NEW

0A5484 00 001

grey / blue / black

sizes

167 · 173 · 179 · 185

sidecut (by size)

120-89-108 (167) ·
121,5-89-109,5 (173) ·
122,5-89-110,5 (179) ·
124-89-112 (185)

radius (by size)

16,5 (167) ·
17 (173) ·
17,5 (179) ·
18 (185)

ski construction

Energy 2 TI

camRock

All Mountain Rocker Profile

Santa Ana 102 flat



NEW
0A5485 00 001
peach / light blue / black

sizes
155 · 161 · 167 · 173 · 179

sidecut (by size)
128-102-118 (155) ·
129-102-119 (161) ·
130,5-102-120,5 (167) ·
131,5-102-121,5 (173) ·
133-102-123 (179)

radius (by size)
16,5 (155) ·
17 (161) ·
17,5 (167) ·
18 (173) ·
18,5 (179)

ski construction
Energy TI W

camRock
All Mountain Rocker Profile

Santa Ana 97 flat



NEW
0A5486 00 001
salmon / turquoise / navy

sizes
150 · 155 · 161 · 167 · 173 · 179

sidecut (by size)
124-97-112 (150) ·
125-97-113 (155) ·
126-97-114 (161) ·
127-97-115 (167) ·
129-97-117 (173) ·
130-97-118 (179)

radius (by size)
15,5 (150) ·
16 (155) ·
16,5 (161) ·
17 (167) ·
17,5 (173) ·
18 (179)

ski construction
Energy TI W

camRock
All Mountain Rocker Profile

Santa Ana 92 flat



NEW
0A5487 00 001
lavender / blue / black

sizes
150 · 155 · 161 · 167 · 173 · 179

sidecut (by size)
119,5-92-107,5 (150) ·
120,5-92-108,5 (155) ·
122-92-110 (161) ·
123-92-111 (167) ·
124,5-92-112,5 (173) ·
125,5-92-113,5 (179)

radius (by size)
15 (150) ·
15,5 (155) ·
16 (161) ·
16,5 (167) ·
17 (173) ·
17,5 (179)

ski construction
Energy TI W

camRock
All Mountain Rocker Profile

Santa Ana 87 flat



NEW
0A5488 00 001
coral / blue / black

sizes
150 · 155 · 161 · 167 · 173

sidecut (by size)
115-87-103 (150) ·
115,5-87-103,5 (155) ·
117-87-105 (161) ·
118-87-106 (167) ·
119,5-87-107,5 (173)

radius (by size)
15 (150) ·
15,5 (155) ·
16 (161) ·
16,5 (167) ·
17 (173)

ski construction
Energy TI W

camRock
All Mountain Rocker Profile

Santa Ana 82 flat



NEW
0A5489 00 001
light blue / coral / midnight

sizes
150 · 155 · 161 · 167 · 173

sidecut (by size)
112,5-82-100,5 (150) ·
113-82-101 (155) ·
114,5-82-102,5 (161) ·
116,5-83-104,5 (167) ·
117,5-83-105,5 (173)

radius (by size)
13,7 (150) ·
14,2 (155) ·
14,7 (161) ·
15,2 (167) ·
15,7 (173)

ski construction
Energy TI W

camRock
All Mountain Rocker Profile



Unleashed 120 flat



NEW
0A5491 00 001
oilslick red

sizes
180 · 190

sidecut (by size)
148,5-120-137,5 (180) ·
150-120-139 (190)

radius (by size)
21,3 (180) ·
22,3 (190)

ski construction
Energy TSM TI
camRock
Powder Rocker Profile

Unleashed 114 flat



NEW
0A5492 00 001
oilslick orange

sizes
174 · 180 · 186 · 191

sidecut (by size)
144,5-114-133,5 (174) ·
145,5-114-134,5 (180) ·
146-114-135 (186) ·
147-114-136 (191)

radius (by size)
18,8 (174) ·
19,4 (180) ·
20,4 (186) ·
21,1 (191)

ski construction
Energy TSM TI
camRock
Powder Rocker Profile

Unleashed 108 flat



NEW
0A5493 00 001
oilslick purple

sizes
162 · 168 · 174 · 180 · 186 · 191

sidecut (by size)
137,5-108-126,5 (162) ·
138,5-108-127,5 (168) ·
139,5-108-128,5 (174) ·
140,5-108-129,5 (180) ·
141-108-130 (186) ·
142-108-131 (191)

radius (by size)
16 (162) · 16,7 (168) ·
18,3 (174) · 19 (180) ·
19,7 (186) · 20,5 (191)

ski construction
Energy TSM TI
camRock
Powder Rocker Profile

Unleashed 98 flat



NEW
0A5494 00 001
oilslick turquoise


sizes
156 · 162 · 168 · 174 · 180 · 186

sidecut (by size)
129-98-118 (156) ·
130-98-119 (162) ·
131-98-120 (168) ·
132-98-121 (174) ·
133-98-122 (180) ·
134-98-123 (186)

radius (by size)
15,3 (156) · 16 (162) ·
16,7 (168) · 17,4 (174) ·
18,1 (180) · 18,8 (186)

ski construction
Energy TSM TI
camRock
Powder Rocker Profile

Unleashed 98 CA flat



NEW
0A5495 00 001
oilslick blue

sizes
156 · 162 · 168 · 174 · 180 · 186

sidecut (by size)
129-98-118 (156) ·
130-98-119 (162) ·
131-98-120 (168) ·
132-98-121 (174) ·
133-98-122 (180) ·
134-98-123 (186)

radius (by size)
15,3 (156) · 16 (162) ·
16,7 (168) · 17,4 (174) ·
18,1 (180) · 18,8 (186)

ski construction
Energy TSM TI
camRock
Powder Rocker Profile

Unleashed 90 flat



NEW
0A5510 00 001
oilslick pink

sizes
144 · 152 · 160 · 168 · 174

sidecut (by size)
120-90-109 (144) ·
121-90-110 (152) ·
122-90-111 (160) ·
123-90-112 (168) ·
124-90-113 (174)

radius (by size)
13,2 (144) · 14,3 (152) ·
15,4 (160) · 16,6 (168) ·
17,4 (174)

ski construction
Energy CA
camRock
Powder Rocker Profile

Unleashed Basesole Color





Racing



World Cup

Dobermann DH WC Dept EDT Plate



CARRY FORWARD
0A4402 00 001
black / red

sizes
212 · 218

sidecut (by size)
R&D

radius (by size)
≥50

system
Speed Plate EDT

ski construction
Energy 2 Ti Worldcup

camRock
Full Camber Profile

suggested bindings
Comp 30 - 0C511100001
Comp 20 - 0C511200001

Dobermann SG WC Dept EDT Plate



CARRY FORWARD
0A4404 00 001
black / red

sizes
185 · 195 · 202 · 205 · 212

sidecut (by size)
R&D

radius (by size)
≥30 (185) · ≥33 (195) · ≥35 (202) ·
≥40 (205) · ≥45 (212)

system
Speed Plate EDT

ski construction
Energy 2 Ti Worldcup

camRock
Full Camber Profile

suggested bindings
Comp 30 - 0C511100001
Comp 20 - 0C511200001

Dobermann GS WC Dept Plate



CARRY FORWARD
0A4406 00 001
black / red

sizes
188 · 193

sidecut (by size)
R&D

radius (by size)
≥30

system
Piston Plate

ski construction
Energy 2 Ti Worldcup

camRock
Full Camber Profile

suggested bindings
Comp 20 - 0C511200001
Comp 16 - 0C4144 00 001

Dobermann SL WC Dept Plate Dobermann SL WC Dept M Plate



CARRY FORWARD
0A4407 00 001 (Dept)
0A4409 00 001 (Dept M)

sizes
156 · 165

sidecut (by size)
R&D

radius (by size)
R&D

system
Piston Plate 14mm (Dept)
Piston Plate 10mm (Dept M)

ski construction
Energy 2 Ti Worldcup

camRock
Full Camber Profile

suggested bindings
Comp 20 - 0C511200001
Comp 16 - 0C4144 00 001

Dobermann SL WC Plate

CARRY FORWARD
0A4411 00 001
black / red

sizes
156 · 165

sidecut (by size)
R&D

radius (by size)
R&D

system
Piston Plate

ski construction
Energy 2 TI

camRock
Full Camber Profile

suggested bindings
Comp 16 - 0C4144 00 001
Comp 12 - 0C4146 00 001



Dobermann GS Race Plate

CARRY FORWARD
0A4412 00 001
black / red

sizes
173 · 178 · 183 · 188

sidecut (by size)
R&D

radius (by size)
≥21 (173) ·
≥23 (178) ·
≥23 (183) ·
≥25 (188)

system
Piston Plate

ski construction
Energy 2 TI

camRock
Full Camber Profile

suggested bindings
Comp 16 - 0C4144 00 001
Comp 12 - 0C4146 00 001



Dobermann SL Race Plate

CARRY FORWARD
0A4414 00 001
black / red

sizes
151

sidecut (by size)
112,5-65-97,5

radius (by size)
≥12

system
Piston Plate

ski construction
Energy 2 TI

camRock
Full Camber Profile

suggested bindings
Comp 16 - 0C4144 00 001
Comp 12 - 0C4146 00 001



Dobermann GSJ Plate

CARRY FORWARD
0A4416 00 001
black / red

sizes
129 · 136 · 143 · 150 ·
157 · 164 · 171

sidecut (by size)
102,5-65-84 (129) ·
103-65-84,5 (136) ·
103,5-65-85 (143) ·
104,5-65-86 (150) ·
104-65-87 (157) ·
105-65-88 (164-171)

radius (by size)
≥12 (129) ·
≥14 (136) ·
≥14 (143) ·
≥14 (150) ·
≥17 (157) ·
≥17 (164) ·
≥17 (171)

system
Junior Racing Plate New
S (136-150) · L (157-171)

ski construction
Energy 2 TI

camRock
Full Camber Profile

suggested bindings
Comp 10 TCX - 0C4148 00 001
Comp 10 - 0C4150 00 001
Comp J 8 - 0C4152 00 001



Dobermann SLJ Plate

CARRY FORWARD
0A4418 00 001
black / red

sizes
121 · 128 · 135 · 142 · 149

sidecut (by size)
104-63-89 (121) ·
106-63-89 (128) ·
109-64-89 (135) ·
111-64-89 (142) ·
112,5-65-89 (149)

radius (by size)
≥9 (121) ·
≥9 (128) ·
≥10 (135) ·
≥10 (142) ·
≥11 (149)

system
Junior Racing Plate New
S (121-135) · L (142-149)

ski construction
Energy 2 TI

camRock
Full Camber Profile

suggested bindings
Comp 10 TCX - 0C4148 00 001
Comp 10 - 0C4150 00 001



Good Performance

Good Performance / Ski Boots

Machine family with BOA® Fit System

Speedmachine 3 110 R BOA® GW

NEW
050Q30 00 M99 - anthracite / black / red



BOA DIALED IN. PRECISION FIT.

soles
Gripwalk® soles
last (mm) flex
100 110
size range
24,5-30,5
g / MP 26,5
1900
liner type/style
3D Hygienical Fit
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force
Construction
Easy Entry Soft Flap

Speedmachine 3 100 R BOA® GW

NEW
050Q34 00 7T1 - black / anthracite / red



BOA DIALED IN. PRECISION FIT.

soles
Gripwalk® soles
last (mm) flex
100 100
size range
24,5-30,5
g / MP 26,5
1900
liner type/style
Hygienical Fit
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force
Construction
Easy Entry Soft Flap

Speedmachine 3 95w R BOA® GW

NEW
050Q32 00 047 - anthracite / black / green



BOA DIALED IN. PRECISION FIT.

soles
Gripwalk® soles
last (mm) flex
100 95
size range
22,5-27,5
g / MP 24,5
1700
liner type/style
3D Hygienical Fit W
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force
Construction
Adjustable Cuff
Profile Easy Entry Soft Flap

Speedmachine 3 85w R BOA® GW

NEW
050Q36 00 Q04 - black / white / green



BOA DIALED IN. PRECISION FIT.

soles
Gripwalk® soles
last (mm) flex
100 85
size range
22,5-27,5
g / MP 24,5
1700
liner type/style
Hygienical Fit W
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force
Construction
Adjustable Cuff
Profile Easy Entry Soft Flap

Sportmachine 3 90 R BOA® GW

NEW
050S30 00 7T1 - black / anthracite / grey



BOA DIALED IN. PRECISION FIT.

soles
Gripwalk® soles
last (mm) flex
102 90
size range
24,5-32,5
g / MP 26,5
1700
liner type/style
Comfort Fit
Primaloft®
technologies
BOA® Fit System
35mm Strap
Tri Force
Construction
Adjustable Cuff
Profile Easy Entry Soft Flap

Sportmachine 3 75w R BOA® GW

NEW
050S32 00 3A9 - black / anthracite / rose



BOA DIALED IN. PRECISION FIT.

soles
Gripwalk® soles
last (mm) flex
102 75
size range
22,5-27,5
g / MP 24,5
1580
liner type/style
Comfort Fit W
Primaloft®
technologies
BOA® Fit System
35mm Strap
Tri Force
Construction
Adjustable Cuff
Profile Easy Entry Soft Flap

Good Performance / Ski Boots

HF Pro & HF

HF Pro 110 R GW

CARRY FORWARD
050J20 00 7T1 - black / grey / red



soles
Gripwalk® soles

last (mm)	flex
100	110

size range
22,5-30,5

g / MP 26,5
1780

liner type/style
HF 3D Hygienical
Comfort Fit

technologies
Infrared
Double Axis Pivot
35mm Strap
Hands Free
Step In & Out
Monolock Buckle

HF Pro 85w R GW

CARRY FORWARD
050J21 00 731 - black / anthracite / green



soles
Gripwalk® soles

last (mm)	flex
100	85

size range
22,5-27,5

g / MP 24,5
1750

liner type/style
HF 3D Hygienical
Comfort Fit W

technologies
Infrared
Double Axis Pivot
35mm Strap
Hands Free
Step In & Out
Monolock Buckle

HF 90 R GW

CARRY FORWARD
050K30 G1 4F1 - anthracite / grey / red



soles
Gripwalk® soles

last (mm)	flex
102	90

size range
24,0-31,0

g / MP 26,5
1750

liner type/style
HF 3D Hygienical
Comfort Fit

technologies
Infrared
Instep Volume
Control Double Axis
Pivot
Hands Free
Step In & Out
Monolock Buckle

HF 75w R GW

CARRY FORWARD
050K31 G1 4F6 - anthracite / grey / green



soles
Gripwalk® soles

last (mm)	flex
102	75

size range
23,0-27,5

g / MP 24,5
1740

liner type/style
HF 3D Hygienical
Comfort Fit W

technologies
Infrared
Instep Volume
Control Double Axis
Pivot
Hands Free
Step In & Out
Monolock Buckle

The Cruise

The Cruise 90 R GW

CARRY FORWARD
050678 G2 M99 - anthracite / black / red



soles
Gripwalk® soles

last (mm)	flex
104	90

size range
24,0-32,5

g / MP 26,5
2050

liner type/style
Comfort RTL
Antibacterial

technologies
Tri-Fit Technology
Strap 35mm
Tri Force
Construction
Adjustable Cuff
Profile Easy Entry Soft
Flap
4 Buckles Micro Alu

The Cruise 75w R GW

CARRY FORWARD
050682 G2 S41 - anthracite / white / green



soles
Gripwalk® soles

last (mm)	flex
104	75

size range
22,5-27,5

g / MP 24,5
1890

liner type/style
Comfort RTL
Antibacterial

technologies
Tri-Fit Technology
Strap 35mm
Tri Force
Construction
Adjustable Cuff
Profile Easy Entry Soft
Flap
4 Buckles Micro Alu

Machine family

Speedmachine 3 100 R GW

CARRY FORWARD
050G42 G0 7T1 - black / anthracite / red



soles
Gripwalk® soles

last (mm)	flex
100	100

size range
24,0-31,0

g / MP 26,5
1900

liner type/style
3D Hygienical Fit

technologies
Infrared
Tri-Fit Technology
35mm Strap
Tri Force
Construction
Easy Entry Soft Flap
4 Buckles Micro Alu

Speedmachine 85w R GW

CARRY FORWARD
050G43 G0 Q04 - black / white / green



soles
Gripwalk® soles

last (mm)	flex
100	85

size range
22,0-27,5

g / MP 24,5
1700

liner type/style
3D Hygienical Fit W

technologies
Infrared
Tri-Fit Technology
35mm Strap
Tri Force
Construction
Adjustable Cuff
Profile Easy Entry Soft
Flap
4 Buckles Micro Alu

Sportmachine 3 90 R

050T26 G1 7T1 GW
050T26 01 7T1 - black / anthracite / red



soles
Gripwalk® or 5355
Alpine High Traction

last (mm)	flex
102	90

size range
22,5-32,5

g / MP 26,5
1980 (GW) - 1960

liner type/style
Hygienical Comfort
Fit

technologies
Infrared
Tri-Force
Construction
35mm Strap
Adjustable Cuff
Profile 4 Buckles
Micro Alu

Sportmachine 75w R

050T27 G1 3A9 GW
050T27 01 3A9 - black / anthracite / rose



soles
Gripwalk® or 5355
Alpine High Traction

last (mm)	flex
102	75

size range
22,5-27,5

g / MP 24,5
1820 (GW) - 1800

liner type/style
Hygienical Comfort
Fit W

technologies
Infrared
Tri-Force
Construction
35mm Strap
Adjustable Cuff
Profile 4 Buckles
Micro Alu

Junior

Speedmachine J4 R

CARRY FORWARD
050738 00 M99 - anthracite / black / red



soles
5355 Alpine
High Traction

last (mm)	flex
100	60

size range
19,0-27,5

g / MP 21,5
1650

liner type/style
Comfort RTL
Antibacterial

technologies
Micro Adj Buckles
Power strap
Easy Entry Soft Flap
Hot Stamped Size
& Lenght

Speedmachine J3 R

CARRY FORWARD
050880 00 M99 - anthracite / black / red



soles
5355 Alpine
High Traction

last (mm)	flex
100	45

size range
19,0-26,5

g / MP 21,5
1060

liner type/style
Comfort RTL
Antibacterial

technologies
3 Buckles Alu
Easy Entry Soft Flap
Weight Adjuster
Hot Stamped Size
& Lenght

Speedmachine J2 R

CARRY FORWARD
050882 00 M99 - anthracite / black / red



soles
5355 Alpine
High Traction

last (mm)	flex
100	45

size range
16,5-23,5

g / MP 18,5
810

liner type/style
Comfort RTL
Antibacterial

technologies
2 Buckles Alu
Easy Entry Soft Flap
Weight Adjuster
Hot Stamped Size
& Lenght

Speedmachine J1 R

CARRY FORWARD
050884 00 M99 - anthracite / black / red



soles
5355 Alpine
High Traction

last (mm)	flex
100	25

size range
14,5-19,5

g / MP 16,5
710

liner type/style
Comfort fit

technologies
Ratchet Single Buckle
Sticker Size & Lenght

Alldrive X FDT



NEW
0A5516 SA 001
greengreen
TP2 Compact 10 FDT

sizes
150 · 155 · 161 · 167 ·
173 · 179 · 186

sidecut (by size)
112-84-100 (150) ·
112,5-84-100,5 (155) ·
114-84-102 (161) ·
116-85-104 (167) ·
117,5-85-105,5 (173) ·
119,5-86-107,5 (179) ·
121-86-109 (186)

radius (by size)
15 (150) ·
15,5 (155) ·
16 (161) ·
16,5 (167) ·
17 (173) ·
17,5 (179) ·
18 (186)

DIN setting
3-10 ML

system
FDT Free Demo Plate + RS

ski construction
Energy CA

camRock
All Mountain Rocker Profile

Alldrive 84 FDT



CARRY FORWARD
0A4563 SA 001
blue / silver
TP2 Compact 10 FDT

sizes
136 · 142 · 150 · 158 ·
166 · 174 · 180

sidecut (by size)
127-82-105 (136) ·
128-82-106 (142) ·
129-82-107 (150) ·
133-84-111 (158) ·
134-84-112 (166) ·
135-84-113 (174) ·
136-84-114 (180)

radius (by size)
11 (136) ·
12 (142) ·
13 (150) ·
13,5 (158) ·
14,5 (166) ·
15,5 (174) ·
16,5 (180)

DIN setting
3-10 ML

system
FDT Free Demo Plate + RS

ski construction
Energy CA

camRock
All Mountain Rocker Profile

Alldrive w 82 FDT



CARRY FORWARD
0A4565 SA 001
teal / salmon
TP2 Compact 10 FDT

sizes
136 · 142 · 150 · 158 · 166

sidecut (by size)
127-82-105 (136) ·
128-82-106 (142) ·
129-82-107 (150) ·
133-84-111 (158) ·
134-84-112 (166)

radius (by size)
11 (136) ·
12 (142) ·
13 (150) ·
13,5 (158) ·
14,5 (166)

DIN setting
3-10 ML

system
FDT Freeride Plate + RS

ski construction
Energy CA

camRock
All Mountain Rocker Profile

Alldrive 76 FDT



CARRY FORWARD
0A4569 SA 001
light grey / silver
TP2 Compact 10 FDT

sizes
136 · 142 · 150 · 158 · 166 · 174

sidecut (by size)
120-76-97 (136) ·
121-76-98 (142) ·
122-76-99 (150) ·
124-76-101 (158) ·
125-76-102 (166) ·
126-76-103 (174)

radius (by size)
11 (136) ·
12 (142) ·
13 (150) ·
13,5 (158) ·
14,5 (166) ·
15,5 (174)

DIN setting
3-10 ML

system
FDT RTL Plate + RS

ski construction
Energy CA

camRock
On Piste Rocker Profile

Alldrive 74 FDT



CARRY FORWARD
0A4570 SA 001
grey / red
TP2 Compact 10 FDT

sizes
138 · 144 · 150 · 156 ·
162 · 168 · 174

sidecut (by size)
117-73-94 (138) ·
119-73-96 (144) ·
121-73-98 (150) ·
122,5-73-100 (156) ·
123,5-73-101 (162) ·
124-73-101 (168) ·
124,5-73-102 (174)

radius (by size)
11,5 (138) ·
12 (144) ·
12,5 (150) ·
13 (156) ·
13,7 (162) ·
14,6 (168) ·
15,5 (174)

DIN setting
3-10 ML

system
FDT RTL Plate + RS

ski construction
Composite Wood

camRock
On Piste Rocker Profile

Alldrive w 74 FDT



CARRY FORWARD
0A45710 SA 001
olive / salmon
TP2 Compact 10 FDT

sizes
138 · 144 · 150 · 156 · 162 ·
168

sidecut (by size)
117-73-94 (138) ·
119-73-96 (144) ·
121-73-98 (150) ·
122,5-73-100 (156) ·
123,5-73-101 (162) ·
124-73-101 (168)

radius (by size)
11,5 (138) ·
12 (144) ·
12,5 (150) ·
13 (156) ·
13,7 (162) ·
14,6 (168)

DIN setting
3-10 ML

system
FDT RTL Plate + RS

ski construction
Composite Wood

camRock
On Piste Rocker Profile



Good Performance / Skis
Spitfire

Spitfire TI R FDT



NEW
0A5551 OD 001
grey / red / black
TP2 Light 11 FDT

sizes
150 · 156 · 162 · 168 · 174
sidecut (by size)
118-70-98 (150) ·
119-71-99 (156-162) ·
121-71-101 (168-174)
radius (by size)
12,5 (150) ·
13,5 (156) ·
14,5 (162) ·
15 (168) ·
16 (174)
DIN setting
3-11 TC
system
FDT Race Plate N
ski construction
Energy TI
camRock
Full Camber Profile

Spitfire CA R FDT



NEW
0A5550 SA 001
white / anthracite
TP2 Compact 10 FDT

sizes
140 · 150 · 156 · 162 · 168 · 174
sidecut (by size)
118-70-98 (140) ·
118-70-98 (150) ·
119-71-99 (156-162) ·
121-71-101 (168-174)
radius (by size)
11,3 (140) ·
12,5 (150) ·
13,5 (156) ·
14,5 (162) ·
15 (168) ·
16 (174)
DIN setting
3-10 ML
system
FDT Demo Plate + RS
ski construction
Energy CA
camRock
Full Camber Profile

Spitfire 75 R FDT



NEW
0A5561 SA 001
red / black
TP2 Compact 10 FDT

sizes
138 · 144 · 150 · 156 ·
162 · 168 · 174
sidecut (by size)
123-75-103 (138-144-150) ·
124-75-104 (156-162) ·
125-75-105 (168-174)
radius (by size)
10 (138) ·
11 (144) ·
12 (150) ·
12,5 (156) ·
13,5 (162) ·
14,5 (168) ·
15,5 (174)
DIN setting
3-10 ML
system
FDT RTL Plate + RS
ski construction
Composite Wood Partial SW
camRock
On Piste Rocker Profile

Spitfire 73 R FDT



NEW
0A5561 SA 001
white / black
TP2 Compact 10 FDT

sizes
138 · 144 · 150 · 156 ·
162 · 168 · 174
sidecut (by size)
117-73-94 (138) ·
119-73-96 (144) ·
121-73-98 (150) ·
122,5-73-100 (156) ·
123,5-73-101 (162) ·
124-73-101 (168) ·
124,5-73-102 (174)
radius (by size)
11,5 (138) ·
12 (144) ·
12,5 (150) ·
13 (156) ·
13,7 (162) ·
14,6 (168) ·
15,5 (174)
DIN setting
3-10 ML
system
FDT RTL Plate + RS
ski construction
Composite Wood
camRock
On Piste Rocker Profile

Good Performance / Skis
All Terrain

Enforcer R FDT



NEW
0A5515 SA 001
bluegrey / green
TP2 Compact 10 FDT

sizes
150 · 155 · 161 · 167 ·
173 · 179 · 186
sidecut (by size)
112-84-100 (150) ·
112,5-84-100,5 (155) ·
114-84-102 (161) ·
116-85-104 (167) ·
117,5-85-105,5 (173) ·
119,5-86-107,5 (179) ·
121-86-109 (186)
radius (by size)
15 (150) ·
15,5 (155) ·
16 (161) ·
16,5 (167) ·
17 (173) ·
17,5 (179) ·
18 (186)
DIN setting
3-10 ML
system
FDT Free Demo Plate + RS
ski construction
Energy CA
camRock
All Mountain Rocker Profile

Santa Ana R FDT



NEW
0A5514 SA 001
blue / turquoise
TP2 Compact 10 FDT

sizes
150 · 155 · 161 · 167 · 173
sidecut (by size)
112-84-100 (150) ·
112,5-84-100,5 (155) ·
114-84-102 (161) ·
116-85-104 (167) ·
117,5-85-105,5 (173)
radius (by size)
15 (150) ·
15,5 (155) ·
16 (161) ·
16,5 (167) ·
17 (173)
DIN setting
3-10 ML
system
FDT Free Demo Plate + RS
ski construction
Energy CA
camRock
All Mountain Rocker Profile





Socks made by INTERSOCKS



Dobermann Race

CARRY FORWARD
OW3007 01 001 - black



High Performance Man

NEW
OW3010 01 P46 - anthracite / red
OW3010 01 741 - black / red



High Performance Woman

NEW
OW3003 01 39D - black / lichen blue
OW3003 01 9E3 - black / fuxia



Speedmachine 3

CARRY FORWARD
OW3009 00 001 - black / red



Lite

CARRY FORWARD
OW3013 01 001 - black / grey
OW3013 01 002 - grey / black



Unlimited

NEW
OW3014 01 39D - black / lichen blue
OW3014 01 7U3 - black / sand



Tech Junior

NEW
OW3012 00 39D - black / lichen blue
CARRY FORWARD
OW3012 00 N16 - black / red / white
OW3012 00 774 - black / anthracite / red



HF

CARRY FORWARD
OW3008 01 001 - black / red
OW3008 01 002 - grey / anthracite



Uni 2-Pack

CARRY FORWARD
OW3011 02 001 - grey / red + black / red
OW3011 02 002 - grey / anthracite + black / anthracite

Gloves made by LEVEL



Nordica Freeride

NEW
OW2612 01 001 - black



Nordica Coach

CARRY FORWARD
OW2608 00 741 - black / red



Nordica Pro Rider

CARRY FORWARD
OW2609 00 744 - grey / red



Nordica Ranger

CARRY FORWARD
OW2610 00 001 - black / sand



Nordica Alper Light

CARRY FORWARD
OW2611 00 001 - black / grey

Apparel

Essential 1939



Essential Sweatshirt
NEW
0W0150 01 001 - grey



Essential Hoodie
CARRY FORWARD
0W0400 00 001 - black



Essential Fleece
NEW
0W0401 01 001 - grey / black



Essential Tshirt
NEW
0W0300 01 002 - grey / black



Caps



Essential Cap
CARRY FORWARD
0W0500 00 001 - black



Essential Beanie
CARRY FORWARD
0W0550 00 001 - black



Essential Flatbrim
NEW
0W0503 00 002 - black / white



Essential Unleashed Beanie
CARRY FORWARD
0W0551 00 001 - bordeaux

Dobermann



Dobermann Scuba
NEW
0W0403 01 002 - grey / white



Dobermann Long Sleeves
NEW
0W0304 01 002 - black / white



Dobermann T-Shirt
NEW
0W0303 01 002 - black / white



Dobermann Cap
NEW
0W0501 01 003 - black / white



Dobermann Beanie
NEW
0W0553 01 003 - black / white



Dobermann Rain Coat
NEW
0W0118 01 003 - grey / black



Dobermann Joggers
NEW
0W0200 01 002 - black / white



Business Trolley

NEW
0N3046 03 002 - black / white
40 lt - 40x55x22 cm



Boot Backpack

CARRY FORWARD
0N3015 03 001 - black / red
61 lt - 39x40x38 cm



Boot Bag

CARRY FORWARD
0N3014 03 001 - black / red
55 lt - 33x40x38 cm



Boot Bag Lite

CARRY FORWARD
0N3037 03 001 - black / red
30 lt - 34x40x24 cm



Pro Backpack

NEW
0N3052 01 001 - black / white -
29 lt - 55x31x14 cm



Race XL gear pack Domme

CARRY FORWARD * not made by Invicta
0N3055 00 001 - black
85 lt - 70x49x29 cm



Ski Bag Lite

NEW
0N3038 03 003 - black / white / red - 1 pair ski - 185x23x19 cm



Single Ski Bag

NEW
0N3017 03 003 - black / white / red - 1 pair ski - 175(210)x23x15 cm



Cargo Roller Ski Bag

NEW
0N3033 01 003 - black / white / red - 4/6 pair ski - 190x54x30 cm



12mtravel Bag

CARRY FORWARD
0N3048 00 001 - black - 70 lt - 64x35x35 cm



Double Roller Ski Bag

NEW
0N3018 03 003 - black / white / red - 2/3 pair ski - 200x36x18 cm



3 Pair Ski Bag

CARRY FORWARD
GS RACE 0N3034 00 741 - black / red - 3 pair ski - 38x210 cm
DH RACE - 0N3035 00 741 - black / red - 3 pair ski - 38x240 cm



Dobermann Race

CARRY FORWARD
0B0828 01 001 - black / red



Dobermann Multigara

CARRY FORWARD
0B0871 00 001 - black / red



Freeride Pro Woman

CARRY FORWARD
0B0805 02 001 - black / teal



Alpine TI Dark

NEW
0B0808 01 002 - grey / grey



Dobermann JR Race

CARRY FORWARD
0B0830 01 001 - black / red



Freeride Unlimited

CARRY FORWARD
0B0840 00 001 - black / red



Freeride Pro Man

CARRY FORWARD
0B0805 01 001 - black / red



Alpine TI Bright

NEW
0B0810 01 002 - black / white



Primo Uni

CARRY FORWARD
0B0814 01 001 - white
0B0814 01 002 - grey



Alpine Performance

NEW
0B0824 51 002 - black / white
(prepack 25 + box)



Junior

NEW
0B0818 01 002 - red / black



Junior Girl

CARRY FORWARD
0B0820 00 002 - green / white



Rental

NEW
0B0622 01 003 - brushed



Rental JR

NEW
0B0617 00 003 - brushed



Comp 30 / 20
 OC5111 00 001 - OC5112 00 001
 DIN configuration:
 15.0 - 30.0 (30) · 11.0 - 20.0 (20)



Comp 16 / 12
 OC4144 00 001 - OC4146 00 001
 DIN configuration:
 6.0 - 16.0 (16) · 4.0 - 12.0 (12)



Comp 10 TCX / 10
 OC4148 00 001 - OC4150 00 001
 DIN configuration:
 3.0 - 10.0



Comp Junior 8
 OC4152 00 001
 DIN configuration:
 2.0 - 8.0



Duke PT 16
 OC4155 00 001 (100mm)
 OC4154 00 001 (125mm)
 DIN configuration:
 6.0 - 16.0



Duke PT 13
 OC4156 00 001 (125mm)
 OC4157 00 001 (100mm)
 DIN configuration:
 4.0 - 13.0



Duke PT 11
 OC3215 00 001 (100mm)
 OC3213 00 001 (125mm)
 DIN configuration:
 3.0-11.0



Jester 18 Pro ID
 OC4158 00 001 (120mm)
 OC4159 00 001 (110mm)
 DIN configuration:
 8.0 - 18.0



Jester 16 ID
 OC3216 00 001 / 002 (100mm)
 OC3218 00 001 / 002 (110mm)
 DIN configuration:
 6.0-16.0



Kingpin 10
 OC2100 00 001 (75-100mm)
 OC2101 00 001 (100-125mm)
 DIN configuration:
 5.0-10.0



Kingpin 13
 OC2102 00 001 (75-100mm)
 OC2103 00 001 (100-125mm)
 DIN configuration:
 6.0-13.0



Cruise 12
 OC3225 00 001 (90mm)
 OC3224 00 001 (105mm)
 DIN configuration:
 6.0-12.0



Cruise 10
 OC3226 00 001 (90mm)
 DIN configuration:
 4.0-10.0



Alpinist 12
 OC2104 00 001 (w/o brake)
 OC2105 00 001 (90mm)
 DIN configuration:
 6.0-12.0



Alpinist 10
 OC2106 00 001 (w/o brake)
 OC2107 00 001 (90mm)
 DIN configuration:
 4.0-10.0



Alpinist 8
 OC2108 00 001 (w/o brake)
 OC2109 00 001 (90mm)
 DIN configuration:
 3.0-8.0



Squire 11
 OC1201 00 001 / 002 / 003 (90mm) - OC1202 00 001 / 002 / 003 (100mm)
 OC1203 00 001 / 002 / 003 (110mm)
 DIN configuration:
 3.0-11.0



Squire 10-100
 + **screw kit** - OC3220 00 001
 DIN configuration:
 3.0-10.0



Unlimited Skin
 OB2050 00 001 Unlimited 104 skin - OB2051 00 001 Unlimited 94 skin -
 OB2052 00 001 Unlimited 88 skin

Recycle Your Boots.

古くなったブーツに第二の人生を

NORDICA(ノルディカ)では、スキーブーツのライフサイクルを考え常に新しい方法を考えています。ブーツをリサイクルすることだけが最終的な答えではなく、絶え間ない革新の場へ。

プラスチックごみの問題

Recycle Your Boots


この考えは、世界的に膨大な量の廃棄物を生み出しているという意識から生まれました。古いスキーブーツが使用期限を迎えると、ゴミ捨て場に捨てられたり、ゴミ焼却場で燃やされたりします。そのプラスチックごみは、地球にとって大きな環境問題となっています。私たちは、誰でも、どのブランドのものでも、古いブーツを返却できるようにしたいと考えています。

Nordica will recycle the old pair completely

ノルディカは、透明性の高い持続可能なプロセスで、古いブーツの最大85%をリサイクルします。ノルディカは、循環型経済をスキー業界の新しいビジネスモデルとするため、「Recycle Your Boots」キャンペーンを開始しています。2021年以降、私たちはすでに12カ国で29000足以上のスキーブーツを回収しています。



FIND OUT
MORE



NORDICA
LET'S SKI

株式会社 テクニカグループジャパン
〒101-0051
東京都千代田区神田神保町2-40-7 友輪ビル5階
www.tecnica-group.com

SPADDA CLUB